

ORMITAL



PRODUCTS FOR
HOBBY FARMING



ORMITAL



Who are we?

Ormi Group and **Novital**, two of the strongest companies in the poultry products sector in Spain and Italy, join forces with the goal of providing the best service and offering the widest product portfolio on the Hobby Farming market.

With this merger the **ORMITAL** brand is created, becoming the leading manufacturer of accessories for Hobby Farming, with three factories in Spain and Italy.

Among our range of products of own manufacture, we highlight:

- Incubators
- Feed mills
- Plastic accessories
- Metal accessories
- Poultry houses
- And a new line of poultry housing made from 100% recycled materials.

Our vision?

Create a more sustainable world with our product and service offer. We want to contribute to the bond between people, nature and farm animals, so that together can develop values more beneficial for future generations.

Our mission?

To be the reference in the European manufacturing sector of Hobby Farming products, contributing to sustainability and to the environment.

Our Values?


Our main value is the manufacture of sustainable and environmentally friendly products.

Our hallmark, is a 100% European manufactured products with the highest quality, prioritizing the optimization of animal's life quality.

We are continuously researching and investing in the optimization of our products with the most innovative technology.

KEY:

	Number of parts included in the package
	Package dimensions (length x depth x height)
	Number of pieces contained in pallets 80x120 cm
	Double packaging for maximum transport safety
	Information box / label
	Single piece weight
	Barcode
	Bio: Products recommended for free-range production farms, complying with animal welfare regulations.
	Top sales: Best selling products in our main categories.
	New: New products launched in the market.



INDEX

Page 6



INCUBATORS

Page 24



DRINKERS

Page 42



FEEDERS

Page 58



CHICKEN COOPS

Page 64



LAYING NESTS

Page 76



ORGANIC POULTRY



INDEX

MILLS



Page 88

PLUCKERS



Page 94

SMALL MAMMALS



Page 100

TRAPS AND EXTERMINATORS



Page 116

GARDEN



Page 126

SPARE PARTS FOR **INCUBATORS**

Page 140

SPARE PARTS FOR **PLUCKERS**

Page 146

SPARE PARTS FOR **MILLS**

Page 148

SPARE PARTS FOR TRAPS AND EXTERMINATORS

Page 154

INCUBATORS



ORMITAL



ATTESTATION OF CONFORMITY

TO THE ELECTROMAGNETIC COMPATIBILITY DIRECTIVE 2014/30/EU



Attestation number : 3504706.04_EMC

Issued to : Novital S.r.l.
Via Europa, 7
21015, Lonate Pozzolo (VA) - Italy

Manufacturer : Novital S.r.l.
Via Europa, 7
21015, Lonate Pozzolo (VA) - Italy

Product Type : Electric mill

Model reference : GOLIA - 4 V

Serial number : ---


Testing laboratory : ELETECH s.r.l. - 23871 Via Garcia Lorca 29, Lomagna (LC) - Italy

Test Report ref. No. : 000523EMC00_00

Requirements : EN 55014-1:2006 +A1:2009 +A2:2011; EN 55014-2: 2015;
EN 61000-3-3:2014; EN 61000-3-3:2013

I, the undersigned, declare that the product described above is in conformity with the above technical specification.
This certificate of conformity is issued on the basis of the test results indicated in the test report mentioned
by ELETECH S.r.l. The investigation does not include an assessment of the manufacturer's production.

Date of issue : 2016-06-01


Franco Vasta
Executive

DEKRA Certification B.V. Meander 1051, 6825 MJ Arnhem P.O. Box 5185, 6802 ED Arnhem The Netherlands
Tel +31 88 96 83000 ; www.derka-certification.com ; registered Arnhem 09085396


The products: Covatutto incubators 7, 16, 16L, 24, 24eco, 54, 108, 162.
4V Golia, Bravo, Magnum, Davide Mills and Aladino heaters.

Have been tested by Dekra according to the EN standards related to electrical safety and compatibility related to electrical safety and electromagnetic compatibility.

Test reports are available upon request.

All products in this catalog are entirely designed and manufactured in Spain and Italy by ORMITAL

Egg types



Indicative capacity (referred to height, measure, shape).

	Quail	Partridge	Chicken	Guinea-fowl	Pheasant-hen	Turkey-hen	Duck	Goose
covatutto								
7	22	15	7	8	8	5	5	2
16	42	26	14-16	18	19	10	11	4
24	70	42	24	30	30	16	20	6
54	140	80	48	60	60	32	40	15
108	280	168	96	120	120	64	80	30
162	420	252	144	180	180	96	120	45

ovattutto 16L PRO

Heating: 3 X 25watt E14 bulb (incandescent).
Thermometer: Digital with temperature control for each species
Materials: Non-toxic plastic.
Features: Sandwich insulation, backlit display with 3 functions: Indication of incubation days, water refill memo, start/end egg turner setting.
Egg turner: 1 Automatic egg turner with separators.
Humidity: Two internal compartments on the bottom of the machine and fixed water pan with external refill.
Indicative capacities: See table page 9.



POSSIBILITY TO INSERT DIGITAL THERMO HYGROMETER NOT INCLUDED

EGG-TURNING KIT INCLUDED

Article		l x p x h	Kg	Code
2229A0000	1	31,5 x 27,5 x 31,5	2,6	8010213000560
337G	1	22 x 4,2 x 22	0,265	8010213000577

ovattutto 7

Heating: Light bulb 3 X 15 watt E14 (incandescent).
Thermometer: With a liquid-filled glass tube.
Materials: Non-toxic plastic.
Features: Sandwich-type insulation.
Egg turning device: Not available.
Humidity: Fixed water pan.
Approximate capacity: See the table on page 9.

Article		l x p x h	Kg	Code
1962A4000	1 ●	56 x 28 x 51	1,50	8010213970313

ovattutto 16L Analogic Manual

Heating: Light bulb 3 X 25 watt E14 (incandescent).
Thermometer: With a liquid-filled glass tube.
Materials: Non-toxic plastic.
Features: Sandwich-type insulation.
Egg turning device: Manual-type and supplied in the standard equipment.
Humidity: Fixed water pan with external refill.
Approximate capacity: See the table on page 9.

Article		l x p x h	Kg	Code
2118A0000	1	22,7 x 31,5 x 31,6	1,70	8010214001405
2118AS000	1 ●	37 x 37 x 28,5	2,70	8010214001443

ovattutto 24^{ECO} Analogic

Heating: Resistor 90W + fan.

Thermometer: With a liquid-filled glass tube.

Materials: Non-toxic plastic.

Humidity: Fixed water pan with external refill.

Approximate capacity: See the table on page 9.

Egg turning device: Manual tie rods supplied in the Analogic Manual.

Automatic egg turning devices supplied for Analogic Automatic.



Analogic Manual



Analogic Automatic



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
0504A4000	1	21,2x37x34	3,80	8010213970160	1801AS000	2 ●	39 x 42,5 x 26,5 14 x 10,5 x 24,5	5,20	8010213970191
0504A4500	1 ●	39x42,5x26,5	4,40	8010213970177					

ovattutto 24 Digital

Heating: Resistor 60W + fan.

Thermometer: Digital-type with temperature control by species.

Materials: Non-toxic plastic.

Features: Sandwich-type insulation, backlit display with 3 functions: display of days before hatching, water refill, egg turning display.

Humidity: Fixed water pan with external refill.

Approximate capacity: See the table on page 9.

Egg turning device: Manual tie rods supplied in the digital manual.

Automatic egg turning devices supplied for digital automatic.




Digital Manual



Digital Automatic



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
1958A5000	1	42 x 25 x 38,5	4,72	8010213977701	1959A5S00	2 ●	47,5 x 44 x 30,5 14 x 10,5 x 24,5	6,40	8010213977732
1958A5S00	1 ●	47,5 x 44 x 30,5	5,70	8010213977718					



Heating: Resistor 90W + fan.
Thermometer: With a liquid-filled glass tube.
Materials: Non-toxic plastic.
Features: Sandwich-type insulation.
Humidity: Fixed water pan with external refill.
Approximate capacity: See the table on page 9.
Egg turning device: Manual tie rods supplied in the Analogic Manual.
 Automatic egg turning devices supplied for Analogic Automatic.



Analogic Manual



Analogic Automatic



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
1958A4000	1	42 x 25 x 38,5	4,72	8010213970214	1959A4500	2 ●	47,5 x 44 x 30,5 14 x 10,5 x 24,5	6,40	8010213970245
1958A4500	1 ●	47,5 x 44 x 30,5	5,70	8010213970221					

ovattutto 54 Analogic

Heating: Resistor 140W + fan.

Thermometer: With a liquid-filled glass tube.

Materials: Non-toxic plastic.

Features: Sandwich-type insulation.

Humidity: Fixed water pan with external refill.

Approximate capacity: See the table on page 9.

Egg turning device: Manual tie rods supplied in the Analogic Manual.

Automatic egg turning devices supplied for Analogic Automatic.



Analogic Manual



Analogic Automatic

Article		l x p x h	Kg	Code
1960A4000	1	60 x 26 x 42	6,4	8010213970252
1960A4500	1 ●	65 x 47,5 x 31,5	7,5	8010213970269

Article		l x p x h	Kg	Code
1961A4000	1	60 x 26 x 42	7,0	8010213970276
1961A4500	1 ●	65 x 47,5 x 31,5	8,2	8010213970283

ovattutto 54 Digital

Heating: Resistor 90W + fan.

Thermometer: Digital-type with temperature control by species.

Materials: Non-toxic plastic.

Features: Sandwich-type insulation, backlit display with 3 functions: display of days before hatching, water refill, egg turning display.

Humidity: Fixed water pan with external refill.

Approximate capacity: See the table on page 9.

Egg turning device: Manual tie rods supplied in the digital manual.

Automatic egg turning devices supplied for digital automatic.



Digital Manual



Digital Automatic

Article		l x p x h	Kg	Code
1960A5000	1	60x26x42	6,40	8010213977688
1960A5500	1 ●	65x47,5x31,5	7,50	8010213977695

Article		l x p x h	Kg	Code
1961A5000	1	60x26x42	6,40	8010213977749
1961A5500	1 ●	65x47,5x31,5	7,50	8010213977756

ovattutto 108 Analogic

Heating: Resistor 60W+90W + fan.

Thermometer: With a liquid-filled glass tube.

Materials: Non-toxic plastic.

Features: Two trays for incubation and hatching.

Humidity: 2 Water pan supplied in the standard equipment.

Approximate capacity: See the table on page 9.

Egg turning device: 2 Manual tie rods supplied in the Analogic Manual.

2 Automatic egg turning devices supplied for Analogic Automatic.



Analogic Manual



Analogic Automatic

Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2068A0000	1 ●	60 x 50 x 67	16,80	8010213978081	2069A0000	1 ●	60 x 50 x 67	19,086	8010213978098

ovattutto 108 Digital

Heating: Resistor 60w + 90w + fan.

Thermometer: Digital-type with temperature control by species.

Materials: Non-toxic plastic.

Features: Two trays for incubation and hatching, backlit display with 3 functions: display of days before hatching, water refill, egg turning display.

Humidity: 2 Water pan supplied in the standard equipment.

Approximate capacity: See the table on page 9.

Egg turning device: 2 Manual tie rods supplied in the digital manual .

2 Automatic egg turning devices supplied for digital automatic.



Digital Manual



Digital Automatic

Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2068AD000	1 ●	60 x 50 x 67	16,80	8010213978142	2069AD000	1 ●	60 x 50 x 67	19,086	8010213978159

ovattutto 162 Analogic

Heating: Resistor 60w + 140w + 2 fans.

Thermometer: With a liquid-filled glass tube.


Materials: Non-toxic plastic.

Features: Three trays for incubation and hatching.

Humidity: 2 Water pans supplied in the standard equipment.

Approximate capacity: See the table on page 9.

Egg turning device: 3 Manual tie rods supplied in the Analogic Manual.
3 Automatic egg turning devices supplied for Analogic Automatic.



Analogic Manual



Analogic Automatic

Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2066AT000	1 ●	60 x 50 x 67	17,338	8010213977657	2067AT000	1 ●	60 x 50 x 67	19,624	8010213977671

ovattutto 162 Digital

Heating: Resistor 60w + 140w + 2 fans.

Thermometer: Digital-type with temperature control by species.


Materials: Non-toxic plastic.

Features: Three trays for incubation and hatching, backlit display with 3 functions: display of days before hatching, water refill, egg turning display.

Humidity: 2 Water pans supplied in the standard equipment.

Approximate capacity: See the table on page 9.

Egg turning device: 3 Manual tie rods supplied in the digital manual.
3 Automatic egg turning devices supplied for digital automatic.



Digital Manual



Digital Automatic

Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2066ADT00	1 ●	60 x 50 x 67	17,338	8010213977640	2067ADT00	1 ●	60 x 50 x 67	19,624	8010213977664

Egg candling lamp

Materials: Non-toxic plastic.

Features: Ergonomic handle, suitable for all egg types.

Power supply: Electrical 230v.

Light bulb: 230V-60W – E27 (not supplied in the standard equipment).



Article		 l x p x h	 Kg	 Code
0243A0000	6	33,5 x 26 x 15,5	0,433	8010213002434



EGG CANDLING FOR MONITORING THE EMBRYONIC DEVELOPMENT STAGES


The fertilized egg contains the developing embryo. Initially, a dense capillary network just below the shell can be observed. The embryo appears as a dark spot which becomes larger as incubation progresses. After a certain time only a dark mass that becomes larger and larger and the air chamber are visible.



The egg candeling is performed by illuminating the egg with an intense light from the bottom.



The egg candeling is performed by illuminating the egg from the bottom to the top, which should be facing downwards.



The egg candeling must be carried out in a dark place, where the flashlight is the only source of light.



From the 6th or 7th day on, you can check the embryo's status to eliminate unfertilized eggs. This operation is not essential.



You can repeat the operation between days 10 to 17 days of incubation (no later) to verify the correct development of the embryo.

Brooder CALDO CIP

Heating: Light bulb 75W E27 (supplied in the standard equipment).

Temperature: Manually adjustable.

Materials: Non-toxic plastic.

Features: Access door, rotating basket, transparent dome and removable dropping tray.

Ideal solution for the first days of life of chicks, birds, cats and dogs.



Article		l x p x h	Kg	Code
1980A0000	1	48,5 x 34,5 x 48,5	4,70	8010213970627

Infrared Lamp

Type: E27 240V

Power: 150W (0273A0000)

250W (0271A0000)



Infrared Lamp Par 38

Type: E 27 240V

Power: 175W Philips (2056A0000)

100W Eco (2195A0000)



Article		l x p x h	Kg	Code
0273A0000	10	60 x 24,5 x 18	0,2155	8010213971044
0271A0000	10	60 x 24,5 x 18	0,21	8010213976919

Article		l x p x h	Kg	Code
2056A0000	12	67 x 34,5 x 15	0,3961	8010213976995
2195A0000	12	37 x 47 x 17	0,4	4018653222461

Infrared Lamp Eco

Type: E27 240V

Power: 150W



Article		l x p x h	Kg	Code
0272A0000	10	63 x 27 x 21	0,233	

Reflector Aladino 250

Heating: Infrared lamp E27, max. 150W-250W (not supplied in the standard equipment).

Materials: Non-toxic plastic, medium thermal and mechanical resistance.

Features: Ideal solution for the first days of life of chicks, dogs, cats, pigs and sheep.

Cable length:

- m 2.5 (1982A0000)
- m 5 (1989A0000)



Reflector Aladino with regulator

Heating: Infrared lamp E27, max. 175W (not supplied in the standard equipment).

Materials: Non-toxic plastic, medium thermal and mechanical resistance.

Features: Equipped with power regulator, ideal solution for the first days of life of chicks, dogs, cats, pigs and sheep.

Cable length:

- m 2.5 (1990A0000)
- m 5 (1999A0000)



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
1982A0000	2	40 x 27 x 26	1,71	8010213970641	1990A0000	2	40 x 27 x 26	1,72	8010213972027
1989A0000	2	40 x 27 x 26	1,84	8010213972010	1999A0000	2	40 x 27 x 26	1,85	8010213972041

Corral

Material: Plastic.

Features: Solid corral, formed by six panels equipped with built-in hinges, very easy installation, quick and safe fastening.

Ideal solution for small, newly born animals.

Individual panel available as a spare part.

Dimensions: Every panel 60 x 1 x 39 cm




Corral



Corral panel

Material: Plastic.

Dimensions: 60 x 1 x 39 cm



Article		 l x p x h	 Kg	 Code	Article		 l x p x h	 Kg	 Code
2197A0000	1	8,5 x 40 x 61,5	2,9	8010213000133	4767P				

CHICKS WEANING KIT

INCLUDES EVERYTHING YOU NEED TO HELP YOUR CHICKS GROW UP HEALTHY AND STRONG.

Includes:

- 1 Aladino heating lamp (1982A0000) including 1 infrared bulb E27 PAR 100W (2195A0000).
- 1 Trestle (2223A0000).
- 1 Fence including 6 panels (2197A0000).
- 1 Anti-failure trough 1,5Lt (0161A0000).
- 1 Bar feeder 30 cm (0442A0000).
- 24 Hooks for fence development (329G).



Article		 l x p x h	 Kg	 Code
2226A0000	1	61,5 x 26 x 39,5		



2223A0000



2197A0000



1982A0000



0161A0000



0442A0000

329G
(x24 units)

2195A0000

Universal support

Material: Galvanised steel legs, polypropylene components.

Features: Ideal for hanging all types of feeders and troughs up to a maximum of 20Kg.

Adjustable legs to adapt to all types of ground, ideal solution to avoid contamination in free range breeding.

Very strong support, easy to assemble.



Article		 l x p x h	 Kg	 Code
2223A0000	1	17 x 7 x 68	3,120	8012013000386



UNIVERSAL SUPPORT + COVER

Material: Galvanised steel legs, polypropylene components.

Features: Ideal for hanging all types of feeders and troughs up to a maximum of 20Kg.

Adjustable legs to adapt to all types of ground, ideal solution to avoid contamination in free range breeding. The universal stand has a plastic cover with a front zip for easy access to the drinker/feeder.

Very strong support, easy to assemble.



Article		 l x p x h	 Kg	 Code
2224A0000	1	17 x 7 x 68	3,645	8012013000447





DRINKERS



ORMITAL





Drinker Dybird

Material: Food-grade plastic.


Features: Automatic drinker, universal coupling for aviaries and net cages, fixed pan, float unit that is completely removable for cleaning purposes (the water connection is maintained), three adjustable water levels.

To operate, the drinker must be connected to a central gravity water main.

Ideal solution for birds (canaries, budgies, lovebirds, exotic parrots...).

It assures that the water is always fresh and clean.

Article	 24	 l x p x h	 Kg	 Code
2191A0000	24	20x41,5x21	0,1148	8010213979439



Drinker Dyquail


Material: Food-grade plastic.

Features: Automatic drinker with universal coupling for aviaries and net cages, equipped with fixed pan and float unit that is completely removable for cleaning purposes (the water connection is maintained), the water supply can be adjusted in three different levels. To operate, the drinker must be connected to a central gravity water main.

Ideal solution for birds, quails, partridges...

It assures that the water is always fresh and clean.

Article	 24	 l x p x h	 Kg	 Code
2192A0000	24	20 x 30,5 x 32	0,13	801023979446



Drinker BEVERCIP 14cm

Material: Food-grade plastic.

Features: It can be used with 0.5/0.75/1L plastic bottles.



* Colours upon demand in case of large quantities.

Article		 l x p x h	 Kg	 Code
1938F0000 ▲	48	15 x 29,5 x 59	0,053	8010213969614
* 1938A-W00 ■	48	15 x 29,5 x 59	0,053	8010213978951
* 1938A-X00 ■	48	15 x 29,5 x 59	0,053	8010213978944

Drinker BEVERCIP 23cm

Material: Food-grade plastic.

Features: It can be used with 1.5/2L plastic bottles.



* Colours upon demand in case of large quantities.

Article		 l x p x h	 Kg	 Code
1939F0000 ▲	48	70 x 24 x 55	0,161	8010213969621
* 1939A-W00 ■	48	70 x 24 x 55	0,161	8010213978968
* 1939A-X00 ■	48	70 x 24 x 55	0,161	8010213978975

Nipple Drinker Max PL

Material: Food-grade plastic.

Features: Ideal solution for birds and fowl.



Article		 l x p x h	 Kg	 Code
2001A0000	120	25,5 x 16,5 x 4,5	0,0058	8010213972119
2001F0000 ▲	16	13,5 x 22 x 14,5	0,0138	8010213972126

DERBY Drinker (90°) with deposit 50 cl

Material: Food-grade plastic.

Features: Ideal solution for birds and fowl; suitable for all net types.

Capacity: 50cl

Water intake angle: 90°



DERBY Drinker (90°) with deposit 100 cl

Material: Food-grade plastic.

Features: Ideal solution for birds and fowl; suitable for all net types.

Capacity: 100cl

Water intake angle: 90°



Article		 l x p x h	 Kg	 Code	Article		 l x p x h	 Kg	 Code
2017A0000	24	36 x 13 x 42	0,1069	8010213972355	2021A0000	24	45 x 35,5 x 41	0,1843	8010213972430
2017AF000▲	24	36 x 13 x 42	0,1079	8010213972362	2021AF000▲	24	45 x 35,5 x 41	0,1843	8010213972447

DERBY Drinker (45°) with deposit 50 cl

Material: Food-grade plastic.

Features: Ideal solution for birds and fowl; suitable for all net types.

Capacity: 50cl

Water intake angle: 45°



DERBY Drinker (45°) with deposit 100 cl

Material: Food-grade plastic.

Features: Ideal solution for birds and fowl; suitable for all net types.

Capacity: 100cl

Water intake angle: 45°



Article		 l x p x h	 Kg	 Code	Article		 l x p x h	 Kg	 Code
2018A0000	24	36 x 13 x 42	0,1071	8010213972379	2022A0000	24	45 x 35,5 x 41	0,1843	8010213972454
2018AF000▲	24	36 x 13 x 42	0,1081	8010213972386	2022AF000▲	24	45 x 35,5 x 41	0,1843	8010213972461



3 L Drinker - PIGEONS

Material: Food-grade plastic.

Capacity: 3L

Features: Equipped with hanging hook, the particular shape was conceived to prevent the animals from stopping in the drinker, ideal solution for pigeons and fowl.



Article		 l x p x h	 Kg	 Code
1984AC000	6	46,5 x 23,5 x 78	0,56	8010213971822
1984AF000▲	6	46,5 x 23,5 x 78	0,56	8010213971358

5 L Drinker - PIGEONS

Material: Food-grade plastic.

Capacity: 5L

Features: Equipped with hanging hook, the particular shape was conceived to prevent the animals from stopping in the drinker, ideal solution for pigeons and fowl.



Article		 l x p x h	 Kg	 Code
0790AC000	6	46,5 x 23,5 x 90	0,628	8010213967900
0790AF000▲	6	46,5 x 23,5 x 90	0,628	8010213971440

8 L Drinker - PIGEONS

Material: Food-grade plastic.

Capacity: 8L

Features: Equipped with hanging hook, the particular shape was conceived to prevent the animals from stopping in the drinker, ideal solution for pigeons and fowl.



Article		 l x p x h	 Kg	 Code
1985AC000	6	46,5 x 23,5 x 115	0,741	8010213971839
1985AF000▲	6	46,5 x 23,5 x 115	0,741	8010213971372

Siphon drinker

Material: Food-grade plastic.

Features: Ideal solution for small-size fowl and birds

To be used on the floor.



0,75 L

1,5 L

3,5 L

5 L

Capacity	Article		 l x p x h	 Kg	 Code
0,75 L	1983AF000 ▲	24	29,5 x 15,5 x 41,5	0,1125	8010213971662
0,75 L	* 1983A-W00 ■	24	29,5 x 15,5 x 41,5	0,1125	8010213978302
0,75 L	* 1983A-X00 ■	24	29,5 x 15,5 x 41,5	0,1125	8010213978319
1,5 L	0161A0000	24	35 x 22 x 53	0,175	8010213001611
1,5 L	0161AF000 ▲	24	35 x 22 x 53	0,175	8010213971778
1,5 L	* 0161A-W00 ■	24	35 x 22 x 53	0,175	8010213978289
1,5 L	* 0161A-X00 ■	24	35 x 22 x 53	0,175	8010213978296
3,5 L	0162A0000	24	48,5 x 27,5 x 52	0,321	8010213001628
3,5 L	0162AF000 ▲	24	48,5 x 27,5 x 52	0,321	8010213971679
3,5 L	* 0162A-W00 ■	24	48,5 x 27,5 x 52	0,321	8010213978326
3,5 L	* 0162A-X00 ■	24	48,5 x 27,5 x 52	0,321	8010213978333
5 L	0163A0000	24	48,5 x 27,5 x 69	0,3868	8010213001635
5 L	0163AF000 ▲	24	48,5 x 27,5 x 69	0,3868	8010213971693
5 L	* 0163A-W00 ■	24	48,5 x 27,5 x 69	0,3868	8010213978531
5 L	* 0163A-X00 ■	24	48,5 x 27,5 x 69	0,3868	8010213978340

* Colours upon demand in case of large quantities



Siphon drinker 10L

Material: Food-grade plastic.

Capacity: 10L

Features: Ideal solution for chicks and fowl in general

To be used on the floor.



Article		 l x p x h	 Kg	 Code
0789A0000	12	35 x 35 x 24	0,7833	8010213007897
0789AF000 ▲	12	35 x 35 x 80	0,6966	8010213971396

Tank drinker RAPID CLEAN - CHICKS

Models 6, 9 L Equipped with a lid with six hooks to prevent accidental opening, equipped with a hook for hanging, the drum can be filled directly by opening the half moon on the lid. White tank to slow down the formation of algae, easy to clean.

Anti-fouling plate, specially designed for chicks and/or dwarf breeds.

Models 12-18-24 L With dirt-repellent lid, handle and easy-to-clean, algae-reducing white tank.

Anti-fouling tray, specially designed for chicks and/or dwarf breeds.

Use: Floor or hung.



Capacity	Article		 l x p x h	 Kg	 Code
6 L	2075AF000 ▲	12	64 x 37 x 46	0,983	8010213977930
9 L	2076AF000 ▲	9	64 x 37 x 46	1,044	8010213977916
12 L	2077AF000 ▲	6	35,5 x 35,5 x 56	1,267	8010213977954
18 L	2078AF000 ▲	6	35,5 x 35,5 x 69	1,530	8010213977978
24 L	2106AF000 ▲	4	35,5 x 35,5 x 69	1,563	8010214001184



Tank drinker RAPID CLEAN - CHICKENS

Models 6, 9 L Equipped with a lid with six hooks to prevent accidental opening, equipped with a hook for hanging, the drum can be filled directly by opening the half moon on the lid. White tank to slow down the formation of algae, easy to clean.

Models 12-18-24 L Are equipped with a dirt-repellent lid, handle and easy-to-clean white tank to slow down algae growth.

Use: Floor or hung.



Capacity	Article		 l x p x h	 Kg	 Code
6 L	2073AF000 ▲	12	35,5 x 35,5 x 18	1,4	8010214001030
9 L	2074AF000 ▲	9	64 x 37 x 46	1,25	8010213977893
12 L	2011AF000 ▲	6	35,5 x 35,5 x 69	1,4833	8010213972256
12 L	2011F0000 ▲	1	35,5 x 35,5 x 32	1,80	8010213972263
18 L	1979AF000 ▲	6	35,5 x 35,5 x 78	1,8166	8010213971501
18 L	1979F0000 ▲	1	35,5 x 35,5 x 41	2,000	8010213971495
18 L	1979AF300 ▲	3	35,5 x 35,5 x 56	1,866	8010213976902
24 L	2107AF000 ▲	6	35,5 x 35,5 x 78	1,8145	8010214001191



Tank drinker RAPID CLEAN 6L + legs

Material: Food-grade plastic.
Capacity: 6L
Features: Equipped with hook, filling-up system from above, dirt-prevention cover, equipped with six hooking points and two snap-on closures; easy to clean, white coloured tank to slow down algae formation.



Tank drinker RAPID CLEAN 9L + legs

Material: Food-grade plastic.
Capacity: 9L
Features: Equipped with hook, filling-up system from above, dirt-prevention cover, equipped with six hooking points and two snap-on closures; easy to clean, white coloured tank to slow down algae formation.



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2079AF000▲	12	42 x 42 x 80	1,4	8010213977992	2080AF000▲	9	42 x 42 x 80	1,444	8010213978012

Tank drinker RAPID CLEAN 12L + legs

Material: Food-grade plastic.
Capacity: 12L
Features: Equipped with handle, dirt-prevention cover which allows the filling-up from above, easy to clean, white coloured tank to slow down algae formation.



Tank drinker RAPID CLEAN 18L + legs

Material: Food-grade plastic.
Capacity: 18L
Features: Equipped with handle, dirt-prevention cover which allows the filling-up from above, easy to clean, white coloured tank to slow down algae formation.



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2081AF000▲	6	42 x 42 x 30	2,20	8010213978104	2082AF000▲	6	42 x 42 x 80	1,933	8010213978050

Tank drinker RAPID CLEAN 24L + legs

Material: Food-grade plastic.
Capacity: 24L
Features: Equipped with handle, dirt-prevention cover which allows the filling-up from above, easy to clean, white coloured tank to slow down algae formation.



Article		l x p x h	Kg	Code
2108AF000▲	4	42 x 38 x 46	2,56	8010214001207



Automatic Drinker Evolution - CHICKS

Material: Food-grade plastic.

Features: Equipped with hanging chain, dirt filter, cover with six hooking points and two snap-on closures; to operate, the drinker must be connected to a central gravity water main, easy to clean.

Use: On the floor, it can be ballasted.



Article		 l x p x h	 Kg	 Code
2185A0000	1	20 x 31,5 x 31,5	1,4	8010213979255
2185A1000	10	42 x 42 x 48	1,15	8010213979286

Automatic Drinker Evolution - CHICKEN

Material: Food-grade plastic.

Features: Equipped with accessory chain to adjust it hanging from the floor, dirt filter, cover with six hooking points and two snap-on closures, automatic float; to operate, the drinker must be connected to a central water main, easy to clean.

Use: On the floor or hung (it can be ballasted).



Article		 l x p x h	 Kg	 Code
2186A0000	1	20 x 30,5 x 35,5	1,7	8010213979262
2186A7000	7	42 x 42 x 48	1,38	8010213979293

Automatic Drinker Evolution+ legs - CHICKENS

Material: Food-grade plastic.

Features: Equipped with accessory chain to adjust it hanging from the floor, dirt filter, cover with six hooking points and two snap-on closures, automatic float; to operate, the drinker must be connected to a central water main, easy to clean.

Use: On the floor, it can be ballasted.



Article		 l x p x h	 Kg	 Code
2187A0000	1	20 x 42 x 42	2,0	8010213979262
2187A5000	5	42 x 42 x 48	1,74	8010213979309

Tank drinker 20L

Material: Food-grade plastic.

Capacity: 20L

Features: Filling-up system from above with plug, white tank to slow down algae formation, removable tray.

To be used on the floor.



Article		 l x p x h	 Kg	 Code
1793A0000	1	35 x 35 x 54	1,90	8010213017933

Tank drinker 20L + legs

Material: Food-grade plastic.

Capacity: 20L

Features: Filling-up system from above with plug, white tank to slow down algae formation, removable tray, raised by means of legs to prevent the contact with the floor.

Ideal solution for medium- and large-size fowl.



Article		 l x p x h	 Kg	 Code
2083A0000	1	42 x 32 x 50	2,16	8010213978067

30L Tank GOLD Drinker

Material: Food-grade plastic.

Capacity: 30L

Features: Filling-up system from above with plug, white tank to slow down algae formation, removable tray, raised by means of legs to prevent the contact with the floor.

Ideal solution for medium- and large-size fowl.

OPTIONALS:

- Top Clean cover
- Spacers for trestle

(See page 37)



Article		 l x p x h	 Kg	 Code
2062A0000	1	36 x 36 x 66,5	3,40	8010213977176





KUBIC GOLDPREMIUM 30L Drinker

Material: Food-grade plastic.

Features: Stackable, filling-up system from above, dirt-prevention cover, white tank to slow down algae formation, easy to clean.

Ideal solution for medium- and large-size fowl.

Capacity: 30L

OPTIONALS:

- Top Clean cover
 - Spacers for trestle
- (See page 37)



Article		l x p x h	Kg	Code
2177A0000	1	41 x 42 x 45,5	3,5	8010213979118
2177A3000	3	41 x 42 x 82	3,06	8010213979125

KUBIC GOLDPREMIUM 40L Drinker

Material: Food-grade plastic.

Features: Stackable, filling-up system from above, dirt-prevention cover, white tank to slow down algae formation, easy to clean.

Ideal solution for medium- and large-size fowl.

Capacity: 40L

OPTIONALS:

- Top Clean cover
 - Spacers for trestle
- (See page 37)



Article		l x p x h	Kg	Code
2178A0000	1	41 x 42 x 53	3,8	8010213979132
2178A3000	3	41 x 42 x 82	3,23	8010213979149

KUBIC GOLDPREMIUM 50L Drinker

Material: Food-grade plastic.

Features: Stackable, filling-up system from above, dirt-prevention cover, white tank to slow down algae formation, easy to clean.

Ideal solution for medium- and large-size fowl.

Capacity: 50L

OPTIONALS:

- Top Clean cover
 - Spacers for trestle
- (See page 37)



Article		l x p x h	Kg	Code
2179A0000	1	41 x 42 x 61	4	8010213979156
2179A3000	3	41 x 42 x 82	3,43	8010213979163

Top Clean Cover

Material: Non-toxic plastic for food use.
Measures: Diameter 572mm and max. height 82mm.
Features: Ideal for troughs and feeders series kubic 30- 40-50L and trough 30L.

Protects feed and water from impurities caused by rain, faeces and/or soil shaken off by animals.



Article		 l x p x h	 Kg	 Code
2228A0000	6	58 x 11,5 x 58,5	0.6	8010213000485



FEEDERS/DRINKERS
30/40/50 Lt
KUBIC

EXAMPLES OF COVER
APPLICATION



DRINKERS
30 Lt
GOLD

Spacers

Material: Non-toxic plastic.
Features: Ideal support for raising the stand of troughs and feeders by one or two units as required.
Available colours: Red - Green.
 Pack of 6 each...



Article		 l x p x h	 Kg	 Code
2232A0000 	6	25 x 20 x 19	0.086	8010213000591
2233A0000 	6	25 x 20 x 19	0.086	8010213000607



Valve + Rod + Plastic Float

Material: Non-toxic plastic.

Characteristics: Accessory for wall-mounted drinking troughs.

Direct connection to the water source.

Incorporated in all SYSTEM PLUS drinkers.



Article		 l x p x h	 Kg	 Code
1868A0000	1			8010213979378

SYSTEM PLUS Automatic Drinker

Material: Food-grade plastic.

Features:

- To operate, it must be connected to the water main.
- Valve + plastic float to adjust the water flow.
- Equipped with specific tank and drain valve to assure clean water.
- It can be fastened to the wall, corrals and similar.
- Equipped with specific brackets to be fastened to poles.
- Ideal solution for sheep, cows, horses and farm animals in general.
- Resistant to collisions, high and low temperatures.

Capacity: 2L, 4L, 6L.

Ideal for chickens, dogs, goats...

2 L



Article		 l x p x h	 Kg	 Code
2145A0000	4	28,5 x 27 x 49	0,086	8010213978609

4 L



6 L



Article		 l x p x h	 Kg	 Code	Article		 l x p x h	 Kg	 Code
2146A0000	4	31,5 x 27 x 57,5	1,168	8010213978616	2147A0000	4	34,5 x 27 x 72,5	1,47	8010213978173

SYSTEM PLUS PREMIUM Automatic Drinker

Material: Food-grade plastic.

Features:

- To operate, it must be connected to the water main.
- Valve + plastic float to adjust the water flow.
- Equipped with specific tank and drain valve to assure clean water.
- It can be fastened to the wall, corrals and similar.
- Equipped with specific brackets to be fastened to poles.
- Ideal solution for sheep, cows, horses and farm animals in general.
- Made with highly resistant plastic material, it absorbs the violent shocks by the animals.
- Resistant to high and low temperatures.

Capacity: 2L, 4L, 6L.

2 L




4 L



Article		l x p x h	 Kg	 Code	Article		l x p x h	 Kg	 Code
2157A0000	4	28,5 x 27 x 49	1,168	8010213254680	2158A0000	4	31,5 x 27 x 57,5	1,356	8010213478543

6 L




Article		l x p x h	 Kg	 Code
2159A0000	4	34,5 x 27 x 72,5	1,681	8010213754852



Rigid sprue support kit

Material: Stainless steel.

Characteristics: Accessory for attaching the drinking trough to the poles (30 mm to 75 mm diameter) of corrals and barns. Ideal solution for sheep, cows, horses and farm animals in general.



Article		 l x p x h	 Kg	 Code
2155A0000	4		0,952	8010213458743



The innovative drainage system was designed to prevent stagnation and to speed up the cleaning operations without using any tools to remove the water sealing components, which can fall out, get dirty or even get lost.

With two simple operations: Lift the pin (detail in the picture) and turn to directly adjust the opening of the drain valve, which allows quick drainage of dirty water.



FEEDERS



ORMITAL





KUBICPREMIUM Feeder 30L/20kg


Material: Food-grade plastic.

Features: Equipped with no-waste rack, dirt-prevention cover, stackable, easy to clean.

Capacity: 30L = 20kg

OPTIONALS:

- Top Clean Cover
 - Spacers for trestle
- (See page 37)



Article		 l x p x h	 Kg	 Code
2180A0000	1	41 x 42 x 45,5	3,45	8010213979170
2180A3000	3	41 x 42 x 82	3,04	8010213979187

KUBICPREMIUM feeder 40L/27kg

Material: Food-grade plastic.

Features: Equipped with no-waste rack, dirt-prevention cover, stackable, easy to clean.

Capacity: 40L = 27 kg

OPTIONALS:

- Top Clean cover
 - Spacers for trestle
- (See page 37)



Article		 l x p x h	 Kg	 Code
2181A0000	1	41 x 42 x 53	3,75	8010213979194
2181A3000	3	41 x 42 x 82	3,2	8010213979200

KUBICPREMIUM Feeder 50L/34kg

Material: Food-grade plastic.

Features: Equipped with no-waste rack, dirt-prevention cover, stackable, easy to clean.

Capacity: 50L = 34kg

OPTIONALS:

- Top Clean Cover
 - Spacers for trestle
- (See page 37)




Article		 l x p x h	 Kg	 Code
2182A0000	1	41 x 42 x 61	3,98	8010213979217
2182A3000	3	41 x 42 x 82	3,4	8010213979224

Bar Drinker / Feeder - CHICKS 30 - 40 - 50cm

Material: Food-grade plastic.

Length: 30 - 40 - 50 cm

Features: Equipped with no-waste grid, easy to clean, ideal solution for chicks and birds.



Length	Article		 l x p x h	 Kg	 Code
30 cm	0442A0000	24	33,5 x 30 x 34	0,1406	8010213004421
30 cm	0442AF000 ▲	24	33,5 x 30 x 34	0,1406	8010213971723
30 cm	* 0442AMIXC ■ ■	24	33,5 x 30 x 34	0,1406	80102139793928
40 cm	0443A0000	24	43,5 x 30 x 34	0,1698	8010213004438
40 cm	0443AF000 ▲	24	43,5 x 30 x 34	0,1698	8010213971730
40 cm	* 0443AMIXC ■ ■	24	43,5 x 30 x 34	0,1698	
50 cm	0444A0000	24	53,5 x 30 x 34	0,2169	8010213004445
50 cm	0444AF000 ▲	24	53,5 x 30 x 34	0,2169	8010213971747
50 cm	* 0444AMIXC ■ ■	24	53,5 x 30 x 34	0,2169	8010213979088

* MOQ upon request




Bar Drinker / Feeder - CHICKENS 50 - 75cm

Material: Food-grade plastic.


Length: 50 - 75cm

Features: Equipped with no-waste grid, easy to clean, ideal for poultry.



* MOQ upon request

Length	Article		 l x p x h	 Kg	 Code
50 cm	0446A0000	12	54 x 42,5 x 37,5	0,3609	8010213004469
50 cm	0446AF000 ▲	12	54 x 42,5 x 37,5	0,3609	8010213971754
50 cm	* 0446A-W00 ■ ■	12	54 x 42,5 x 37,5	0,3609	8010213978418
50 cm	* 0446A-X00 ■	12	54 x 42,5 x 37,5	0,3609	8010213978425
75 cm	0447A0000	12	77,5 x 42,5 x 39	0,5509	8010213004476
75 cm	0447AF000 ▲	12	77,5 x 42,5 x 39	0,5509	8010213971761
75 cm	* 0447A-W00 ■	12	77,5 x 42,5 x 39	0,5509	8010213978432
75 cm	* 0447A-X00 ■	12	77,5 x 42,5 x 39	0,5509	8010213978449






Hopper Feeder + Cover - CHICKS 2,5L - 5,25L

Material: Food-grade plastic.

Features: Equipped with no-waste grid, dirt-prevention cover, easy to clean, ideal solution for chicks and birds.

Capacity: 2,5L = 1,5kg
5,25L = 3,5kg



Capacity	Article		l x p x h	Kg	Code
2,5 L	2070AF000 ▲	20	42 x 21,5 x 65	0,2169	8010213977817
2,5 L	* 2070A-X00 ■	20	42 x 21,5 x 65	0,2169	8010213978463
5,25 L	2071AF000 ▲	24	61 x 31 x 76	0,4916	8010213977831
5,25 L	* 2071A-X00 ■	24	61 x 31 x 76	0,4916	8010213978487




* Colours upon demand in case of large quantities.

Hopper Feeder + Cover - CHICKENS 10,5L - 20L

Material: Food-grade plastic.

Features: Hanging hook, equipped with no-waste grid, adjustable feed level, dirt-prevention cover, easy to clean.

Capacity: 10,5L = 7kg
20L = 15kg



Capacity	Article		l x p x h	Kg	Code
10,5 L	2005AF000 ▲	10	41 x 41 x 119	1,147	8010213972089
10,5 L	* 2005A-X00 ■	10	41 x 41 x 119	1,147	8010213978500
20 L	1940AF000 ▲	10	48,5 x 48,5 x 129	1,4762	8010213971334
20 L	* 1940A-X00 ■	10	48,5 x 48,5 x 129	1,4762	8010213978524



* Colours upon demand in case of large quantities.

Hopper Feeder for poultry

Material: Food-grade plastic.

Features: Equipped with adjustable tapered no-waste bottom. It can be used both hung and on the floor, equipped with legs.

Feed dropping can be adjusted, easy to clean and handy to use.

Capacity: 1,5kg = 2,5L
 3,5kg = 5,25L
 7kg = 10,5L
 15kg = 20L



Capacity	Article		 l x p x h	 Kg	 Code
1,5 kg - 2,5 L	2202AF000	20	42 x 21,5 x 65	0.2169	8010213979552
3,5 kg - 5,25 L	2203AF000	24	42 x 21,5 x 65	0.4916	8010213979569
7 kg - 10,5 L	2198AF000	10	41 x 41 x 119	1.147	8010213979514
15 kg - 20 L	2199AF000	10	48.5 x 48.5 x 129	1.4762	8010213979507



Hopper Feeder for poultry - 10kg - 18kg


Material: Food-grade plastic.

Features: Equipped with adjustable tapered no-waste bottom.

It can be used both hung and on the floor, equipped with legs.

Feed dropping can be adjusted, easy to clean and handy to use.

Capacity: 10kg = 15L
 18kg = 27L



Article		 l x p x h	 Kg	 Code	Article		 l x p x h	 Kg	 Code
2200AF000	5	41 x 41 x 50	1,4	8010213979491	2201AF000	5	41 x 41 x 81	2,052	8010213979484



Feeder 3L - PIGEONS

Material: Food-grade plastic.

Capacity: 3L

Features: Equipped with hanging hook, the particular shape was conceived to prevent the animals from stopping in the feeder. Ideal solution for pigeons and fowl.



Article		 l x p x h	 Kg	 Code
1986AC000	6	46,5 x 23,5 x 78	0,5208	8010213971846
1986AF000▲	6	46,5 x 23,5 x 78	0,5208	8010213971365



Feeder 5L - PIGEONS

Material: Food-grade plastic.

Capacity: 5L

Features: Equipped with hanging hook, the particular shape was conceived to prevent the animals from stopping in the feeder.

Ideal solution for pigeons and fowl.



Article		 l x p x h	 Kg	 Code
0791AC000	6	46,5 x 23,5 x 90	0,633	8010213967917
0791AF000▲	6	46,5 x 23,5 x 90	0,633	8010213971457



Feeder 8L - PIGEONS

Material: Food-grade plastic.

Capacity: 8L

Features: Equipped with hanging hook, the particular shape was conceived to prevent the animals from stopping in the feeder.

Ideal solution for pigeons and fowl.




Article		 l x p x h	 Kg	 Code
1987AC000	6	46,5 x 23,5 x 115	0,7083	8010213971853
1987AF000▲	6	46,5 x 23,5 x 115	0,7083	8010213971389



Farmyard feeder with two drinkers

Material: Galvanised plate.

Features: It is supplied disassembled, equipped with two bottle drinkers, to be used on the floor for fowl.



Article		l x p x h	Kg	Code
0199A0000	1	9,5 x 32 x 63,5	5,60	8010213001994

Universal feeder

Material: Food-grade plastic.

Capacity: 30cl

Features: Suitable for all net types.

Ideal solution for small-size fowl and birds.



Article		l x p x h	Kg	Code
2112A0000	48	25 x 35 x 25	0,048	8010213979101

Universal feeder + TIC&TAC holder

Material: Food-grade plastic.

Capacity: 30cl

Features: Can be fixed to walls.

ideal solution for small-size fowl and birds.



Article		l x p x h	Kg	Code
2137AF000▲	24	25 x 35 x 25	0,078	8010214002105

Feeder with Ciotola System holder

Material: Food-grade plastic.

Capacity: 45cl

Features: It can be fixed to walls.

Ideal solution for small-size fowl and birds.



Article		l x p x h	Kg	Code
2136A0000	24	17,5 x 34,5 x 51	0,17	8010214001993

Circular Ø 30cm feeder

Material: Food-grade plastic.

Features: Easy to clean, ideal solution for chicks and birds.



Article		l x p x h	Kg	Code
0536A0000	24	31 x 31 x 27,5	0,20	8010213005367
0536AF000▲	24	31 x 31 x 27,5	0,20	8010213971709



Glasses for pheasants and fowl

Excellent tool to prevent cannibalism and oophagy in fowl.



Glasses for pheasants and fowl

Tool that is used to fasten the glasses to the animal.



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
0245A0000	500		0,0023	8010213002458	0246A0000	510		0,0002	8010213002465
0245F0000 ▲	16	13,5 x 22 x 14,5	0,0287	8010213971082	0246F0000 ▲	16	13,5 x 22 x 14,5	0,0158	8010213971099

RIVERA Linear feeder

Material: Available in two finishes, one made of galvanized sheet metal and the other in stainless steel* (MOQ upon request).


Measurements: 60 cm and 120 cm.

Characteristics: It has an upper bar of 20 mm in diameter that turns on its own axis so that the birds cannot perch, at the same time it serves as a handle for transport. It includes plastic heel pads to prevent the metal from coming into contact with the ground, thus preventing it from rusting (conventional model).

The feeder channel has no corners so it is very easy to clean.

It also has two rods on the sides to prevent the animals from taking out the feed from the side. It is delivered disassembled and in a cardboard box.

Conceived and designed to take advantage of the organic leftovers of the food at home for your hens, promoting the circular economy.



Article		l x p x h	Kg		Code	Article		l x p x h	Kg		Code
F0200026	1	60x 20 x 8	1,85	216	8436597091084	F0200027	1	120x 20 x 8	3,15	108	8436597091091

Stainless steel 304 quality

*MOQ upon request



Article		l x p x h	Kg		Code	Article		l x p x h	Kg		Code
*F0200006	1	60 x 20 x 8	1,769	216	8436597091053	*F0200007	1	120 x 20 x 8	3,074	108	8436597091060

Hopper feeder PREMIER


Material: 100% galvanized structure.

Characteristics: The PREMIER hopper is a feeder designed to be installed in any type of poultry house, both indoors and outdoors thanks to its reversible hooks, and thanks to its two rear holes it can be fixed to a wall or wooden panel.



This hopper has a feed regulator inside the pan.

It can be served with a visor to protect when installed outdoors.

* Pieces in American pallets 100x120 cm



Article		l x p x h			Code
F0200078	1	33 x 30 x 17,8	2,85	102(US)*	8436597092449



Article		l x p x h			Code
F0200079	1	33 x 30 x 17,8	2,60	102(US)*	8436597092456




Linear Grandpa's feeder

Material: Galvanized sheet metal structure.

Characteristics: It is a linear hopper with 3 weight regulations: 550 g, 750 g and 1300 g, which will activate the opening of the lid in order to allow the hen access to the feed. It prevents rodents and birds from accessing the feed, eating it and contaminating it with their feces. It also incorporates a removable visor to prevent rain from soaking the feed. This fits over the top of the hopper and the side flaps, thus side flaps, making it 100% waterproof.



Capacity: 20 L



This hopper also incorporates an anti-waste system and a feed level regulator, so that the user can increase or decrease the quantity and type of feed pellet according to the species.



It also incorporates a noise cancellation system, when opening or closing the hatch, this prevents the hens from being frightened and not eating in the feeder. It is undoubtedly a system that improves animal welfare.





Article		l x p x h	Kg		Code
F0200077	1	59 x 33 x 32,7	5,5	24	8436597092425

Linear Grandpa's feeder Instructions




Foot pedal adjustment and insertion

Manual adjustment for weight regulation




Three weight support settings





JERRY mechanical opening hopper

- ① The pedal, suitable for all kinds of poultry such as hens, pheasants and ducks, has just the right size for the animals to climb up without soiling it.




- ② The top lid can be opened from the front or the back to fill the feed.
The hopper includes two holes for hanging it to the wall.

- ③ The dock has three adjustments in the 18 and 29 L models and nine in the 64 L model. The lowest setting is activated from approx. 650 g, considering that a rat can weigh between 80 and 250 grams, there is enough margin to withstand the weight of several rats at the lowest setting.



- ④ The rivets that we use for their manufacture are made of aeronautical steel and are set by an automatic machine that rivets at exactly the same pressure, guaranteeing the highest quality at the joints.

- ⑤ All models of the JERRY mechanical opening hoppers are equipped with a mechanical feed drop regulation system which makes it very versatile when introducing any type of grain or feed, perfectly controlling the height of the feed in the feeder.



- ⑥ The 64L hopper has two feeders, one on each side, so that a larger number of birds can fit in.




- ⑦ The 64 L hopper is specially designed for outdoor use, which is why it has two visors, one on each side to prevent water from disturbing the hens during feeding. These visors are easily removable and screws are not required.

- ⑧ It has two springs to regulate the weight of the mechanism, with nine types of possible settings.



JERRY mechanical opening hopper

18 L




Article		l x p x h	Kg		Code	Article		l x p x h	Kg		Code
F0200067	1	42 x 39 x 31	5,8	40	8436597091251	F0200028	1	42 x 39 x 31	5,6	40	8436597091107

29 L



Article		l x p x h	Kg		Code	Article		l x p x h	Kg		Code
F0200068	1	52 x 39 x 30	6,3	32	8436597091268	F0200029	1	52 x 39 x 30	6,15	32	8436597091114

64 L





Article		l x p x h	Kg		Code
F0200030	1	52 x 61 x 41	14	16	8436597091121



Large capacity outdoor hopper

1

We have two versions, one of 250L and the other of 500L. Both hoppers have a hinged lid and entrances to the feeder on both sides, including the visor, to prevent water from entering



2

As an option, we offer the possibility of adding skids, thus facilitating mobility with the tractor.

3

The lid is hinged and gives the possibility to open to both sides, according to the needs.

4

It has a side window that indicates the level of the hopper at 30% of its capacity.



5

It has gates to close the access of birds to the hopper.

Large capacity outdoor hopper

Material: Made of galvanized sheet metal.

Capacity: 250 and 500 L

* Pieces in American pallets 100x120 cm

250 L



500 L



Article	l x p x h	Kg		Code	Article	l x p x h	Kg		Code
F0200001	100x92 x 75	62,5	8 (US)*	8436597090650	F0200002	200 x 92 x 99,2	116,7	6 (US)*	8436597090667

250 L on skids



500 L on skids



Article	l x p x h	Kg		Code	Article	l x p x h	Kg		Code
F0200003	100x92 x 83	66,5	8 (US)*	8436597090674	F0200004	200 x 92 x 107	120,7	6 (US)*	8436597090681

CHICKEN COOPS



ORMITAL







HOBBIT Chicken Coop

Material: Made of 6mm HPL and Z270 galvanized sheet.

Features: Removable tray for easy cleaning. Laying nest with outside tray including Astroturf mat. Possibility of creating a small garden in the arch of the chicken coop.

Dimensions: 134 x 82,6 x 133,6 cm.




Article	(x2)	l x p x h	Kg		Code	Article	(x2)	l x p x h	Kg		Code
F0200072	1		51	14	8436597091473	F0200074	1		51	14	8436597091497

SUPER KUB Chicken coop

Material: Manufactured in HPL and Z270 galvanized sheet.

Features: Rear door with full opening and two removable nests for easy cleaning. It has legs to raise the coop and two steps for the hen to climb easily. Includes a swing for the hen to swing on it.




Article	(x2)	l x p x h	Kg		Code
F0200073	1	120 x 80 x 15	40	14	8436597091480

PLAYHOME Chicken Coop

Material: Made of Coretech, HPL and galvanized metal.

Features: It has a removable tray for easy cleaning. It integrates wheels on the legs for easy mobility. In the upper part it has a planter. On the side it incorporates an opening to facilitate the collection of eggs. It has a swing so that the hen can swing on it.




Article		 l x p x h	 Kg		 Code
F0200085				14	8436597092517

Chicken coop door

Material: Z270 galvanized sheet metal door.

Characteristics: It is a reinforced door, since it goes inside the frame, which is made in one piece. Once closed, the predator cannot open it with its snout.




Article		 l x p x h	 Kg		 Code
F0299076					8436597092432

CORETECH

Coretech is a high-performance technical board with which we manufacture our chicken coops due to its high quality standards, with an outstanding performance against humidity and excellent acoustic absorption/insulation characteristics, compared to other materials.

- 1 Board composition:**
- Semi-rigid polyurethane foam.
 - Long fiberglass.
 - Paper or cellulosic fabric.
 - Fabric.
 - Thermosetting resins




Coretech does not swell or deform.

- 2 Dimensional stability; water resistance in EXTREME ENVIRONMENT (AUTOCLAVE)**
Test: 16 hours at 134°C and 100% humidity. Comparison of Coretech vs. chipboard. Equal initial thicknesses.

Result: In an environment of extreme humidity and temperature, Coretech does not swell or deform, while normal chipboard swells to the point of almost total loss of cohesion.



- 3 Dimensional stability; water resistance in EXTREME ENVIRONMENT (AUTOCLAVE)**
Test: 3 hours at 134°C and 100% humidity.
Panel performance comparison: Coretech - Multilayer - Werzalit - Canoxel - DM.
Result (% swelling): Coretech 1,94 - multilayer 8,52 - Werzalit 21,05 - Canoxel 35,5 - DM 103,17



Wood core decking Hydrophobic MDF core decking Coretech



- 4 Dimensional stability; water resistance in EXTREME ENVIRONMENT (AUTOCLAVE)**
Test: 16 hours at 134°C and 100% humidity. Performance comparison Coretech decking vs. water-repellent MDF core decking vs. solid wood core decking. Equal initial thicknesses.
Result: Due to the aggressiveness of the test, the wood sheathing deforms in all cases. On the other hand, the wood and Coretech cores remain intact, but not the water-repellent MDF core, which loses cohesion.

- 5 Dimensional stability; Outdoor behavior**
Test: Six months outdoors.
Comparison: between Coretech board and Chipboard of equal initial thickness.
Result: After six months outdoors, while coretech does not swell, the regular chipboard deforms significantly, especially at its base.



- 6 Acoustic insulation in "Petit Cabine".**
Test: Comparison of acoustic insulation between Coretech and wooden chipboard of equal thickness and density (human ear frequency range).
Result: Coretech insulates 3.3 dB more than a chipboard with the same characteristics.

7 Impact noise level absorption
Test: Throwing of impactor (plastic and metallic) in anechoic chamber.
 Comparative impact noise level absorption at different frequencies. Boards tested: Coretech - chipboard - DM.
Result: Coretech absorbs more noise than the other materials tested, especially at high frequencies.



8 Impact noise level absorption
 Same test as the previous one at t= 4 milliseconds after impact.
 The graphic clearly shows that Coretech absorbs more impact noise level than DM.

9 Thermal insulation
Test: Thermal resistance (insulation) carried out at Aitex according to, ISO 11092:1993/UNE-EN 31092:1996 standards.
 Comparison Coretech board vs. wooden chipboard.
Result: Coretech thermally insulates 1,71 times more than chipboard with similar characteristics.

Material	Width (mm.)	Thermal resistance Rct (m ² *K/W)	Thermal conductance (W/mK)
Coretech	11	0,1122	0,0980
Wood chipboard	10	0,0655	0,1545

Material	Stiffness	Strength
Wood chipboard	168.15	298.63
Coretech	127.59	669

10 Stiffness
Test: Stiffness (according to SAE J 949 mod. GM automobile standard). Comparison Coretech board vs. wooden chipboard.
Result: Wooden chipboard 168,15(Stiffness) 298,63 (Strength)
 Coretech 127,59(Stiffness) 669(Strength).

11 Affinity (adhesives and finishes)
 Coretech shows great affinity to all types of glues, especially polyurethane.
 It also accepts multiple finishes for both interior and exterior (smooth paint, artex, stucco...).



FINAL EVALUATION

- Outstanding features of the Coretech technical board:
1. Excellent water resistance, dimensional stability.
 2. Very good acoustic performance (absorption and insulation of noise level).
 3. Good fire properties (level C).
 4. Excellent thermal insulation.
 5. Passes the screw start test.
 6. Suitable for all kinds of glues, especially PU glues.
 7. It admits multiple finishes.
 8. It is not attacked by insects.
 9. Actively contributes to sustainable development.

LAYING NESTS



ORMITAL





FENIX LAYING NEST

DESIGNED BY FARMERS, MANUFACTURED BY ENGINEERS.

01.

It can be placed on the floor or hung on the wall. The sides act as legs, which are fixed to the tray, forming a single block.

02.

The tray is one-piece made, which makes it one of the strongest laying nests on the market.

The tray and the base of the tank have perforations sift out dust and dirt. The tank's base is also removable for even easier cleaning.

03.

It has ventilation on all sides and separators to avoid condensation inside, preventing problems for the hens and rust.

04.

Hinged opening towards the outside, making egg collection much easier and cleaner because any dirt on top of the lid does not fall down into the tank, as is the case with most systems on the market.

05.

This perch can be folded down, making it a barrier to prevent hens from coming in to roost at night.

06.

The hooks of the laying nest, perch and tube are 1.2 - 1.5 mm thick to further ensure the strength and durability of the nest

01



02



03



04



05



06



07





08

07.


It has a 35mm diameter perch, perfect for the hens' feet. The tube is 1,5mm thick, giving it incredible strength.



09

08.

Possibility to place the egg deposit outside or inside the chicken coop. So we provide an incredible added value.



10

09.

The separators do not go all the way down, so the egg will never get stuck on the walls.



11

10.

The Fénix laying nest includes AstroTurf mats to keep the nest box cleaner and improves the welfare of the hens.



12

11.

It also keeps the egg cleaner as it rolls into the deposit.

12.

We have a digital packaging to make full color designs that will not go unnoticed.



LAYING NEST FENIX


Material: 100% galvanized sheet metal.

Features: Exclusive design that allows the tank to be placed outside or inside the coop, which provides incredible versatility without spending more on accessories or additional pieces.

Capacity: 2, 3, 4 Departments.

The Astroturf mat is included.

2 Departments




Article		l x p x h	Kg		Code
F0200008	1	57 x 35 x 10	7,0	82	8436597090704

3 Departments



Article		l x p x h	Kg		Code
F0200009	1	81,5 x 35,5 x 10,5	9,6	59	8436597090711

4 Departments



Article		l x p x h	Kg		Code
F0200010	1	107 x 34 x 10	12,3	43	8436597090728

LAYING NEST BENNU


Material: 100% galvanized sheet metal.

Features: It has the same technical characteristics and measurements as its brother Fenix, but with an open interior space (without separations), which allows greater comfort for the collective laying.

Capacity: 2, 3, 4 Departments.


The Astroturf mat is included.

50 cm




Article		 l x p x h	 Kg		 Code
F0200016	1	57 x 35 x 10	6,72	82	8436597091145

75 cm



Article		 l x p x h	 Kg		 Code
F0200017	1	81,5 x 35,5 x 10,5	8,95	59	8436597091152

100 cm



Article		 l x p x h	 Kg		 Code
F0200018	1	107 x 34 x 10	11,17	43	8436597091169



FENIX AND BENNU LAYING NESTS WITH LEGS

Material: 100% galvanized sheet metal.

Characteristics: Its design allows coupling the structures forming a single piece that helps to gain space and versatility.

Capacity: 2, 3, 4 Departments of one or two floors.

The Astroturf mat is included.


LAYING NEST FENIX

one storey - two departments



LAYING NEST FENIX

two storey - two departments



Article		l x p x h	Kg		Code	Article		l x p x h	Kg		Code
F0200090	1			60	8436597092562	F0200091	1			30	8436597092579

LAYING NEST FENIX

one storey - three departments



LAYING NEST FENIX

two storey - three departments



Article		l x p x h	Kg		Code	Article		l x p x h	Kg		Code
F0200092	1			46	8436597092586	F0200093	1			23	8436597092845

LAYING NEST FENIX

one storey - four departments



LAYING NEST FENIX

two storey - four departments



Article		l x p x h	Kg		Code	Article		l x p x h	Kg		Code
F0200094	1			40	8436597092852	F0200095	1			20	8436597092869

LAYING NEST BENNU

one storey - two departments



LAYING NEST BENNU

two storey - two departments



Article		l x p x h	Kg		Code
F0200096	1			60	8436597092876

Article		l x p x h	Kg		Code
F0200097	1			30	8436597092883

LAYING NEST BENNU

one storey - three departments



LAYING NEST BENNU

two storey - three departments



Article		l x p x h	Kg		Code
F0200098	1			46	8436597092890

Article		l x p x h	Kg		Code
F0200099	1			23	8436597092906

LAYING NEST BENNU

one storey - four departments



LAYING NEST BENNU

two storey - four departments



Article		l x p x h	Kg		Code
F0200100	1			40	8436597092913

Article		l x p x h	Kg		Code
F0200101	1			20	8436597092920



MAT ASTROTURF

With the FENIX and BENNU nappy lines, we include the Astroturf mat as a gift.

The Astroturf mat keeps the nappy cleaner and improves the well-being of the hens' feet. Thanks to this mat, the egg is automatically cleaned when it rolls into the tank.



Article		 l x p x h	 Kg		 Code
F0200025		25 x 45 x 2			8436597091077



FENIX NEST

Material: 100% galvanized sheet metal.

Features: Each department has the right size for the hen to incubate the eggs and feel protected. It includes a 35 mm diameter perch, perfect for the hens' feet. The one-piece tray, with perforations for easy cleaning, makes this nest the most resistant on the market. It has ventilation on the sides to avoid condensation. It can be hung or placed on the floor.


Capacity: 2, 3, 4 Departments.

2 Departments




Article		l x p x h	Kg		Code
F0200013	1	57 x 35 x 10	4,7	82	8436597090735

3 Departments



Article		l x p x h	Kg		Code
F0200014	1	81,5 x 35,5 x 10,5	6,5	59	8436597090742

4 Departments



Article		l x p x h	Kg		Code
F0200015	1	107 x 34 x 10	8,2	43	8436597090759



Pigeon house with a nest

Material: Plastic.

Characteristics: Dual function door: Shelter at the top and support at the bottom. Removable lower part. Very easy to clean. Shipped disassembled in a box.

Dimensions: 47x44x30 cm



Pigeon house with two nests

Material: Galvanized sheet metal + removable plastic bottom.

Characteristics: Supplied disassembled in a box. Equipped with fixing brackets.



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2220A0000	1	31x 48,5 x 37	4,15	8010213000140	2117A0000	1	42,5 x 8,5 x 63,5	6,07	8010214001399

Laying nest

Material: Galvanised plate + adjustable and removable bottom.

Features: It is supplied disassembled in a box.

Equipped with fixing brackets, modular.




Article		l x p x h	Kg	Code
0274A0000	1	11,5 x 32 x 46,5	3,70	8010213002748

Plastic laying nest

Material: Polypropylene + bottom made of plastic.

Characteristics: It is supplied disassembled in a box, both the entrance and the tank can be adjusted from the front or from the back, the bottom is completely removable and it is possible to choose the inclination, it is modular, it can be used on the floor with legs or hung by means of fixing brackets.






Article		 l x p x h	 Kg	 Code
2235A0000	1	33,5 x 18,5 x 64,5	2,65	8010213000669

Plastic pigeon house

Material: Polypropylene.

Characteristics: Modular dovecote, equipped with fixing brackets, removable concave bottom for complete cleaning. Supplied disassembled for easy transport.



Article		 l x p x h	 Kg	 Code
2234A0000	1	33 x 17 x 51,5	2,29	8010213000621

ORGANIC POULTRY



ORMITAL





Mobile Farmyard

Features: The mobile farmyard is a product designed for BIO and free-range poultry producers. The internal structure is reinforced with welded braces and subsequently hot-dipped galvanized for added strength and durability. The structure is supplied semi-disassembled and assembly is done with screws, making it easier to assemble. Our universal displacement kit fits all mobile farmyards, saving the farmer money by not requiring different displacement kits for each model.

It complies with technical and legal requirements based on European Conformity (CE), applicable for mobile structures with two heights as long as the ground does not have a slope greater than 2-3 degrees of incline.

Material: It consists of a 100% hot-dip galvanized structure covered with a 35mm thick sandwich panel.

Length: 6x6 m, 12x6 m and 18x6 m.

Maximum speed of assembled farmyard displacement: 4 Km/h.

It complies with ISO 9001 quality certification.

 YouTube



Subscribe to our channel

4
km/h

MAXIMUM SPEED



Displacement of the mobile Farmyard



STRUCTURE



Structure assembly



RAMP



Access between levels




SIDE EXITS FOR BIRDS



Mobile Farmyard


6 x 6 m



**Without sandwich panel*

Article	 Kg	 Code
F0200087	2000	8436597092531
*F0200102	2000	8436597092937


12 x 6 m



**Without sandwich panel*

Article	 Kg	 Code
F0200088	3195	8436597092548
*F0200103	3195	8436597092944

18 x 6 m



**Without sandwich panel*

Article	 Kg	 Code
F0200089	4552	8436597092555
*F0200104	4552	8436597092951




MOBILE FARMYARD ONE STOREY ACCESORIES

Reference	F0200106	F0200087	F0200088	F0200089
Type	Farm house fix	Mobile	Mobile	Mobile
Model (m)	8,3X18	6X6	6X12	6X18
Area (m ²)	149,4	36	72	108
Laying hens (BIO)	896,4	216	432	648
Bennu Laying nest F0200018	36	9	18	26
Bennu Laying nest F0200101	18	5	9	13
Perches (m)	162	39	78	117
Feeder 1940AF000	12	3	6	9
Drinker 2186A0000	11	3	5	8
Drinker 2107AF000	19	5	9	14



Perches



Benu laying nests F0200018



Benu laying nests F0200101



Feeder 1940AF000



Drinker 2186A0000




Drinker 2107AF000

Mobile Farmyard two storey


6 x 6 m

F0200110




12 x 6 m

F0200111



18 x 6 m

F0200112










MOBILE FARMYARD TWO STOREY ACCESORIES

Reference	F0200110	F0200111	F0200112
Model (m)	6X6	6X12	6X18
Area (m ²)	72	144	216
Laying hens (BIO)	432	864	1296
Bennu Laying nest F0200018	18	34	52
Bennu Laying nest F0200101	9	17	26
Perches (m)	78	156	234
Feeder 1940AF000	6	12	17
Drinker 2186A0000	5	10	15
Drinker 2107AF000	5	9	14

Transition Area SAS 1



Transition Area SAS 2





DESCRIPTION:

ORMI-THERMAL is a water dispersion coating, containing spherical, non-porous and hollow with exceptional strength and clarity glass particles. Once the solution dries, it creates a highly reflective, waterproof membrane with a high SRI (Solar Reflectance Index).


APPLICATION FIELD:

Roofs and terraces made of mortar, metal sheet, tiles, fiber cement, etc. Homes, commercial buildings, warehouses, livestock buildings for sheep, pigs, or cattle, caravans, temporary site offices for electrical and electronic equipment, electrical cabinets, and any other place where you want to quickly and economically reduce the interior temperature by eliminating roof or ceiling heating.




BENEFITS:

1. Reduces the temperature of roofs and ceilings by 15 to 22 °C.
2. Reduces energy expenses.
3. The application is easy, either using a brush, roller, or a spray gun.
4. ORMI-THERMAL has waterproofing properties on the surface where it is applied.
5. Reduces thermal stress on materials, extending their useful life.
6. By reducing the thermal temperature inside the building, it increases comfort and improves productivity in both the agricultural and industrial sectors.
7. Prevents internal overheating in electrical and electronic equipment inside cabinets and buildings.
8. When applied, it does not emit any odors or chemicals that could be harmful to health.



ANIMAL WELFARE:

Committed to animal welfare, we know that maintaining an adequate temperature in the spaces where they live is essential for their health and well-being. ORMI-THERMAL helps to maintain a comfortable temperature and reduce thermal stress in your animals.


CHARACTERISTICS:

Nature	Aqueous dispersion
Cleaning solvent and thinner	Water
Application	Brush, roller or Spray gun
Application temperature	Between 10°C to 35°C
Surface drying time (EN ISO 1517)	1 hour
Recommended consumption	One liter per 1.5 to 1.7 square meters.
Water vapour permeability (EN ISO 7783-1/-2) (Equivalent air barrier)	$S_o < 5$ metres Class I (EN 1504-2) Water vapour permeable
Water permeability (EN 1062-3)	$< 0,1 \text{ kg/ m}^2 \cdot \text{h}^{0,5}$ Waterproof (EN 1504-2)
Adhesion to concrete bases (EN 1542)	$> 0.8 \text{ MPa}$
Hazardous substances (EN 1504-2)	In line with point 5.3 of the EN 1504-2
Hollow spheres conductivity	0,07 W/m K
Colour	White
SRI index (ASTM E 1980-01) low convection rate (0-2 m/s)	107, 6
SRI index (ASTM E 1980-01) average convection rate (2-6m/s)	108
SRI Index (ASTM E 1980-01) high convection rate (6-10 m/s)	108



ORMI-THERMAL

COOL ROOF COAT

SURFACE PREPARATION:

The surface must be clean, dry, and free from contaminants such as dust, adhered particles, grease, or oil. On cementitious substrates, the surface slurry must be removed by mechanical sanding with wire brushes, rotary brushes, etc.

For improved adhesion and enhanced anticorrosive qualities, it is recommended to apply anticorrosive primers on bare steel metallic substrates. Prior to application, ensure that any remaining rust has been thoroughly removed through deep brushing

If the surface is affected by algae, fungi or mold, it should first be cleaned using a chlorine-based alkaline cleaner that is suitable for all surface types. After cleaning, rinse the surface thoroughly and allow it to air dry.

For the coating to adhere well to cementitious substrates, the surface must be sufficiently rough and porous.

INSTRUCTIONS FOR USE:

For cementitious surfaces, it is recommended to apply a layer of primer or a first coat thinned with 10-15% water to allow the coating to penetrate into the substrate.

For any other type of substrate, such as primed metal sheet, etc., a clean application of the product with at least two or three coats is required.

To achieve a reflective effect, it is recommended to use 0.35 to 0.70 liters per square meter.

To obtain excellent waterproofing and help insulate the surface, it is recommended to apply one liter per 1.5 to 1.7 square meters.



PRESENTATION AND STORAGE:

ORMI-THERMAL is available in plastic containers of 5, 10, and 20 liters.

The product should be stored in a cool place, free from frost and extreme heat.

The product can be stored for at least one year if kept in its original containers, tightly closed, and maintained between 5 and 25 °C.

ORMI-THERMAL is manufactured in accordance with ISO 9001:2015 and ISO 14001:2015 standards.

SPECIAL RECOMMENDATIONS:

- Avoid application when the relative humidity is over 80% and the temperature is below 10°C.
- If rain is expected before the product has dried, avoid applying it outdoors (for at least 6 to 8 hours).



MILLS



A close-up photograph of golden wheat stalks, showing the intricate details of the grain heads and the texture of the stalks. The lighting is warm, highlighting the natural colors of the wheat.

ORMITAL



THOR grain shredder

Material: Painted galvanized steel.

Induction motor: 1,5 Hp.

Hourly production: Min 50 Kg - Max 80 Kg.

May vary according to the nature and moisture content of the product.

Motor safety: Thermal device with manual reset.

Roller access safety: Patented safety device.

Cereal flow regulation: Manual regulation gate. Grinds all cereals (oats, barley, wheat, corn, beans, etc.) keeping their nutritional value intact.


This machine can break the membrane of the seed so that the animal can digest and assimilate the nutrients better, it is also silent and does not make dust...



GEARED MOTOR



The adjustment system allows to obtain an excellent quality shredded product from very fine to traditional sizes.



A powerful GEARED MOTOR drives the steel rollers, suitably machined and heat-treated, mounted on bearings.



The steel rollers are protected by a magnet that retains any metallic objects that may be in the product to be shredded.

Article		 l x p x h	 Kg	 Code
1694A0000	1	57 x 57 x 50	51,9	8010213016943



Dust-free container for Mills 4V

Material: Food-grade plastic.
 Features: Transport handle.
 Capacity: 18L



Article		l x p x h	Kg	Code
0000224G	1	35,5 x 35,5 x 41	2,2	8010213971471

Mill DAVIDE 4V

550W

Material: Food-grade plastic + galvanised steel.
Brush motor: 550W - 0.75 Hp - 230V (13000-15000 rpm).
Hourly milling e.g. corn: Min. 80Kg - Max. 250Kg
Motor safety: Thermal device with automatic resetting system.
Blade access safety: Forced device with triple safety.
Adjustment of cereal flow: With direct and self-adjustable flow.
Sieves in the standard equipment :

- 2,5 mm Ø
- 4 mm Ø
- 6 mm Ø
- 8 mm Ø

Flour sieves:
 1mm and 1.5mm holes



Mill GOLIA 4V

750W

Material: Food-grade plastic + galvanised steel.
Brush motor: 750W - 1 Hp - 230V (13000-15000 rpm).
Hourly milling e.g. corn: Min. 130Kg - Max. 260Kg
Motor safety: Thermal device with automatic resetting system.
Blade access safety: Forced device with triple safety.
Adjustment of cereal flow: With direct and self-adjustable flow.
Sieves in the standard equipment:

- 2,5 mm Ø
- 4 mm Ø
- 6 mm Ø
- 8 mm Ø

Flour sieves:
 1mm and 1.5mm holes.



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
1971A0000	1	48 x 41 x 72	11,80	8010213970535	1970A0000	1	52 x 44 x 72	12,40	8010213970528



Mill BRAVÓ 4V

900W

Material: Food-grade plastic + galvanised steel.
Induction motor: 900W - 1.22 Hp - 230V (2800-3000 rpm).
Hourly milling e.g. corn: Min. 50Kg - Max. 230Kg
Motor safety: Thermal device with manual resetting system.
Blade access safety: Forced device with triple safety.
Adjustment of cereal flow: Manoeuvrable adjustment gate valve.
Sieves in the standard equipment:

- 4 mm Ø 
- 6 mm Ø 
- 8 mm Ø 



Mill MAGNUM 4V

750W

Material: Food-grade and non-toxic plastic + galvanised steel.
Brush motor: 750W - 1 Hp - 230V (13000-15000 rpm).
Hourly milling e.g. corn: Min. 90Kg - Max. 250Kg.
Motor safety: Thermal device with automatic resetting system.
Blade access safety: Forced device with triple safety.
Adjustment of cereal flow: Manoeuvrable adjustment gate valve.
Sieves in the standard equipment:

- 2,5 mm Ø 
- 4 mm Ø 
- 6 mm Ø 
- 8 mm Ø 

Flour sieves:
1mm and 1.5mm holes



Article		 l x p x h	 Kg	 Code	Article		 l x p x h	 Kg	 Code
1972A0000	1	52 x 44 x 72	17,00	8010213970542	1974A0000	1	52 x 44 x 72	13,20	8010213970566

RAMBO shelling machine

180W

Material: Galvanised and coated steel.
Brush motor: 180W - 0,25 Hp with 1:25 reduction gear (350-400 rpm).
Production: Min. 120Kg - Max. 160Kg
Motor safety: Thermal device with automatic resetting system.
Disc access safety: Patented safety device.
Capacity of the container: 30 L
 Ideal for separating maize from the cob



Mill ERCOLINO

1500W

Material: Galvanised and coated steel.
Induction motor: 1500W - 2 Hp (2800-3000 rpm)
Hourly milling e.g. corn: Min. 60Kg - Max. 360Kg
Motor safety: Thermal device with manual resetting system.
Blade access safety: Patented safety device.
Adjustment of cereal flow: Manoeuvrable adjustment gate valve.
Standard equipment:

- 2,5 mm Ø 
- 4 mm Ø 
- 6 mm Ø 
- 8 mm Ø 




Article		 l x p x h	 Kg	 Code	Article		 l x p x h	 Kg	 Code
0990A----	1	47 x 43,5 x 62,5	14,30	8010213009907	0518A----	1	54,5 x 60 x 60	30,80	8010213005183

Manual sheller GRISU'

Material: Structure and disc made with technopolymer having high mechanical and wear resistance.

Features: Equipped with support to be hooked to a table or similar, and with compression spring that can be adjusted according to the corn-cobs to be shelled.

Ideal solution to separate the corn from the cob.



Manual sheller RITMOPREMIUM

Material: Structure with technopolymer aluminium disc having high mechanical and wear resistance.

Features: Equipped with support to be hooked to a table or similar, and with compression spring that can be adjusted according to the corn-cobs to be shelled.

Ideal solution to separate the corn from the cob.



Article		l x p x h	Kg	Code
2168F0000 ▲	5	58 x 23,5 x 29,5	1,65	8010213978197
Article		l x p x h	Kg	Code
2172F0000 ▲	6	29,5 x 38 x 30,5	1,867	8010213979095

Manual Mill GRILLO

Material: Food-grade plastic + cast-iron grinders.

Features: Equipped with support to be hooked to a table and with a swivelling conveyor for flour output.

Ideal solution for cereal flours (corn, rye, oat, etc.), herbs, medicinal products, baits, animal feeds.



Copper pot

Material: Copper pot with brass handles. Food-grade plastic mixer with chromium-plated steel bracket. Stainless steel mixing blade.

Mixer: Self-clutched electrical geared motor 4W 230V.

Features: Ideal solution to cook polenta and jams.

Diameter: 26 cm, capacity 4,7 litres.

30 cm, capacity 7,3 litres.



* Diameter: 26 cm. Approximate capacity: 4,7 litres

** Diameter: 30 cm. Approximate capacity: 7,3 litres

Article		l x p x h	Kg	Code
2167A0000	1	19 x 19 x 31,5	2,8	8010213978180
Article		l x p x h	Kg	Code
1807A0000*	6	57 x 33 x 66,5	3,00	8010213018077
1808A0000**	6	57 x 33 x 66,5	3,70	8010213018084

PLUCKERS



ORMITAL





Plucker Esterina 36 fingers

Materials: Stainless steel.

Features:

- 36 fingers made with thermoplastic rubber.
- 9 pairs of discs.
- Feather cover.
- Safety grid made with stainless steel that can be adjusted according to the animal to be plucked.
- adjustable roll-over control bar.
- trolley to collect the feathers (optional), equipped with rotating wheels.
- Anti-vibration feet.
- Asynchronous single-phase motor 230 V - 900 W - 50Hz.
- Motor equipped with thermal switch having a manual resetting system.
- Safety push-button.

Approximate hourly production: 80/120 chickens.

Ideal solution for medium and large size poultry and the like (e.g. chickens, ducks, turkeys...)



Article		 l x p x h	 Kg	 Code
2196A0000	1	50 x 56 x 33	25,2	8010213979545



Plucker Esterina 36-finger with feather collection trolley

Materials: Stainless steel.

Features:

- 36 fingers made with thermoplastic rubber.
- 9 pairs of discs.
- Feather cover.
- Safety grid made with stainless steel that can be adjusted according to the animal to be plucked.
- Adjustable roll-over control bar.
- Trolley to collect the feathers, equipped with rotating wheels and supplied in the standard equipment.
- Anti-vibration feet.
- Asynchronous single-phase motor 230 V - 900 W - 50Hz
- Motor equipped with thermal switch having a manual resetting system.
- Safety push-button.

Approximate hourly production: 80/120 chickens.

Ideal solution for medium and large size poultry and the like (e.g. chickens, ducks, turkeys...)



Article		 l x p x h	 Kg	 Code
2211A0000	1	50 x 56 x 33	34,3	8010213000188
2204A0000	1	42,5 x 8,5x 63,5		



Poultry plucker Esterina 24 fingers with adjustable stainless steel grid

Materials: Made with ABS.

Features:

- 24 fingers made with thermoplastic rubber.
- 6 pairs of discs.
- Safety grid made with stainless steel that can be adjusted according to the animal to be plucked.
- Equipped with hook to support the feather bag (not supplied in the standard equipment).
- Anti-vibration feet.
- Safety push-button.
- Asynchronous single-phase motor 230 V - 50 Hz - 300W.
- 6-pole, 900 rpm.

Approximate hourly production: 60/80 chickens.

Ideal solution for poultry, guinea-hens and pheasants.



Article		l x p x h	Kg	Code
2205A0000	1	39 x 65,5 x 50	22	8010213000058

Quail Plucker Esterina 24 fingers with adjustable stainless steel grid

Materials: Made with ABS.

Features:

- 24 fingers made with thermoplastic rubber.
- 6 pairs of discs.
- Safety grid made with stainless steel that can be adjusted according to the animal to be plucked.
- Equipped with hook to support the feather bag (not supplied in the standard equipment).
- Anti-vibration feet.
- Safety push-button.
- Asynchronous single-phase motor 230 V - 50 Hz - 300W.
- 6-pole, 900 rpm.

Ideal solution for partridge and quails.




Article		l x p x h	Kg	Code
2209A0000	1	39 x 65,5 x 50	21,6	8010213000164



Stainless steel trolley to collect the feathers

Material: Stainless steel.

Features: Container suitable for collecting feathers when plucking.
Practical swivel castors, easy to clean.



Fingers made with thermoplastic rubber

Material: Food-grade rubber.

Features: Good resistance to wear, excellent sealing during plucking operations.



Article		l x p x h	Kg	Code
2204A0000	1	42,5 x 8,5 x 63,5	9	8010213979495

Article		l x p x h	Kg	Code
4727P	1	2,8 x 0,026	0,026	8010213979460
4728P	—	2,4 x 2,4 x 8,8	0,0180	8010213979477

Technopolymer disc for poultry

It is formed by two parts, snap-fit assembly without using any tool.



Ø 12cm x 1,8cm

Technopolymer disc for quails


It is formed by two parts, snap-fit assembly without using any tool.



Ø 12cm x 1,8cm

Article		l x p x h	Kg	Code
4732P	1		0,92	8010213000683

Article		l x p x h	Kg	Code
4733P	1		0,92	8010213000768



SMALL MAMMALS



ORMITAL





Breeder with external nest

Material: Electro-galvanised metal net (cages) + plastic (nests, feeders, perch, dropping trays) + steel (drinkers).

Features: Sturdy cage made with electro-galvanised 2.5mm net, equipped with two external plastic nests, two feeders, two drip drinkers (to be connected to a gravity water system), a removable plastic perch, three removable trays to collect the droppings.

The pens are internally divided, the central part includes the space that is dedicated to the hay supply, while on the sides the access to the nests can be managed by means of a foldable door.

In the upper part of the cage there is a spring hook to open and close the door of every pen.

The cages can be placed on top of each other and are raised from the floor. Ideal solution to breed rabbits.

It is supplied disassembled in a box.

Cage dimensions: 178 x 51,5 (60) x 87,5 cm



Article		 l x p x h	 Kg	 Code
2214ASMON	1	20 x 61 x 134	25	80102130003000

Breeder with internal nest

Material: Electro-galvanised metal net (cages) + plastic (nests, feeders, perch, dropping trays) + steel (drinkers).

Features: Sturdy cages made with electro-galvanised 2.5mm net, raised from the floor. The cage that is dedicated to the breeders is equipped with two pens and two internal plastic nests (removable), two feeders, two drip drinkers (to be connected to a gravity water system), a removable perch, and three trays to collect the droppings. The pens are internally divided, the central part includes the space that is dedicated to the hay supply.

Ideal solution to breed rabbits.

It is supplied disassembled in a box.

Cage dimensions: 122,5 x 51,5 (60) x 87,5 cm



Article		 l x p x h	 Kg	 Code
2213ASMON	1	20 x 61 x 134	17,38	8010213000294

Fattening cage

Material: Electro-galvanised metal net (cages) + plastic (feeders, perch, dropping trays) + steel (drinkers).

Features: Sturdy cages made with electro-galvanised 2.5mm net, raised from the floor.

The cage that is dedicated to fattening is equipped with 3 pens, 3 feeders, 3 drip drinkers (to be connected to the gravity water main), a removable plastic perch, and 3 trays to collect the droppings.

The space of every pen (fattening) has an extra-large size compared to the standard model, allowing hosting 2 or 3 rabbits per pen during the first 2 or 3 months of life, thus streamlining the relevant space.

The space of every pen is internally delimited and can be adjusted according to the specific needs; the cage is fully accessible from the top and individually from the front by means of the dedicated doors in every pen.

Ideal solution to breed rabbits.

It is supplied disassembled in a box.

Cage dimensions: 122,5 x 51,5 (60) x 87,5 cm



Article		 l x p x h	 Kg	 Code
2212ASMON	1	20 x 61 x 134	18,29	8010213000287

Breeder with internal nest + fattening cage "composition example"

Material: Electro-galvanised metal net (cages) + plastic (nests, feeders, perches and dropping trays) + steel (drinkers)
Features: sturdy cages made with electro-galvanised 2.5mm net, raised from the floor, formed by two levels, the breeder is on the first level, while the fattening cages are on the second level.

The lower part is dedicated to the breeders, equipped with two pens and two external plastic nests, while the upper part includes the fattening cage with three available pens with single and/or total access; overall, it is formed by five feeders, five drip drinkers (to be connected to a gravity water system), two removable perches, six trays to collect the droppings.

The pens (breeder) are internally divided, the central part is dedicated to the hay supply; the space of every pen (fattening) has an extra-large size compared to the standard model, allowing hosting 2 or 3 rabbits per pen during the first 2 or 3 months of life; in addition, it is internally delimited and can be adjusted according to the specific needs. The cage is fully accessible from the top and individually from the front through individual doors. Ideal solution to breed rabbits.

It is supplied disassembled in a box.

Cage dimensions/each: 122,5 x 51,5 (60) x 172 cm



Double fattening cage "composition example"

Material: Electro-galvanised metal net (cages) + plastic (feeders, perches, dropping trays) + steel (drinkers).

Features: Sturdy cages made with electro-galvanised 2.5mm net, raised from the floor, formed by two levels. The fattening cage is equipped with three pens in the upper part and three in the lower part, six feeders, six drip drinkers (to be connected to a gravity water system), two removable plastic perches, six plastic trays to collect the droppings which assure maximum hygiene and cleaning.

The space of every pen (fattening) has an extra-large size compared to the standard model, allowing hosting 2 or 3 rabbits per pen during the first 2 or 3 months of life, thus streamlining the relevant space.

The space of every pen is internally delimited and can be adjusted according to the specific needs, the door can be fully opened from the top and individually from the front.

Ideal solution to breed rabbits.

It is supplied disassembled in a box.

Cage dimensions/each: 122,5 x 51,5 (60) x 172 cm





Double fattening cage "composition example"

Material: Electro-galvanised metal net (cages) + plastic (feeders, perches, dropping trays) + steel (drinkers).

Features: Sturdy cages made with electro-galvanised 2.5mm net, raised from the floor, formed by two levels. The fattening cage is equipped with three pens in the upper part and three in the lower part, six feeders, six drip drinkers (to be connected to a gravity water system), two removable plastic perches, six plastic trays to collect the droppings which assure maximum hygiene and cleaning.

The space of every pen (fattening) has an extra-large size compared to the standard model, allowing hosting 2 or 3 rabbits per pen during the first 2 or 3 months of life, thus streamlining the relevant space.

The space of every pen is internally delimited and can be adjusted according to the specific needs, the door can be fully opened from the top and individually from the front. Ideal solution to breed rabbits.

It is supplied disassembled in a box.

Cage dimensions/each: 122,5 x 51,5 (60) x 172 cm



Internal nest

Material: Plastic.

Characteristics: It can be used in all breeder cages, made with plastic material and perforated bottom, easy to clean, equipped with fastening screws.

Dimensions: 39,5x24,5x13,5 cm



Article		l x p x h	Kg	Code
1727A0000		39,5 x 24,5 x 13,5	0,306	8010213017278

External nest

Material: Plastic.

Features: It can be applied to all cages with max. 165mm hole, removable net bottom, hygienic, inspection door on the top, simple to install, ready to use.

Dimensions: 47x30x33 cm



Article		l x p x h	Kg	Code
2215A0000	1	31 x 48,5 x 37	3,75	80102139179576

Jolly hook

Material: Plastic.

Features: It can be applied to all cages with max. 3mm wire to join the net meshes of the cages.

Dimensions: 13x18x7 mm



Article		l x p x h	Kg	Code
3947P				

Drinker / Feeder MEZZALUNA

Material: Galvanised plate.

Features: Suitable for all net types, ideal solution for rabbits, small size fowl and birds.



Article		 l x p x h	 Kg	 Code
1716A0000	60	31,5 x 36 x 20	0,124	8010213972195
1716AF000 ▲	24	32 x 29 x 18,5	0,1354	8010213971716

Hopper feeder with 1 compartment and cover

Material: Food-grade plastic.

Features: Equipped with one compartment, ideal solution to supply the feed to rabbits, hooks for fastening to all net types, double control label holder.



Cover for hopper feeder with 2 compartments

Material: Non-toxic plastic.

Features: Ideal solution for hopper feeder with 2 compartments, dirt-prevention cover.




Article		 l x p x h	 Kg	 Code	Article		 l x p x h	 Kg	 Code
2072AF000 ▲	24	53,5 x 34,5 x 85,5	0,571	8010213977855	1851A0000	24	24 x 15 x 14,5	0,0479	8010213018510

Hopper feeder with 2 compartments

Material: Food-grade plastic.

Features: Equipped with two compartments, ideal solution to supply the feed to rabbits, hooks for fastening to all net types, protection made with galvanised plate and control label holder, the cover can be added. Equipped with double control label holder.



Hopper feeder with 2 compartments + Cover

Material: Food-grade plastic.

Features: Equipped with two compartments, ideal solution to supply the feed to rabbits, hooks for fastening to all net types, protection made with galvanised plate, control label holder + dirt-prevention cover.



Article		 l x p x h	 Kg	 Code	Article		 l x p x h	 Kg	 Code
0034A0000	18	56,5 x 47,5 x 66	0,571	8010213000348	0034AF000 ▲	18	56,5 x 47,5 x 66	0,75	8010213971655



Bottle holder drinker with rodent-resistant pan

Material: Rodent-resistant non-toxic plastic.

Features: Ideal solution for rabbit cages, suitable to support a normal bottle of water.



AQUAVIVA Drinker

Material: Galvanised iron plate.

Features: Supplied disassembled, ideal solution for rabbit cages, suitable to support a normal bottle 2L of water.

Package: 2 pieces.



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
0036A0000	60	37,5 x 48,5 x 41	0,128	8010213000362	2188F0000 ▲	24	39 x 25,5 x 31,5	0,12	8010213979316

AQUADRINK Drinker

Material: Rodent-resistant non-toxic plastic + galvanised iron plate.

Features: Supplied disassembled, ideal solution for rabbit cages, suitable to support a normal bottle 1,5L of water.

Package: 2 pieces.



AQUAFLOW Drinker

Material: Non-toxic plastic + galvanised iron plate.

Features: Supplied disassembled, ideal solution for rabbit cages, suitable to support a normal bottle 1,5L of water.

Package: 2 pieces.



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
0497F0000 ▲	24	39 x 25,5 x 31,5	0,2754	8010213970436	0297F0000 ▲	24	39 x 25,5 x 31,5	0,24	8010213502972

TOCE Drinker

Material: Food-grade plastic.

Features: Practical bottle container, removable pan that simplifies cleaning operations, suitable for all net types.



NIAGARA Drinker with edge protection

Material: Food-grade plastic.

Features: Practical bottle container, removable pan that simplifies cleaning operations, suitable for all net types.



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
1944A0000	48	56,5 x 32 x 58	0,1771	8010213970115	1945A0000	48	56,5 x 32 x 58	0,2219	8010213970122
1944AF000 ▲	48	56,5 x 32 x 58	0,1771	8010213971594	1945AF000 ▲	48	56,5 x 32 x 58	0,2219	8010213971648

TOP Drip drinker, rodent-resistant

Material: Non-toxic plastic + rodent-resistant stainless steel protection.

Features: Ideal solution to be fastened to the net of rabbit, fowl and bird cages.



Article		 l x p x h	 Kg	 Code
2000A0000	120	16,5x25,5x4,5	0,0039	8010213972096
2000F0000 ▲	16	13,5x22x14,5	0,0145	8010213972102

TOP Drinker, rodent-resistant, with TEE-free spring

Material: Non-toxic plastic + rodent-resistant stainless steel protection.

Features: T-free coupling for connection of the water system. Ideal solution to be fastened to the net of rabbit and fowl cages.



Article		 l x p x h	 Kg	 Code
2003A0000	100	23,5 x 20 x 21	0,015	8010213972157
2003A1000	10	16,5 x 25,5 x 6	0,051	8010213977015
2003F0000 ▲	16	13,5 x 22 x 14,5	0,028	8010213972164

TOP Drinker, rodent-resistant, with spring and Ø 10/7 TEE-connection

Material: Non-toxic plastic + rodent-resistant stainless steel protection.

Features: With spring and "T" coupling. Ideal solution to be fastened to the net of rabbit and fowl cages.



Article		 l x p x h	 Kg	 Code
2002A0000	100	23,5 x 20 x 21	0,020	8010213972133
2002A1000	10	16,5 x 25,5 x 6	0,0542	8010213977039
2002F0000 ▲	16	13,5 x 22 x 14,5	0,0184	8010213972140

TOP Drinker, rodent-resistant, with screws and Ø 10/7 TEE-connection

Material: Non-toxic plastic + rodent-resistant stainless steel protection.

Features: Screw connection and "T" coupling.

Ideal solution to be fastened to the net of rabbit and fowl cages.



Article		 l x p x h	 Kg	 Code
2004A0000	100	23,5 x 20 x 21	0,018	8010213972171
2004A1000	10	16,5 x 25,5 x 6	0,0812	8010213977022
2004F0000 ▲	16	13,5 x 22 x 14,5	0,0523	8010213972188



Derby drinker (TOP 90°) with 50 cl tank

Material: Food-grade plastic.

Features: Equipped with rodent-resistant stainless-steel clamp, ideal solution for rabbits, birds and fowl; suitable for all net types.

Capacity: 50 cl

Water intake angle: 90°



Article		 l x p x h	 Kg	 Code
2014A0000	24	36 x 13 x 42	0,1069	8010213972317
2014AF000 ▲	24	36 x 13 x 42	0,1079	8010213972324

Derby drinker (TOP 90°) with 100 cl tank

Material: Food-grade plastic.

Features: Equipped with rodent-resistant stainless-steel clamp, ideal solution for rabbits, birds and fowl; suitable for all net types.

Capacity: 100 cl

Water intake angle: 90°



Article		 l x p x h	 Kg	 Code
2019A0000	24	45 x 35,5 x 41	0,1843	8010213972393
2019AF000 ▲	24	45 x 35,5 x 41	0,1843	8010213972409

Derby drinker (TOP 45°) with 50 cl tank

Material: Food-grade plastic.

Features: Equipped with rodent-resistant stainless-steel clamp, ideal solution for rabbits, birds and fowl; suitable for all net types.

Capacity: 50 cl

Water intake angle: 45°



Article		 l x p x h	 Kg	 Code
2015A0000	24	36 x 13 x 42	0,1071	8010213972331
2015AF000 ▲	24	36 x 13 x 42	0,1081	8010213972348

Derby drinker (TOP 45°) with 100 cl tank

Material: Food-grade plastic.

Features: Equipped with rodent-resistant stainless-steel clamp, ideal solution for rabbits, birds and fowl; suitable for all net types.

Capacity: 100 cl

Water intake angle: 45°




Article		 l x p x h	 Kg	 Code
2020A0000	24	45 x 35,5 x 41	0,1843	8010213972416
2020AF000 ▲	24	45 x 35,5 x 41	0,1843	8010213972423

Automatic drinker with 6cm fixed pan, rodent-resistant

Material: Rodent-resistant non-toxic plastic.

Features: Automatic type with 6cm fixed pan, the float is removable for cleaning purposes (the water connection is maintained).

Ideal solution for the connection of the gravity water main.



Automatic drinker with 12 cm fixed pan, rodent-resistant

Material: Rodent-resistant non-toxic plastic.

Features: Automatic type with 12cm fixed pan, the float unit is removable for cleaning purposes (the water connection is maintained).

Ideal solution for the connection to a gravity water main




Article		 l x p x h	 Kg	 Code
0517A0000	48	25 x 37 x 48	0,1625	8010213005176
0517F0000 ▲	16	35 x 15,5 x 35	0,1815	8010213505171

Article		 l x p x h	 Kg	 Code
0515A0000	48	37 x 38 x 48	0,1916	8010213005152
0515F0000 ▲	16	35 x 15,5 x 35	0,2047	8010213505157

TOCE EVOLUTION Drinker

Material: Food-grade plastic.

Features: Automatic drinker, universal coupling for net cages, fixed pan, float unit that can be removed for cleaning purposes (the water connection is maintained), three adjustable water levels.



NIAGARA EVOLUTION Drinker, rodent-resistant

Material: Food-grade plastic.

Features: Automatic drinker, universal coupling for net cages, fixed pan, float unit that can be removed for cleaning purposes (the water connection is maintained), three adjustable water levels, and rodent-resistant metal protection.



Article		 l x p x h	 Kg	 Code
2183A0000	24	21 x 32,5 x 41,5	0,21	8010213979231

Article		 l x p x h	 Kg	 Code
2184A0000	24	21 x 32,5 x 41,5	0,26	8010213979248

Rubber sealing plug for automatic drinker

Material: Non-toxic plastic.

Accessory for automatic drinker with fixed pan.



Domestic Filter Ø 10mm

Material: Non-toxic plastic.

Features: It can be easily disassembled for cleaning and hygienic purposes, the outputs are suitable for a 10mm-diameter connection pipe.

Ideal solution for the connection to a gravity water main.



Article		 l x p x h	 Kg	 Code
0108A0000	100		0,0005	8010213001086
0108F0000 ▲	16	13,5 x 22 x 14,5	0,0168	8010213971310

Article		 l x p x h	 Kg	 Code
0255A0000	24	19 x 19 x 16	0,05	8010213002557
0255F0000 ▲	16	15 x 34,5 x 21	0,0657	8010213502552



12L tank with hose connection

Material: Food-grade plastic.

Capacity: 12L

Features:

- 10mm-diameter hose connection.
- Dirt-prevention lid.
- Handle.
- Ideal solution for rabbit, fowl and bird cages.



Article		 l x p x h	 Kg	 Code
2013A0000	12	37 x 37 x 83	0,9208	8010213972294
2013AF000▲	12	37 x 37 x 83	0,9208	8010213972300

18L tank with hose connection

Material: Food-grade plastic.

Capacity: 18L

Features:

- 10mm-diameter hose connection.
- Dirt-prevention lid.
- Handle.
- Ideal solution for rabbit, fowl and bird cages.



Article		 l x p x h	 Kg	 Code
1978A0000	12	36,5 x 36,5 x 94	1,1833	8010213971105
1978AF000▲	12	36,5 x 36,5 x 94	1,1833	8010213971532

24L tank with hose connection

Material: Food-grade plastic.

Capacity: 24L

Features:

- 10mm-diameter hose connection.
- Dirt-prevention lid.
- Handle.
- Ideal solution for rabbit, fowl and bird cages.



Article		 l x p x h	 Kg	 Code
2116A0000	10	36,5 x 36,5 x 94	1,1853	8010213979040
2116AF000▲	10	36,5 x 36,5 x 94	1,1853	8010213979057

Valve + Rod + Float made with plastic materials for 8L tank

Material: Non-toxic plastic.

Features: Accessory for 8L pan.

Direct connection to the water supply.



Article		 l x p x h	 Kg	 Code
1868A0000	1		0,125	8010213979378

8L Plastic Tank + Lid

Material: Non-toxic plastic.

Capacity: 8 L

Characteristics: Tank suitable for connection to water supply systems.

Equipped with cover for dirt prevention.



Article		 l x p x h	 Kg	 Code
0135A0000	24	67 x 37 x 44	0,5729	8010213001352

8L Plastic Tank + Float + 1 Ø 10mm output + Cover

Material: Non-toxic plastic.

Capacity: 8 L

Features: Tank suitable for connection to water supply systems. Equipped with floater, cover and 1 outlet suitable for a 10 mm diameter hose.



Article		 l x p x h	 Kg	 Code
0137A0000	1		0,805	8010213001376

8L Plastic Tank + Float + 2 Ø 10mm outputs + Cover

Material: Non-toxic plastic.

Capacity: 8 L

Features: Tank suitable for connection to water supply systems. Equipped with floater, cover and 2 outlets suitable for 10 mm diameter hoses.



Article		 l x p x h	 Kg	 Code
0138A0000	1		0,81	8010213001383

8L Plastic Tank + Float + 1 Ø 22 mm angular output + Cover

Capacity: 8 L

Features: Tank suitable for connection to water supply systems. Equipped with floater, cover and 1 outlet suitable for 20 mm diameter hoses.



Article		 l x p x h	 Kg	 Code
0139A0000	1		0,825	8010213001390

8L Plastic Tank + Float + 2 Ø 22 mm angular outputs + Cover

Material: Non-toxic plastic.

Capacity: 8 L

Characteristics: Tank suitable for connection to water supply systems. Equipped with float, lid and 2 outlets suitable for 20 mm diameter.



Article		 l x p x h	 Kg	 Code
0140A0000	1		0,84	8010213001406



Black hose, 20 mm Ø - 50 m

Material: Soft PVC roll of 50 m.

Characteristics: Used for the water connection of the troughs.



Article		l x p x h	Kg	Code
0103A0000	50 m		0,204	8010213001031

Black hose, 10 mm Ø - 100 m

Material: Soft PVC 100 m roll.

Characteristics: Used for water connection of drinking troughs.



* Kg/m

Article		l x p x h	Kg	Code
0101A0000*	100 m		0,07	8010213001017
0101A1000*	10 m		0,07	8010213968785
0101A5000*	50 m		0,07	8010213968792
0101AF010*▲	12x10 m	40 x 37 x 35	0,73	8010213971815

Fixed hook for square tube

Material: Steel.

Features: Hooks to quickly attach or detach the square tube with cage drinkers.



Article		l x p x h	Kg	Code
0452A0000	500		0,0026	8010213004520
0452F0000 ▲	16	13,5 x 22 x 14,5	0,0343	8010213970733

Spring with hook

Material: Steel.

Characteristics: Coil=26,5. Useful spring for assembling and disassembling doors, feeders and various accessories for rabbit and poultry cages.



Article		l x p x h	Kg	Code
0401A0000	200		0,0143	8010213004018
0401F0000 ▲	16	13,5 x 22 x 14,5	0,0425	8010213971068

Ø10 mm head

Material: Plastic.

Characteristics: Installed with PVC glue on the ends of the square tube to facilitate the connection of flexible hoses.

Diameter: 10 mm



Article		l x p x h	Kg	Code
0041A0000	100		0,0048	8010213000416
0041F0000 ▲	16	13,5 x 22 x 14,5	0,0213	8010213970658

Ø 22 mm head

Material: Plastic.

Characteristics: Installed with PVC glue on the ends of the square tube to facilitate the connection of flexible hoses.

Diameter: 22 mm



Article		l x p x h	Kg	Code
0042A0000	100		0,0072	8010213000423
0042F0000 ▲	16	13,5 x 22 x 14,5	0,026	8010213970665

Rigid square tube

Material: Plastic.

Features: Rigid square tube of 2mm used to create watering lines in cages for rabbits and birds.



* Pieces of 2m ** Kg/m

Article		l x p x h	Kg	Code
0160A2000*	50 mt		0,266**	8010213001604
0160AR000	on demand		0,266**	8010213968563

Hook for blister packs

Material: Plastic.

Features: Hook ideal for holding all blister packs with Euro hole in the displays.



Article		l x p x h	Kg	Code
3760P	50	5 x 20 x 20	0,0082	

Plug Ø10mm

Material: Plastic.

Characteristics: Allows to close the ends of fittings used in water systems.

Diameter: 10 mm



Article		l x p x h	Kg	Code
0105A0000	100		0,0019	8010213001055
0105F0000 ▲	16	13,5 x 22 x 14,5	0,0218	8010213501050

Plug Ø22mm

Material: Plastic.

Characteristics: Allows to close the ends of fittings used in water systems.

Diameter: 22 mm



Article		l x p x h	Kg	Code
0106A0000	100		0,0032	8010213001062
0106F0000 ▲	16	13,5 x 22 x 14,5	0,0283	8010213970672

Hexagonal plug 1/8" threaded

Material: Plastic.

Characteristics: Threaded hexagonal type.

Diameter:



Article		l x p x h	Kg	Code
0107A0000	100		0,0015	8010213001079
0107F0000 ▲	16	13,5x22x14,5	0,0193	8010213970689

3/4" square threaded plug

Material: Plastic.

Characteristics: Ideal for closing the 8 L tank.

Package of 2 pieces.



Article		l x p x h	Kg	Code
0000417PF ▲	16	13,5x22x14,5	0,0194	8010213970696

Angle connection for Ø 22mm hose

Material: Non-toxic plastic.

Characteristics: Allows the connection of a flexible hose of 22mm diameter with the tank.

Diameter: Ø 22mm



Article		l x p x h	Kg	Code
0123A0000	50		0,022	8010213001239
0123F0000 ▲	16	15 x 34 x 21	0,0583	8010213971051

Hose connection Ø 10mm

Material: Non-toxic plastic.

Characteristics: Allows the connection of a flexible hose of 10mm diameter with the tank.

Diameter: Ø 10 mm



Article		l x p x h	Kg	Code
00000405P	100		0,0014	8010213104053

Ø10mm hose connection with brass nut

Material: Non-toxic plastic.

Features: Brass nut. It is applied to the water tank to allow its connection to the 10 mm diameter flexible hose.

Diameter: Ø 10 mm



Article		l x p x h	Kg	Code
0097A0000	100		0,0028	8010213000973
0097F0000 ▲	16	13,5 x 22 x 14,5	0,0176	8010213500978

22mm and 10mm hose adapters

Material: Non-toxic plastic.

Features: Adapter for connecting flexible hoses of 20 mm and 10 mm together.

Diameter: 22 mm - 10 mm



Article		l x p x h	Kg	Code
0499A0000	50		0,0099	8010213004995
0499F0000 ▲	16	13,5 x 22 x 14,5	0,0219	8010213971037

T-connection Ø 10/7

Material: Non-toxic plastic.

Characteristics: Used for the connection of hoses for drinking troughs.

Diameter: 10/7



Article		l x p x h	Kg	Code
00000402P	100		0,0021	8010213104022

Linear connection Ø 10mm

Material: Non-toxic plastic.

Characteristics: Used for the connection of hoses for troughs.

Diameter: 10 mm



Article		l x p x h	Kg	Code
0118A0000	100		0,0019	8010213001185
0118F0000 ▲	16	13,5 x 22 x 14,5	0,0157	8010213501180

Angle connection Ø 10mm

Material: Non-toxic plastic.

Characteristics: Used for the connection of hoses for troughs.

Diameter: 10 mm



Article		l x p x h	Kg	Code
0546A0000	100		0,0021	8010213005466
0546F0000 ▲	16	13,5 x 22 x 14,5	0,0155	8010213505461

Ø 10 mm T-connection

Material: Non-toxic plastic.

Characteristics: Used for the connection of hoses for troughs.

Diameter: 10 mm



Article		l x p x h	Kg	Code
0109A0000	100		0,0027	8010213001093
0109F0000 ▲	16	13,5 x 22 x 14,5	0,0163	8010213501098



Ø 10mm cross connection

Material: Non-toxic plastic.
Characteristics: Used for the connection of hoses for troughs.
Diameter: 10 mm



Article		l x p x h	Kg	Code
0516A0000	100		0,00355	8010213005169
0516F0000 ▲	16	13,5 x 22 x 14,5	0,0183	8010213505164

Long pipette with 1/8" thread

Material: Non-toxic plastic.
Characteristics: Used for the connection of hoses for troughs.



Article		l x p x h	Kg	Code
0003290P	50	14 x 21 x 3	0,006	8010213971273
0003290PF ▲	16	13,5 x 22 x 14,5		8010213971488

6 cm extension

Material: Non-toxic plastic.
Features: Used to bring the drinkers closer to small animals so they can drink.
No direct water connection.



Article		l x p x h	Kg	Code
0486A0000	50		0,006	8010213004865
0486F0000 ▲	16	13,5 x 22 x 14,5	0,0302	8010213970757

9 cm extension

Material: Non-toxic plastic.
Features: Used to bring the drinkers closer to small animals so they can drink.
No direct water connection.



Article		l x p x h	Kg	Code
0487A0000	50		0,0082	8010213004872
0487F0000 ▲	16	15 x 34 x 21	0,0464	8010213970764

12 cm extension

Material: Non-toxic plastic.
Features: Used to bring the drinkers closer to small animals so they can drink.
No direct water connection.



Article		l x p x h	Kg	Code
0488A0000	50		0,0104	8010213004889
0488F0000 ▲	16	15 x 34 x 21	0,0522	8010213970771

Hose connection Ø 21mm, with 1/2" thread

Material: Non-toxic plastic.
Features: Applicable to water tank to connect the flexible hose.
Diameter: 21 mm



Article		l x p x h	Kg	Code
00004381P	50		0,0132	8010214002488

Hose connection Ø 15mm with 1/2" thread

Material: Non-toxic plastic.
Features: Applied to the water tank to connect the flexible hose.
Diameter: 15 mm



Article		l x p x h	Kg	Code
00004382P	50		0,01	8010214002495

Nut 1/8" for D10 PL hose connection D10 PL

Material: Non-toxic plastic.



Article		l x p x h	Kg	Code
00004372P	50		0,0008	8010214002518

Nut 1/2" for straight D22 outlet

Material: Non-toxic plastic.



Article		l x p x h	Kg	Code
0000499P	50		0,0054	8010214002525

3/4" PL nut

Material: Non-toxic plastic.



Article		l x p x h	Kg	Code
00002717P	50		0,0042	8010214002501

Hose connection Ø 15mm with 1/2" thread + gasket + nut

Material: Non-toxic plastic.
Features: Applicable to water tank to connect the flexible hose.
Diameter: 15 mm



Article		l x p x h	Kg	Code
2105A0000	50		0,016	8010214001320
2105F0000 ▲	16	13,5 x 22 x 14,5	0,0425	8010214002549

Hose connection Ø 21mm with thread 1/2" + gasket + nut

Material: Non-toxic plastic.
Features: Applied to the water tank to connect the flexible hose.
Diameter: 21 mm



Article		l x p x h	Kg	Code
2104A0000	50		0,0192	8010214001313
2104F0000 ▲	16	13,5 x 22 x 14,5	0,0492	8010214002532

TRAPS AND EXTERMINATORS



ORMITAL



UFOTRAP Multi-purpose trap

Multipurpose and ecological chromotropic trap to protect orchards, olive groves, apiaries, and gardens. Ideal solution for trap flies, wasps, hornets, fruit flies, mosquitoes, It is ecological and effective, very easy to assemble and can be used with any plastic bottle. Can be use with food baits* (e.g. beer, fruit flies + vinegar/ammonia, wine, sardines, ripe fruit...), and hang it directly on trees and plants at a height of about 150 cm.

Very easy to clean and reusable.

Use: Outdoors.



UFOFLY Multi-purpose trap

Universal and ecological chromotropic trap for the protection of orchards, olive groves, apiaries, and gardens. Ideal for trapping flies, wasps, hornets, fruit flies, mosquitoes, insects, etc... Ecological and effective. Very easy to assemble, it adapts depending on the model to any glass jar (e.g. canning jars) or a plastic bottle; can be used with food baits* (e.g. beer, water + vinegar/ammonia, wine, sardines, ripe fruit), and hang directly on trees and plants at a height of about 150cm.

Very easy to clean, reusable and economical.

Use: Outdoors.



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2221A0000	22	41,5 x 50 x 21	0,12	8010213000331	2222A0000	22	41,5 x 50 x 21	0,09	8010213000335

INSTRUCTIONS FOR USE UFOTRAP & UFOFLY

Use: Outdoors.

Period of use: Early spring to late fall.

Positioning: Place 1 trap for each fruit tree (modest foliage cover), at a height of about 150 cm from the ground.

Exposure: South facing, if possible.

Baits: Use food baits (see recipe booklet* with recommended baits according to the insect to be treated). Fill approximately 2/3 of the container.

Monitoring: Control every 15 days; replenish and/or refill contents, if necessary.

ATTENTION:

It is advisable to mix the food baits in proportions of 2/3 of the capacity of the container and change them in case of particularly harsh weather conditions (e.g. heavy rains, high temperatures...). The ingredients must be dissolved in 500 ml of liquids and the quantities are merely indicative, as they are subject to conditions. The specified dosages are expressed in ml for liquids and in gr for solid foods.

* Recipe book

	Water	Sugar	Raw fish/ Spoiled meat	Ripe fruit	Beer	Vinegar	Ammonia	Dried yeast	Flour / Biscuits
Wasps	500	30-50		30-60					
Hornets	250				250				
	300	30-50				200			
Flies	350		30-50			150			
	250			60-120			250		
Fruit Flies	350			30-60					
	250	30-50				250			
Butterflies	150				350				
	500							30	
	500								120-200
Mosquitoes	250	35-60			250				
	500	70-120						20	

TRAPPER, insect trap

Material: Non-toxic plastic.

Features: By introducing a baiting liquid inside the trap, insects such as wasps, flies, ants... end up inside the trap and cannot exit.

Use: Hung on the floor.

Where: Orchards, hen houses, stables/barns...



Mole trap

Material: Non-toxic plastic.

Features:

- Equipped with inspection door.
- Equipped with jaws at both ends.
- Environmentally friendly.
- No poison is used.

Use: Underground.

Measures: 24 x 7 x 15 max



* Unassembled bulk product

Article		 l x p x h	 Kg	 Code	Article		 l x p x h	 Kg	 Code
0069A0000	24	57 x 38,5 x 63	0,366	8010213000690	2054AF000▲	6	28,5 x 20 x 33	0,291	8010213976896
1778A0000*	96	57 x 38,5 x 63	0,177	8010213017780					

Mouse trap with 1 inlet

Material: Non-toxic plastic.

Features:

- Equipped with inspection door.
- Equipped with 1 jaw-inlet.
- Eco-friendly.
- Reusable.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors.

Size: 17 x 7 x 8



Mouse trap with 2 inlets

Material: Non-toxic plastic.

Features:

- Equipped with inspection door.
- Equipped with 1 jaw-inlet.
- Eco-friendly.
- Reusable.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors.

Size: 27 x 8



Article		 l x p x h	 Kg	 Code	Article		 l x p x h	 Kg	 Code
2051AF000▲	12	21,5 x 30,5 x 25	0,1593	8010213976872	2048AF000▲	19	21,5 x 30,5 x 25	0,2325	8010213976827



Disposable mouse trap

Material: Non-toxic plastic.

Features:

- Equipped with 1 jaw-inlet.
- Eco-friendly.
- Reusable.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors

Size: Max. 13 x 6,8 x 10,5



Dome-shaped mouse trap with 1 inlet

Material: Non-toxic plastic.

Features:

- Equipped with 1 jaw-inlet.
- Eco-friendly.
- Reusable.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors

Size: 16,5 x 8,5



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2046AF000▲	48	29 x 20,5 x 42	0,0512	8010213976803	2047AF000▲	12	17,5 x 34,5 x 51	0,1433	8010213976810

Dome-shaped mouse trap with 2 inlets

Material: Non-toxic plastic.

Features:

- Equipped with 2 jaw-inlets.
- Eco-friendly.
- Reusable.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors.

Size: 16,5 x 8,5



Dome-shaped mouse trap with 3 inlets

Material: Non-toxic plastic.

Features:

- Equipped with 3 jaw-inlets.
- Eco-friendly.
- Reusable.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors.

Size: 16,5 x 8,5



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2095AF000▲	12	17,5 x 34,5 x 51	0,1626	8010214001078	2096AF000▲	12	17,5 x 34,5 x 51	0,168	8010214001085

Small cylinder-shaped rat trap

Material: Technopolymer.

Characteristics:

- Equipped with 1 inlet with jaw.
- Equipped with safety key.
- Can be fixed to beams, nets and walls.
- Environmentally friendly.
- Hygienic/reusable.
- Safe for children and pets.
- No poison used.

Use: Ideal indoor and outdoor solution.

Measures: 30,5 x 15 x 18 cm.



Big cylinder-shaped rat trap

Material: Technopolymer.

Characteristics:

- Equipped with 1 inlet with jaw.
- Equipped with safety key.
- Can be fixed to beams, nets and walls.
- Environmentally friendly.
- Hygienic/reusable.
- Safe for children and pets.
- No poison used.

Use: Ideal indoor and outdoor solution.

Measures: 41 x 15 x 18 cm.



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2052AF000▲	5	29 x 45 x 31	0,5196	8010213976858	2053AF000▲	4	29 x 45 x 31	0,6153	8010213976889

Small cylinder-shaped mouse trap.

Material: Technopolymer.

Characteristics:

- Equipped with 1 inlet with jaw.
- Equipped with safety key.
- Can be fixed to beams, nets and walls.
- Environmentally friendly.
- Hygienic/reusable.
- Safe for children and pets.
- No poison used.

Use: Ideal indoor and outdoor solution.

Measures: 30,5 x 15 x 18 cm.



Big cylinder-shaped mouse trap.

Material: Technopolymer.

Characteristics:

- Equipped with 1 inlet with jaw.
- Equipped with safety key.
- Can be fixed to beams, nets and walls.
- Environmentally friendly.
- Hygienic/reusable.
- Safe for children and pets.
- No poison used.

Use: Ideal indoor and outdoor solution.

Measures: 41 x 15 x 18 cm.



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2049AF000▲	5	29 x 45 x 31	0,4739	8010214001108	2050AF000▲	4	29 x 45 x 31	0,5671	8010214001115

Mouse trap, repeated capture, 31 cm

Material: Galvanised plate.

Features:

- Equipped with 2 inlets.
- Repeated capture, the mechanism will restore in an automatic way.
- Equipped with swivelling door.
- Eco-friendly.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors.

Size: 31 x 16 x 7 cm



Mouse trap, repeated capture, 46cm

Material: Galvanised plate.

Features:

- Equipped with 2 inlets.
- Repeated capture, the mechanism will restore in an automatic way.
- Equipped with swivelling door.
- Eco-friendly.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors.

Size: 46 x 22 x 12 cm



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
1691A0000	6	32 x 17 x 40,5	1,475	8010213016912	1692A0000	6	48 x 24 x 69,5	3,5138	8010213016929

Mouse trap, repeated capture, 40cm

Material: Galvanised plate.

Features:

- Equipped with 2 jaw-inlets.
- Repeated capture, the mechanism will restore in an automatic way.
- Eco-friendly.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors.

Size: 40 x 20 x 12 cm



Rat-killing bait distributor

Material: Galvanised plate.

Features:

- Equipped with safety key.
- Compatible with different bait types.
- Ideal solution for professional uses.
- Safe for children and pets.
- Can be fixed to the wall or on the floor.

Use: Ideal solution indoors and outdoors.

Size: 45 x 8 cm



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2098A0000	6	48 x 24 x 69,5	2,20	8010214001122	1690A0000	6	46,5 x 17 x 27	1,20	8010213016905

Cage mouse trap, 20cm - SMALL

Material: Galvanised iron.

Features:

- The closing door is directly connected with the bait system.

Size: Max. 20x9x27



Article		 l x p x h	 Kg	 Code
0043A0000	12	30 x 23 x 39	0,283	8010213000430

Cage mouse trap, 30cm - MEDIUM

Material: Galvanised iron.

Features:

- The closing door is directly connected with the bait system.

Size: Max. 30x15x36



Article		 l x p x h	 Kg	 Code
0031A0000	12	48 x 34,5 x 54	0,5833	8010213000317

Cage mouse trap, 40cm - LARGE

Material: Galvanised iron.

Features:

- The closing door is directly connected with the bait system.

Size: Max. 40x19x50



Article		 l x p x h	 Kg	 Code
0050A0000	12	59 x 43 x 71,5	0,9896	8010213000508

Trap for small predators with 1 entrance

Material: Galvanised iron.

Features:

- Made with sturdy galvanised metal net.
- Equipped with tilting transport handle.
- Easy and intuitive assembly.
- It is supplied disassembled and packaged in a handy space-saving box.
- Resistant during transport operations.

Dimensions: 62,5 x 24 x 26 (38,5 max) cm

- Mesh 19x19 mm - Wire Ø 1,6 mm



Trap for small predators with 1 entrance

Material: Galvanised iron.

Features:

- Made with sturdy galvanised metal net.
- Equipped with tilting transport handle.
- Easy and intuitive assembly.
- It is supplied disassembled and packaged in a handy space-saving box.
- Resistant during transport operations.

Dimensions: 82,5 x 32 x 34 (50 max) cm

- Mesh 25x25 mm - Wire Ø 2,2 mm



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2099ASMON	1	49,5 x 6,5 x 64 h	3,3	8010213978623	2100ASMON	1	65,5 x 8 x 84,5 h	6	8010213978647

Trap for small predators with 2 entrances

Material: Galvanized steel.

Characteristics:

- Made of sturdy galvanized metal mesh.
- Equipped with tilting carrying handle.
- Easy and intuitive assembly.
- Supplied disassembled and packed in a practical, space-saving box.
- Sturdy during transport operations.

Dimensions: 82 x 24 x 26 (38,5 max) cm

- Mesh 19x19 mm - Wire Ø 1,6 mm



Trap for small predators with 2 entrances

Material: Galvanized steel.

Characteristics:

- Made of sturdy galvanized metal mesh.
- Equipped with tilting carrying handle.
- Easy and intuitive assembly.
- Supplied disassembled and packed in a practical, space-saving box.
- Sturdy during transport operations.

Dimensions: 101 x 32 x 34 (50 max) cm

- Mesh 25x25 mm - Wire Ø 2,2 mm



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2101ASMON	1	49,5 x 6,5 x 86,5 h	4,6	8010213978630	2102ASMON	1	65,5 x 8 x 104 h	7,9	8010213978654

Electronic rat exterminator

Material: Galvanised and coated steel

Features: Ultrasound type, equipped with 250 automatic frequency variations included between 20 and 50 KHz, 106 dB efficiency at 1m distance (it cannot be perceived by the human ear).

Ideal solution to exterminate mice, rats and cockroaches in particular environments, such as warehouses, cellars, shops...

Power supply: 12V with transformer.



Article		l x p x h	Kg	Code
2027A0000	6	26 x 21 x 45	1,325	8010213972522

Round mosquito exterminator, 11W actinic lamp

Material: Plastic.

Features: 11W actinic lamp, max. 2000h yield, charging voltage 2000V, consumption 12W, range of action 4-6m
Power supply: 230V

Ideal solution to fight mosquitoes, flies and insects of various types.



Mosquito exterminator BOXER, 15W lamp

Ideal solution to fight mosquitoes, flies and insects of various types.

Material: Coated steel.

Features: Actinic lamp for insects, sucking fan, removable tray.

Use: Households, warehouses, shops...

Lamp: Actinic, 15W

Consumption: 60W

Range of action: 8 - 10m

Voltage supply: 230V



Product available until out of stock

Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
1121A0000	6	40 x 38 x 56	2,425	8010213011214	1734A0000	1	60 x 20 x 32.5	9,50	8010213017346

Exterminator STICKFLY equipped with 2 actinic shatter-proof 15W lamps

Material: Galvanised iron.

Features: Exterminator with adhesive paper for flying insects. Silent and odourless, it is an indispensable device at home, in public premises, laboratories, shops and food factories.

It is effective to capture insects, and allows maximum hygiene.

It is extremely easy to replace the sheet of adhesive paper.

It is equipped with 2 actinic 15W lamps.



Article		l x p x h	Kg	Code
1928A0000	1	37,5 x 17,5 x 51	3,60	8010213969287

Sheets of adhesive paper for exterminator STICKFLY

Package with 6 sheets of adhesive paper for exterminator STICKFLY.



Article		l x p x h	Kg	Code
0003165PF▲	6	34,7 x 44,6 x 1,5	1,55	8010213969454

GARDEN




ORMITAL



ALLOWS YOU TO CREATE INFINITE COMBINATIONS PERFECTLY ADAPTABLE TO THE AVAILABLE AREA


CLEVER VEGETABLE GARDEN!




ORTO&ORTO WHEREVER YOU ARE, GIVE FREE REIN TO YOUR DESIRE FOR GREENERY. SAVE MONEY, HAVE FUN, EAT HEALTHY AND





PREPARATION OF THE SOIL



SIMPLE! HOW TO CREATE THE PERFECT LAND



EXAMPLE OF COMBINATIONS



Sanremo Set

Material: Food grade plastic.

Characteristics:

- Modular. Assembly without tools.
- Equipped with 4 culture containers.
- Can be installed horizontally (containers placed side by side) or vertically.
- During colder seasons, it can be used as a greenhouse, by covering it with the transparent polyethylene cover with double zipper (supplied with the standard equipment).
- Ideal solution for the cultivation of fruits and vegetables, herbs, tubers...
- Equipped with 4 swivel wheels.

Color: Green/Terracotta



Article		 l x p x h	 Kg	 Code
■ 2143A0000	1	54 x 46 x 72	8,67	8010214002174
■ 2148A0000	1	54 x 46 x 72	8,67	8010214002242

Ortolina Set

Material: Food grade plastic.

Characteristics:

- Modular. Assembly without tools.
- Equipped with 3 culture containers.
- Can be installed horizontally (containers placed side by side) or vertically.
- During the coldest seasons, it can be used as a greenhouse, by covering it with the transparent polyethylene cover and double zipper (supplied with the standard equipment).
- Ideal solution for the cultivation of fruits and vegetables, herbs, tubers...
- Equipped with 4 swivel wheels.

Color: Green/Terracotta



Article		 l x p x h	 Kg	 Code
■ 2144A0000	1	54 x 46 x 72	6,54	8010214002181
■ 2149A0000	1	54 x 46 x 72	6,54	8010214002259

Kit Orto&Orto

Material: Food grade plastic.

Characteristics:

- Resistant to freezing and UV rays.
- Modular in height and width.
- Stackable.
- Modular.
- Ideal solution for the cultivation of fruits and vegetables, herbs, ...
- Indoor and outdoor use (balcony, terrace, inside the house, school...).
- Assembly without tools
- Available accessories: Greenhouse cover, wheels, extension for root system crops, legs, spacers.
- The kit includes a structure for vines.
- Max. container capacity = 32 L

Color: Green/Terracotta

Dimensions: Each container 52,7 x 45,4 x 19 cm



Article		 l x p x h	 Kg	 Code
 00000311G	1	46,5 x 54,5 x 55	6	8010213979071
 00000320G	1	46,5 x 54,5 x 55	6	8010213979415



Azalea Kit

Material: Food grade plastic.

Characteristics:

- Modular. Assembly without tools.
- Equipped with 1 culture container + 1 extension (bottomless container).
- The bottomless container is used as an extension in case of a crop that needs a deeper space for the roots.
- Ideal solution for the cultivation of fruits and vegetables, herbs, tubers, miniature fruit trees...
- Equipped with 4 swivel wheels.

Color: Green/Terracotta



Article		 l x p x h	 Kg	 Code
■ 2153A0000	1	54 x 46 x 38,5	3,88	8010214002297
■ 2154A0000	1	54 x 46 x 38,5	3,88	8010214002303

Oleandro Kit

Material: Food grade plastic.

Characteristics:

- Modular. Assembly without tools.
- Equipped with 1 culture container + 2 extensions (bottomless containers).
- The bottomless container is used as an extension in case of a crop that needs a deeper space for the roots.
- Ideal solution for the cultivation of fruits and vegetables, herbs, tubers, miniature fruit trees...
- Equipped with 4 swivel wheels.

Color: Green/Terracotta



Article		 l x p x h	 Kg	 Code
■ 2151A0000	1	54 x 46 x 55	5,32	8010214002273
■ 2152A0000	1	54 x 46 x 55	5,32	8010214002280

Container with bottom

Orto&Orto

Material: Food grade plastic.

Characteristics:

- Resistant to freezing and UV rays.
- Modular in height and width.
- Stackable.
- Modular. Assembly without tools
- Ideal solution for growing fruits, vegetables and herbs.
- Indoor and outdoor use (balcony, terrace, office, school...).

Color: Green/Terracotta



Container with bottom

Orto&Orto

Material: Food grade plastic.

Characteristics:

- Resistant to freezing and UV rays.
- Modular in height and width.
- Stackable.
- Modular. Assembly without tools
- Ideal solution for growing fruits, vegetables and herbs.
- Indoor and outdoor use (balcony, terrace, office, school...).

Color: Green/Terracotta



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2113A0000	24	93 x 120 x 120	1,882	8010214001269	2122A0000	24	93 x 120 x 120	1,882	8010214001474
2113A4000	4	54 x 46 x 72	1,754	8010214002563	2122A4000	4	54 x 46 x 72	1,754	8010214002570

Bottomless container (extension)

Orto&Orto

Material: Food grade plastic.

Characteristics:

- Resistant to freezing and UV rays.
- Modular in height and width.
- Stackable.
- Modular. Assembly without tools
- Accessory used to increase soil depth for crops with developed root system.
- Ideal solution for growing fruits, vegetables and herbs.- Indoor and outdoor use (balcony, terrace, office, school...).

Color: Green/Terracotta



Bottomless container (extension)

Orto&Orto

Material: Food grade plastic.

Characteristics:

- Resistant to freezing and UV rays.
- Modular in height and width.
- Stackable.
- Modular. Assembly without tools
- Accessory used to increase soil depth for crops with developed root system.
- Ideal solution for growing fruits, vegetables and herbs.
- Indoor and outdoor use (balcony, terrace, office, school...).

Color: Green/Terracotta



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2114A0000	4	54 x 46 x 72	1,528	8010214001276	2123A0000	4	54 x 46 x 72	1,528	8010214001481

Leg

Material: Non-toxic plastic.

Features:

- Accessory to regulate the height and width of the modular system.
- It is used to lift the sets from the floor

Package of 8 pieces.



Orto&Orto

Leg

Material: Non-toxic plastic.

Features:

- Accessory to regulate the height and width of the modular system.
- It is used to lift the sets from the floor

Package of 8 pieces.



Orto&Orto

Article		l x p x h	Kg	Code
2115A0000	21	42,5 x 50 x 18	0,054	8010214001283
2115A6000	6	31,5 x 20 x 22,5	0,056	8010214002587

Article		l x p x h	Kg	Code
2125A0000	21	42,5 x 50 x 18	0,054	8010214001498
2125A6000	6	31,5 x 20 x 22,5	0,056	8010214002594

Spacer

Material: Non-toxic plastic.

Characteristics:

- Accessory to regulate the height of the modular system.
- It is used to raise the sets from the floor.

Package of 4 pieces.



Orto&Orto

Wheel

Material: Non-toxic plastic.

Characteristics: Robust. Silent sliding. Swivel.

Push in mounting.

Color: Black.

Package of 4 pieces.



Orto&Orto

Article		l x p x h	Kg	Code
2128A0000	22	14,5 x 15 x 34	0,0235	8010214002006
2129A0000	22	14,5 x 15 x 34	0,0235	8010214002013

Article		l x p x h	Kg	Code
2131A0000	4	14,5 x 15 x 34	0,1334	8010214002020

Greenhouse connection

Material: Non-toxic plastic.

Features: Accessory for closing the container ends with and without bottom, as well as connection for the greenhouse.

Package of 4 pieces



Orto&Orto

greenhouse covering sheet

For ORTOLINA and SANREMO greenhouses.

Material: Polyethylene.

Color: Transparent.

Characteristics: Covering fabric with double zipper.



art. 2132A0000 150 cm

art. 2133A0000 100 cm

Article		l x p x h	Kg	Code
2130A0000	16		0,005	8010214002167
2150A0000	16		0,005	8010214002266

Article		l x p x h	Kg	Code
2132A0000	12		0,46	8010214002228
2133A0000	12		0,46	8010214002235

Multicolor 12L bucket

Material: Food-grade plastic.

Features: Equipped with carrying handle, ideal solution to collect vegetables, fruit and for all activities that require a versatile and resistant container.

Colours: Blue/Red/Green

Capacity: 12L



Article		 l x p x h	 Kg	 Code
2190A0000	12	37 x 37 x 83	0,66	8010213979385

12L Bucket + Lid

Material: Food grade plastic.

Characteristics: Equipped with carrying handle and lid. Ideal solution for harvesting vegetables and fruits, for storing cereals and for all activities that require a versatile and resistant container.

Capacity: 12 L



Article		 l x p x h	 Kg	 Code
2012A0000	12	37 x 37 x 83	0,908	8010213972270
2012AF000 ▲	12	37 x 37 x 83	0,908	8010213972287

18L Bucket + Lid

Material: Food grade plastic.

Characteristics: Equipped with carrying handle and lid. Ideal solution for harvesting vegetables and fruits, for storing cereals and for all activities that require a versatile and resistant container.

Capacity: 18 L



Article		 l x p x h	 Kg	 Code
1977A0000	12	36,5 x 36,5 x 94	1,1875	8010213970597
1977AF000 ▲	12	36,5 x 36,5 x 94	1,1875	8010213971525

Bucket 24 L + Lid

Material: Food grade plastic.

Characteristics: Equipped with carrying handle and lid. Ideal solution for harvesting vegetables and fruits, for storing cereals and for all activities that require a versatile and resistant container.

Capacity: 24 L



Article		 l x p x h	 Kg	 Code
2166A0000	10	36,5 x 36,5 x 94	1,19	8010213978234
2166AF000 ▲	10	36,5 x 36,5 x 94	1,19	8010213978241

GHIBLI Dryer

The dryer par excellence! It replaces the sun to dry mushrooms, fruits, vegetables, pasta and any other food without being conditioned by the weather.

The heating system (two resistors of 500W each) and the air circulation (an efficient fan allows a perfect circulation of the hot air in all the trays) eliminates the water of the food, drying it in an optimal and long-lasting way, keeping all their properties intact. The five large trays allow large quantities of product to be dried, making this machine an indispensable appliance for those who want healthy food.

Healthy food the traditional way!

Voltage supply: 220/230V

Consumption: 550/1100W

Capacity: kg 1,7/2,5/3,75

Approximate capacity of each tray: 750 gr of fruit, 350/500 gr of vegetables.



Article		 l x p x h	 Kg	 Code
1146A0000	1	41 x 40 x 42	9,70	8010213011467
1146ACCP0	1	47 x 47 x 49	11,00	8010213972249

Push-fit shovel BIOCCOLO

Material: Shockproof plastic.

Characteristics:

- Low temperature resistant.
- Compatible with any handle.
- Handle not supplied.
- Ideal solution for snow, removing manure, liquids, and any other element that can be found in stables/barns...

Measures: 43x40 cm



BIOCCOLO shovel with handle

Material: Shockproof plastic.

Characteristics:

- Supplied disassembled in a handy "space-saving" package.
- Equipped with a plastic handle
- ideal for snow, removing manure, liquids and any other elements that may be found in stables/barns...

Dimensions: 43x149 cm



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
1697A0000	12	45 x 42 x 48	0,8458	8010213016974	2039F0000 ▲	1	31,5 x 10,2 x 41,9	2,0086	8010213976681

JOY push-fit shovel

Material: Shockproof plastic.

Characteristics:

- Low temperature resistant.
- Compatible with any handle.
- Handle not supplied.
- Ideal solution for snow, removing manure, liquids, and any other element that can be found in stables/barns...

Measures: 29x35 cm



JOY shovel with handle

Material: Shockproof plastic.

Characteristics:

- Supplied disassembled in a practical «space-saving» package.
- Equipped with a plastic handle.
- ideal for snow, removing manure, liquids and any other items that may be found in stables/barns...

Measures: 29x142 cm



Article		l x p x h	Kg	Code	Article		l x p x h	Kg	Code
2006A0000	12	40 x 30 x 51	0,5083	8010213972201	2040F0000 ▲	1	41,7 x 8,7 x 43,4	1,73	8010213976704

Push-fit shovel MAGIC with blade

Material: Shockproof plastic + integrated shockproof plastic + integrated metal blade.

Features:

- Low temperature resistant.
- Compatible with any handle.
- Handle not supplied.
- Perfect for breaking ice, removing snow or any hard material and dirt in stables/barns...

Measures: 29x38 cm



Shovel with handle MAGIC

Material: Shockproof plastic + integrated integrated metal blade.

Features:

- Supplied disassembled and packed in a practical "space-saving" box.
- Equipped with a practical plastic handle
- Perfect for breaking ice, removing snow or any hard material and dirt in stables/barns...

Measures: 29x144 cm



Article		l x p x h		Code	Article		l x p x h		Code
2008A0000	12	40 x 30 x 51	0,6166	8010213972225	2042F0000▲	1	41,7 x 87,7 x 43,4	1,37	8010213976759

GARDEN serrated blade shovel

Material: Shockproof plastic + integrated serrated metal blade.

Features:

- Low temperature resistant.
- Compatible with any handle.
- Handle not supplied.
- Ideal solution for gardens, to remove weeds...

Measures: 29x38 cm



GARDEN serrated blade shovel

Material: Shockproof plastic + integrated serrated metal blade.

Features:

- Supplied disassembled and packaged in a handy practical "space-saving" box.
- Low temperature resistant.
- Compatible with any handle.
- Plastic handle with grip.
- Ideal solution for gardens, to eliminate weeds...

Measures: 29x144 cm



Article		l x p x h		Code	Article		l x p x h		Code
2025A0000	12	40 x 30 x 51	0,6166	8010213972485	2044F0000▲	1	41,7 x 87,7 x 43,4	1,37	8010213976780

3-piece plastic handle + handgrip

Easy to assemble, robust and resistant.

Valid for all blades.

Dimensions: Length 123 cm - Diameter 4cm



Article		l x p x h		Code
2193A0000	10	32 x 49 x 24	1,44	8010213979538

Grid to protect the lawn

Material: Non-toxic and recyclable technopolymer.



Characteristics:

- Honeycomb structure.
- Modular units
- Compressive strength equal to 580 KN.

Usage:

- Parking lots, lawns, golf courses....

Dimensions: 50 x 50 cm



Article		 l x p x h	 Kg	 Code
GR10	GREEN		1,10	8010213975042
GR10N	BLACK		1,10	8910214000668

Place holder


Material: Non-toxic plastic.

Characteristics: Position marker for parking lots, paths, cultivated areas.

Attachment to the lawn protection grid by means of a stainless steel screw.

Dimensions: Diameter 50 x 22 mm

Article		 l x p x h	 Kg	 Code
GR11G	12		0,0013	8010213975059



Lawn protection grid - Uses



Paved accesses and parking lots.



Roads within the golf courses.



Embankment stabilization.

Advantages

- PROTECTS THE ENVIRONMENT by ensuring a 90% coverage of the lawn surfaces.
- MAINTAINS MOISTURE in the soil and allows excellent drainage.
- EASY AND QUICK INSTALLATION thanks to the pressure joining system (40/45 m2/hour).

The thickness of the load-bearing layer varies according to the different load stresses and soil conditions, as shown in the table.

The load-bearing layer must be pre-installed as a base for the GRASS PROTECTION GRILL to allow the distribution and transfer of moving loads to the underlying soil. In general, the bearing layer is composed of a mixture of gravel with a grain size of 0/32 mm, on top of which is a layer of crushed stone or, of recycled material at 0/45 mm. In a load-bearing base with anti-icing function, the first layer is usually at least 20 cm thick and the second at least 15 cm. Depending on availability, a single material with a different granulometry can be used, fertilized with long-acting fertilizer.

Installation bed

The installation bed consists of a mixture of sand and gravel (0/5 - 0/11 mm), permeable to water and stable to favor rooting.

We recommend that you use:

- In case of sub-zero temperatures, a crushed stone mixture.
- In case of dry or sandy soils, lava alone, which has the ability to retain water.


After rolling, the extended and leveled layer should have a thickness of approximately 4 cm; to facilitate rooting, it can be fertilized with organic products.

Fill the combs with mulch, sand, humus, gravel, compost,

Fixing of the grid to preserve the lawn.

Substrate bedding: gravel, fine sand or permeable crushed sand.

Gravel bearing layer with grain sizes from 0/32 to 0/45, non-connected and water permeable.






SPARE PARTS FOR INCUBATORS

				
			1962A4	2118A
00000278G	POWER UNIT FOR COVATUTTO 162 ORANGE			
00000273G	POWER UNIT FOR COVATUTTO 108 ORANGE			
0206G5000	POWER UNIT 54 DIGITAL			
0053G5000	POWER UNIT FOR COVATUTTO 24 DIGITAL			
00000295G	POWER UNIT 16L DIGITAL			
00000258G	POWER UNIT FOR 108/162 YELLOW ANALOGUE			
0206G4000	POWER UNIT 54			
0053G4000	POWER UNIT 24/24ECO			
00000294G	POWER UNIT 16L ANALOGUE			●
0214G4000	POWER UNIT 16			
0215G4000	POWER UNIT 7		●	
00000277G	BOARD FOR COVATUTTO 162 DIGITAL			
00000274G	BOARD FOR COVATUTTO 108 DIGITAL			
00000276G	BOARD FOR COVATUTTO 54 DIGITAL			
00000275G	BOARD UNIT FOR COVATUTTO 24 DIGITAL			
00000297G	CIRCUIT COVA 16L DIGITAL + PROBE			
00000209G	BOARD + BLACK PROBE + BOX FOR 40/120/108/162			
00000226G	BOARD + BLACK PROBE + BOX FOR 24ECO/24/54			
00000229G	BOARD + yellow PROBE + SC (12E/16) 4F4.8-230V:2			●
00000227G	BOARD + YELLOW PROBE + BOX FOR COVATUTTO 7		●	
00004701P	PROBE FOR DIGITAL CIRCUIT COVA 16L			
00004702P	SMD Y SONDA DIGITAL 7-16-16L -24-54-108-162		●	●
00000930P	TEMPERATURE PROBE (15K-5%)		●	●
00000057G	MOTOR + FAN COVATUTTO 120/108/162			

SPARE PARTS FOR INCUBATORS

												
2229A	2119A	504A4 1801A4	1958A4 1959A4	1958A5 1959A5	1960A4 1961A4	1960A5 1961A5	2068A 2069A	2068AD 2069AD	2066AT 2067AT	2066ADT 2067ADT	1794A4	1796A4
										●		
								●				
						●						
				●								
●	●											
							●		●			
					●							
		●	●									
										●		
								●				
						●						
●	●											
							●		●			
		●	●		●							
●	●											
●	●	●	●	●	●	●	●	●	●	●		
●	●	●	●		●		●		●			
							●	●	●	●		

SPARE PARTS FOR INCUBATORS

				
			1962A4	2118A
00003975P	MOTOR FAN (80x80x25 230V 4.6W)			
00000219G	MOTOR + 2 FANS FOR COVATUTTO 24ECO/24/54			
00002716P	GEARED MOTOR FOR EGG TURNING DEVICE (230V)			
00004294P	GEARED MOTOR 6W - 2g EGG TURNING DEVICE x COVATUTTO 16L 230V			
00000259G	LOWER GUARD + RESISTOR (140W) + FAN FOR 162			
0012G4000	LOWER GUARD + RESISTOR (90W) 120/108			
00003204P	RESISTOR-HOLDER FOR 24/24ECO/54 (40-120-4V) 108/162			
00003227P	RESISTOR 90W 4100-54 DIGITAL - LOWER 108			
00003446P	RESISTOR 140W 4100 FOR 24ECO/24/54/162			
00003205P	RESISTOR 60W 3450 FOR 120-4V/108/162 - 24dgt			
00000054P	LAMP 15W MINI LIGHT E14 FOR 40/120/108/162			
00004130P	LAMP 25 W - MINI light E14 x COVATUTTO 16L +16LDGT			●
00003320P	BULB 60W OPALINE E14 FOR 12ECO/16 (13)			
00003300P	BULB 40W OPALINE E14 FOR 7/12ECO		●	
2206A0000	DIGITAL THERMOMETER		●	●
2207A0000	DIGITAL THERMOMETER WITH HYGROMETER		●	●
00000207G	THERMOMETER + CASE FOR 16/24ECO/24/54/40/120/108/162			●
00000212G	THERMOMETER + CASE COVATUTTO 7		●	
00003961P	FRAME FOR EGG-HOLDING TRAY COVATUTTO 108/162			
00000061P	BOTTOM FOR EGG-HOLDING TRAY FOR 40/54/120/108/162			
00000062P	EGG SEPARATOR			
00000833P	SLIDING BOTTOM FOR 20/24/24ECO			
00000066P	EGG-TURNING TIE ROD 40/120/108/162			
00000067P	KNOB FOR EGG-TURNING TIE ROD FOR 40/108/120/162			

SPARE PARTS FOR INCUBATORS

												
2229A	2119A	504A4 1801A4	1958A4 1959A4	1958A5 1959A5	1960A4 1961A4	1960A5 1961A5	2068A 2069A	2068AD 2069AD	2066AT 2067AT	2066ADT 2067ADT	1794A4	1796A4
									●	●		
		●	●	●	●	●						
											●	●
●	●											
									●	●		
							●	●				
		●	●	●	●	●	●	●	●	●		
						●	●	●				
		●	●		●				●	●		
				●			●	●	●	●		
●	●						●	●	●	●		
		●	●		●		●		●			
		●	●	●	●	●	●	●	●	●		
		●	●		●		●		●			
							●	●	●	●		
					●	●	●	●	●	●		
		●	●	●	●	●	●	●	●	●		
		●	●	●								
							●	●	●	●		
							●	●	●	●		

SPARE PARTS FOR INCUBATORS

				
			1962A4	2118A
00003222P	EGG-TURNING TIE ROD FOR 24/24 ECO/54			
00000298G	KIT VOLTEADOR AUTOMÁTICO DE HUEVOS PARA COVATUTTO 16L			
00000291G	KIT VOLTEADOR DE HUEVOS MANUAL PARA COVATUTTO 16L			
00000337G	KIT VOLTEADOR DE HUEVOS MANUAL PARA COVATUTTO 16L			
00000064P	BANDEJA PARA LA HUMEDAD			
00000289G	DEPÓSITO DE HUMEDAD COVATUTTO 24ECO			
00000290G	DEPÓSITO DE HUMEDAD COVATUTTO 24/54			

ALADINO SPARE PARTS - REFLECT CIP

00003663P	LOWER GUARD (WHITE) FOR REFLECTOR (150W/250W)	
00003605P	LOWER GUARD (YELLOW) FOR REFLECTOR (75W/100W)	
00003638P	LAMP HOLDER MADE WITH CERAMIC, THREAD (E27 RUST-PROOF)	

SPARE PARTS FOR INCUBATORS

												
2229A	2119A	504A4 1801A4	1958A4 1959A4	1958A5 1959A5	1960A4 1961A4	1960A5 1961A5	2068A 2069A	2068AD 2069AD	2066AT 2067AT	2066ADT 2067ADT	1794A4	1796A4
		●	●	●	●	●						
	●											
●												
							●	●	●	●		
		●										
			●	●	●	●						

ALADINO SPARE PARTS - REFLECT CIP

				
1981A	1982A 1989A	2163A 2164A	1990A 1999A	1980A
	●	●	●	
●				●
●	●	●	●	●

SPARE PARTS FOR PLUCKERS

00000037G	FLYWHEEL (D 40) + SCREW (6X42 MM)	
00000039P	BIPOLAR SWITCH (16 A)	
00004732P	1/2 CHICKEN FINGER DISC (SOLD IN PAIRS)	
00004733P	1/2 DISC OF QUAIL FINGERS (SOLD IN PAIRS)	
00004727P	CHICKEN FINGERS	
00004728P	QUAIL FINGERS	
00004817P	SINGLE PHASE MOTOR 300W 6POLE 230V	
00003495P	SINGLE PHASE MOTOR 900W 230V	
00004753P	BELT	
00003651P	MOTOR PROTECTOR T11-T12	
00004754P	EMERGENCY SWITCH	
00004755P	BUSHING WITH BEARING Ø 20MM	
00004820P	STAINLESS STEEL GRID FOR 24" FEATHER PLUCKING MACHINE	
00004746P	STAINLESS STEEL GRID FOR 36" FEATHER PLUCKING MACHINE	

SPARE PARTS FOR PLUCKERS

					
0011A	1853A	2196A	2211A	2205A	2209A
●	●				
●	●				
		●	●	●	
					●
●		●	●	●	
	●				●
				●	●
		●	●		
		●	●		
		●	●		
		●	●	●	●
		●	●		
				●	●
		●	●		

SPARE PARTS FOR MILLS AND SHELLERS

00000712P	SINGLE-SHAFT MOTOR HOLE Ø 24mm (1500W/n3000) TWO-SHAFT MOTOR HOLE Ø 16mm (1500W/n3000)	
00000782P	TWO-SHAFT MOTOR (1500W/n3000)	
00003495P	MOTOR Ø 12MM 900W/230V FOR BRAVO MOTOR Ø 9 MM 900W/230V FOR BRAVO	
00000060G	MOTOR H55 (WITHOUT HALF MOTOR CASING + THERMAL SWITCH - 1 HP - 230V)	
00000083G	MOTOR H40 (WITHOUT HALF MOTOR CASING + THERMAL SWITCH 0.75 HP - 230V)	
00000071G	MOTOR FOR SHELLER RAMBO (flange + terminal block 0.25 Hp 230V)	
00000072G	MOTOR FOR REDUCTION GEAR, SHELLER RAMBO (casing + safety device)	
00000033G	SAFETY DEVICE FOR MILLS (UNIBLOC-ERCOLINO-RAMBO)	
00000221G	INTERNAL SAFETY DEVICE WITH FILTER FOR MILLS 4V	
00000238G	INTERNAL SAFETY DEVICE WITHOUT FILTER FOR BRAVO 4V	
00000950P	PUSHBUTTON FOR MOTOR CIRCUIT BREAKER (T11-211-8A I/G)	
00003651P	PUSHBUTTON FOR MOTOR CIRCUIT BREAKER (T11-211-5A I/G)	
00000022G	BLADE HUB HOLE Ø 24mm + 20 HAMMERS FOR ERCOLINO BLADE HUB HOLE Ø 16mm + 20 HAMMERS FOR ERCOLINO	
00000272G	BLADE HUB HOLE Ø 9MM + 12 HAMMERS + SPACER FOR BRAVO BLADE HUB HOLE Ø 12MM + 12 HAMMERS + SPACER FOR BRAVO	
00000054G	BLADE HUB + 12 HAMMERS FOR UNIBLOC	
00000204G	BLADE LOCK FOR GOLIA	
00000205G	BLADE LOCK FOR DAVIDE	
00000127P	HAMMER FOR ERCOLINO (3x25x82.5 L mm)	
00000860P	HAMMER FOR UNIBLOC/BRAVÒ (3x25x49.5 L mm)	
00003185P	BLADE (G. shaped - 30x2x120.5 L)	
00000129P	GRINDER DISC + BLADE FOR ERCOLINO (d205)	
00000241G	BLADE DISC FOR MAGNUM 4V	

SPARE PARTS FOR MILLS AND SHELLERS

	1971A	1970A	1972A	1974A	2168F	2172F	2167A	0990A	0518A	0496A
									●	
										●
		●								
	●			●						
●										
								●		
								●		
								●	●	●
●	●			●						
		●								
									●	●
		●								
									●	
		●								
	●									●
●										
									●	
		●								●
				●						
									●	
				●						

SPARE PARTS FOR MILLS AND SHELLERS

00002754P	FIXED DISC + HOLES FOR MANUAL MILL GRILLO	
00004523P	CRUSHER DISC FOR MANUAL MILL GRILLO	
00004541P	ALUMINIUM THREADED DISC FOR SHELLER PREMIUM	
00000790P	TOOTHED DISC FOR SHELLER UNIBLOC/RAMBO	
00000125P	TOOTHED DISC FOR SHELLER GRISÙ/RITMO (made with plastic material)	
00000791P	SPRING FOR SHELLER RAMBO/UNIBLOC (d 20.5 X L42)	
00000105P	SPRING FOR MANUAL SHELLER (d 17-d 2-L70 SP=10 SX)	
00000783P	BELT FOR UNIBLOC (Z36-LP=940)	
00001309P	TOOTHED BELT (160XLx0.57)	
00000857P	SIEVE (hole 8 - half-round)	
00000856P	SIEVE (hole 6 - half-round)	
00000855P	SIEVE (hole 4 - half-round)	
00000854P	SIEVE (hole 2.5 - half-round)	
00003466P	SIEVE (hole 2.5 - separated)	
00003467P	SIEVE (hole 4 - separated)	
00003468P	SIEVE (hole 6 - separated)	
00003469P	SIEVE (hole 8 - separated)	
00003670P	SIEVE (hole 10 - separated)	
00003509P	SIEVE (hole 1.5 - separated)	
00003504P	SIEVE (hole 1 - separated)	
00000247G	GREEN DOOR (grinding chamber) FOR BRAVÒ 4V	
00000242G	ORANGE DOOR (grinding chamber) FOR MAGNUM 4V	
00000239G	YELLOW DOOR (grinding chamber) FOR GOLIA 4V	
00000240G	ORANGE DOOR (grinding chamber) FOR DAVIDE 4V	

SPARE PARTS FOR MILLS AND SHELLERS

 1971A	 1970A	 1972A	 1974A	 2168F	 2172F	 2167A	 0990A	 0518A	 0496A
						●			
						●			
					●				
							●		●
				●					
							●		●
				●	●				
									●
							●		
								●	
								●	
								●	
●	●		●						
●	●	●	●						
●	●	●	●						
●	●	●	●						
●	●	●	●						
●	●		●						
●	●		●						
		●							
			●						
	●								
●									

SPARE PARTS FOR MILLS AND SHELLERS

00000223G	HANDWHEEL (d40) + SCREW (8x120 mm)	
00000222G	HANDWHEEL (d40) + SCREW (8x90 mm)	
00000037G	HANDWHEEL (d40) + SCREW (6x42 mm)	
00000225G	HANDWHEEL (d40) + SCREW (6x20 mm)	
00000038G	HANDWHEEL (d40) + SCREW (8x16 mm)	
00003452P	OPENING (grinding chamber) FOR MILLS 4V	
00001596P	FABRIC CONNECTION	
00000721P	ANTI-VIBRATION FOOT (d25)	
00003590P	DRIP PLUG DIAM. 32mm	
00000205P	PLUG FOR INTERNAL HOLE DIAM. 25mm	

SPARE PARTS FOR HOUSEHOLD APPLIANCES

00002239P	MOTOR + RESISTORS GHIBLI (500W/1000W)	
00002243P	TRAY GHIBLI	
00000078G	HANDWHEEL FOR MIXER (d38x8mm)	
00001780P	CHROMIUM-PLATED PLUG (d14) FOR IMPELLER	
00001893P	CHROMIUM-PLATED SPRING FOR IMPELLER	
00002007P	IMPELLER FOR POT (d 240/260)	
00001901P	IMPELLER FOR POT ø 30 cm	

SPARE PARTS FOR MILLS AND SHELLERS

	1971A	1970A	1972A	1974A	2168F	2172F	2167A	0990A	0518A	0496A
●	●	●	●							
●	●	●	●							
									●	●
		●	●							
								●	●	●
●	●	●	●							
								●		
									●	
●	●	●	●							
								●	●	●

SPARE PARTS FOR HOUSEHOLD APPLIANCES

	1146A	1807A	1808A
●			
●			
	●	●	
	●	●	
	●	●	
	●		
		●	

SPARE PARTS FOR TRAPS AND EXTERMINATORS

00000621P	INSULATOR FOR VOLTAGE GRID	
00000657P	COUNTER-INSULATOR FOR VOLTAGE GRID	
00002494P	MOTOR FOR BOXER (18W/n1000)	
00002495P	FAN FOR BOXER (d180 PL)	
00000625P	TRANSFORMER FOR MOSQUITO EXTERMINATORS (Ic 230V-Iu 5000V)	
00000080G	TRANSFORMER + DUPLICATOR (6W/8W/11W)	
00000632P	SINGLE-POLE DOUBLE SWITCH (3A/6A/16A)	
00002212P	SAFETY PUSH-BUTTON FOR MOSQUITO EXTERMINATORS (1A-250V)	
00000623P	ACTINIC LAMP (20W white)	
00000624P	LAMP FOR WOOD (20W blue)	
00000659P	ACTINIC LAMP (40W white)	
00001062P	ACTINIC LAMP (15W white)	
00001151P	LAMP FOR WOOD (15W blue)	
00002127P	ACTINIC LAMP (12W/14W white)	
00001701P	ACTINIC LAMP (11W white)	
00004370P	SHATTER-PROOF LAMP 15W	

SPARE PARTS FOR TRAPS AND EXTERMINATORS

 1121A	 1734A	 0982A	 3165PF	MODELS OUT OF PRODUCTION
		●		
				●
	●			
	●			
		●		
●				
		●		
		●		
				●
				●
				●
	●	●	●	
		●		
				●
●				
			●	



Tel. 910228745 - 608872330

Follow us on:



EXCLUSION OF LIABILITY

Due to updates and/or technical innovations, some of the instructions, specifications and images included in this documentation may differ.

The items described here in are for illustrative purposes only and may not be applicable to the specific case.
No legal rights or claims can be derived from the description provided in this manual.



VISIT OUR WEBSITE



ORMITAL

Ormi Group
www.ormigroup.com

info@ormigroup.com - www.ormigroup.com

Tel. 910228745 - 608872330