

PRODUCTS FOR
HOBBY FARMING





Who are we?

Ormi Group and **Novital**, two of the strongest companies in the poultry products sector in Spain and Italy, join forces with the goal of providing the best service and offering the widest product portfolio on the Hobby Farming market.

With this merger the **ORMITAL** brand is created, becoming the leading manufacturer of accessories for Hobby Farming, with three factories in Spain and Italy.

Among our range of products of own manufacture, we highlight:

- Incubators
- Feed mills
- Plastic accessories
- Metal accessories
- Poultry houses
- And a new line of poultry housing made from 100% recycled materials.

Our vision?

Create a more sustainable world with our product and service offer. We want to contribute to the bond between people, nature and farm animals, so that together can develop values more beneficial for future generations.

Our mission?

To be the reference in the European manufacturing sector of Hobby Farming products, contributing to sustainability and to the environment.











Our Values?

Our main value is the manufacture of sustainable and environmentally friendly products.

Our hallmark, is a 100% European manufactured products with the highest quality, prioritizing the optimization of animal's life quality.

We are continuously researching and investing in the optimization of our products with the most innovative technology.

KEY:

| | |
|---|---|
|  | Number of parts included in the package |
|  | Package dimensions (length x depth x height) |
|  | Number of pieces contained in pallets 80x120 cm |
|  | Double packaging for maximum transport safety |
|  | Information box / label |
|  | Single piece weight |
|  | Barcode |
|  | Bio: Products recommended for free-range production farms, complying with animal welfare regulations. |
|  | Top sales: Best selling products in our main categories. |
|  | New: New products launched in the market. |



INDEX

Page 6



INCUBATORS

Page 24



DRINKERS

Page 42



FEEDERS

Page 58



CHICKEN COOPS

Page 64



LAYING NESTS

Page 76



MOBILE FARMYARD



INDEX

MILLS



Page 80

PLUCKERS



Page 86

SMALL MAMMALS



Page 92

TRAPS AND EXTERMINATORS



Page 108

GARDEN



Page 118

SPARE PARTS FOR **INCUBATORS**

Page 132

SPARE PARTS FOR **PLUCKERS**

Page 138

SPARE PARTS FOR **MILLS**

Page 140

SPARE PARTS FOR TRAPS AND EXTERMINATORS

Page 146

INCUBATORS



ORMITAL



ATTESTATION OF CONFORMITY

TO THE ELECTROMAGNETIC COMPATIBILITY DIRECTIVE 2014/30/EU

Attestation number : 3504706.04_EMC

Issued to : Novital S.r.l.
Via Europa, 7
21015, Lonate Pozzolo (VA) - Italy

Manufacturer : Novital S.r.l.
Via Europa, 7
21015, Lonate Pozzolo (VA) - Italy

Product Type : Electric mill

Model reference : GOLIA - 4 V

Serial number : ---


Testing laboratory : ELETECH s.r.l. - 23871 Via Garcia Lorca 29, Lomagna (LC) - Italy

Test Report ref. No. : 000523EMC00_00

Requirements : EN 55014-1:2006 +A1:2009 +A2:2011; EN 55014-2: 2015;
EN 61000-3-3:2014; EN 61000-3-3:2013

I, the undersigned, declare that the product described above is in conformity with the above technical specification.
This certificate of conformity is issued on the basis of the test results indicated in the test report mentioned
by ELETECH S.r.l. The investigation does not include an assessment of the manufacturer's production.

Date of issue : 2016-06-01


Franco Vasta
Executive

DEKRA Certification B.V. Meander 1051, 6825 MJ Arnhem P.O. Box 5185, 6802 ED Arnhem The Netherlands
Tel +31 88 96 83000 ; www.dekra-certification.com ; registered Arnhem 09085396

The products: Covatutto incubators 7, 16, 16L, 24, 24eco, 54, 108, 162.


4V Golia, Bravo, Magnum, Davide Mills and Aladino heaters.

Have been tested by Dekra according to the EN standards related to electrical safety and compatibility related to electrical safety and electromagnetic compatibility.









Test reports are available upon request.

All products in this catalog are entirely designed and manufactured in Spain and Italy by ORMITAL

Egg types



Indicative capacity (referred to height, measure, shape).

| | Quail | Partridge | Chicken | Guinea-fowl | Pheasant-hen | Turkey-hen | Duck | Goose |
|------------------|---|---|---|---|--|---|---|---|
| covatutto |  |  |  |  |  |  |  |  |
| 7 | 22 | 15 | 7 | 8 | 8 | 5 | 5 | 2 |
| 16 | 42 | 26 | 14 -16 | 18 | 19 | 10 | 11 | 4 |
| 24 | 70 | 42 | 24 | 30 | 30 | 16 | 20 | 6 |
| 54 | 140 | 80 | 48 | 60 | 60 | 32 | 40 | 15 |
| 108 | 280 | 168 | 96 | 120 | 120 | 64 | 80 | 30 |
| 162 | 420 | 252 | 144 | 180 | 180 | 96 | 120 | 45 |

cavatutto 16L PRO

Heating: 3 X 25watt E14 bulb (incandescent).

Thermometer: Digital with temperature control for each species

Materials: Non-toxic plastic.

Features: Sandwich insulation, backlit display with 3 functions: Indication of incubation days, water refill memo, start/end egg turner setting.

Egg turner: 1 Automatic egg turner with separators.

Humidity: Two internal compartments on the bottom of the machine and fixed water pan with external refill.

Indicative capacities: See table page 9.



cavatutto 7

Heating: Light bulb 3 X 15 watt E14 (incandescent).

Thermometer: With a liquid-filled glass tube.

Materials: Non-toxic plastic.

Features: Sandwich-type insulation.

Egg turning device: Not available.

Humidity: Fixed water pan.

Approximate capacity: See the table on page 9.



cavatutto 16L Analogic Manual

Heating: Light bulb 3 X 25 watt E14 (incandescent).

Thermometer: With a liquid-filled glass tube.

Materials: Non-toxic plastic.

Features: Sandwich-type insulation.

Egg turning device: Manual-type and supplied in the standard equipment.

Humidity: Fixed water pan with external refill.

Approximate capacity: See the table on page 9.



| Article | Box | l x p x h | Kg | Code | Article | Box | l x p x h | Kg | Code |
|-----------|-----|--------------|------|---------------|-----------|-----|--------------------|------|---------------|
| 1962A4000 | 1 ● | 56 x 28 x 51 | 1,50 | 8010213970313 | 2118A0000 | 1 | 22,7 x 31,5 x 31,6 | 1,70 | 8010214001405 |
| | | | | | 2118AS000 | 1 ● | 37 x 37 x 28,5 | 2,70 | 8010214001443 |

ovattutto 24^{ECO} Analogic

Heating: Resistor 90W + fan.

Thermometer: With a liquid-filled glass tube.

Materials: Non-toxic plastic.

Humidity: Fixed water pan with external refill.

Approximate capacity: See the table on page 9.

Egg turning device: Manual tie rods supplied in the Analogic Manual.

Automatic egg turning devices supplied for Analogic Automatic.



Analogic Manual



Analogic Automatic

| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|------------------|-----|--------------|------|---------------|------------------|-----|------------------|------|---------------|
| 0504A4000 | 1 | 21,2x37x34 | 3,80 | 8010213970160 | 1801A5000 | 2 ● | 39 x 42,5 x 26,5 | 5,20 | 8010213970191 |
| 0504A4500 | 1 ● | 39x42,5x26,5 | 4,40 | 8010213970177 | | | 14 x 10,5 x 24,5 | | |

ovattutto 24 Digital

Heating: Resistor 60W + fan.

Thermometer: Digital-type with temperature control by species.

Materials: Non-toxic plastic.

Features: Sandwich-type insulation, backlit display with 3 functions: display of days before hatching, water refill, egg turning display.

Humidity: Fixed water pan with external refill.

Approximate capacity: See the table on page 9.

Egg turning device: Manual tie rods supplied in the digital manual.

Automatic egg turning devices supplied for digital automatic.




Digital Manual



Digital Automatic

| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|------------------|-----|------------------|------|---------------|------------------|-----|------------------|------|---------------|
| 1958A5000 | 1 | 42 x 25 x 38,5 | 4,72 | 8010213977701 | 1959A5500 | 2 ● | 47,5 x 44 x 30,5 | 6,40 | 8010213977732 |
| 1958A5500 | 1 ● | 47,5 x 44 x 30,5 | 5,70 | 8010213977718 | | | 14 x 10,5 x 24,5 | | |



Heating: Resistor 90W + fan.

Thermometer: With a liquid-filled glass tube.

Materials: Non-toxic plastic.

Features: Sandwich-type insulation.

Humidity: Fixed water pan with external refill.

Approximate capacity: See the table on page 9.

Egg turning device: Manual tie rods supplied in the Analogic Manual.

Automatic egg turning devices supplied for Analogic Automatic.



Analogic Manual



Analogic Automatic

| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|------------------|-----|------------------|------|---------------|------------------|-----|--------------------------------------|------|---------------|
| 1958A4000 | 1 | 42 x 25 x 38,5 | 4,72 | 8010213970214 | 1959A4500 | 2 ● | 47,5 x 44 x 30,5 14 x 10,5 x 24,5 | 6,40 | 8010213970245 |
| 1958A4500 | 1 ● | 47,5 x 44 x 30,5 | 5,70 | 8010213970221 | | | | | |

cavatutto 54 Analogic

Heating: Resistor 140W + fan.

Thermometer: With a liquid-filled glass tube.

Materials: Non-toxic plastic.

Features: Sandwich-type insulation.

Humidity: Fixed water pan with external refill.

Approximate capacity: See the table on page 9.

Egg turning device: Manual tie rods supplied in the Analogic Manual.









Automatic egg turning devices supplied for Analogic Automatic.



Analogic Manual



Analogic Automatic

| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|------------------|--|--|---|---|------------------|---|--|---|---|
| 1960A4000 | 1 | 60 x 26 x 42 | 6,4 | 8010213970252 | 1961A4000 | 1 | 60 x 26 x 42 | 7,0 | 8010213970276 |
| 1960A4500 | 1 ● | 65 x 47,5 x 31,5 | 7,5 | 8010213970269 | 1961A4500 | 1 ● | 65 x 47,5 x 31,5 | 8,2 | 8010213970283 |

cavatutto 54 Digital

Heating: Resistor 90W + fan.

Thermometer: Digital-type with temperature control by species.

Materials: Non-toxic plastic.

Features: Sandwich-type insulation, backlit display with 3 functions: display of days before hatching, water refill, egg turning display.

Humidity: Fixed water pan with external refill.

Approximate capacity: See the table on page 9.

Egg turning device: Manual tie rods supplied in the digital manual.









Automatic egg turning devices supplied for digital automatic.



Digital Manual



Digital Automatic

| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|------------------|--|---|--|--|
| 1960A5000 | 1 | 60x26x42 | 6,40 | 8010213977688 | 1961A5000 | 1 | 60x26x42 | 6,40 | 8010213977749 |
| 1960A5500 | 1 ● | 65x47,5x31,5 | 7,50 | 8010213977695 | 1961A5500 | 1 ● | 65x47,5x31,5 | 7,50 | 8010213977756 |

covatutto 108 Analogic

Heating: Resistor 60W+90W + fan.

Thermometer: With a liquid-filled glass tube.

Materials: Non-toxic plastic.


Features: Two trays for incubation and hatching.

Humidity: 2 Water pan supplied in the standard equipment.

Approximate capacity: See the table on page 9.

Egg turning device: 2 Manual tie rods supplied in the Analogic Manual.

2 Automatic egg turning devices supplied for Analogic Automatic.



Analogic Manual



Analogic Automatic

| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|------------------|-----|--------------|-------|---------------|------------------|-----|--------------|--------|---------------|
| 2068A0000 | 1 ● | 60 x 50 x 67 | 16,80 | 8010213978081 | 2069A0000 | 1 ● | 60 x 50 x 67 | 19,086 | 8010213978098 |

covatutto 108 Digital

Heating: Resistor 60w + 90w + fan.

Thermometer: Digital-type with temperature control by species.

Materials: Non-toxic plastic.


Features: Two trays for incubation and hatching, backlit display with 3 functions: display of days before hatching, water refill, egg turning display.

Humidity: 2 Water pan supplied in the standard equipment.

Approximate capacity: See the table on page 9.

Egg turning device: 2 Manual tie rods supplied in the digital manual .

2 Automatic egg turning devices supplied for digital automatic.



Digital Manual



Digital Automatic

| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|------------------|-----|--------------|-------|---------------|------------------|-----|--------------|--------|---------------|
| 2068AD000 | 1 ● | 60 x 50 x 67 | 16,80 | 8010213978142 | 2069AD000 | 1 ● | 60 x 50 x 67 | 19,086 | 8010213978159 |

covatutto 162 Analogic

Heating: Resistor 60w + 140w + 2 fans.

Thermometer: With a liquid-filled glass tube.

Materials: Non-toxic plastic.


Features: Three trays for incubation and hatching.

Humidity: 2 Water pans supplied in the standard equipment.

Approximate capacity: See the table on page 9.

Egg turning device: 3 Manual tie rods supplied in the Analogic Manual.

3 Automatic egg turning devices supplied for Analogic Automatic.



Analogic Manual



Analogic Automatic

| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|------------------|-----|--------------|--------|---------------|------------------|-----|--------------|--------|---------------|
| 2066AT000 | 1 ● | 60 x 50 x 67 | 17,338 | 8010213977657 | 2067AT000 | 1 ● | 60 x 50 x 67 | 19,624 | 8010213977671 |

covatutto 162 Digital

Heating: Resistor 60w + 140w + 2 fans.

Thermometer: Digital-type with temperature control by species.

Materials: Non-toxic plastic.


Features: Three trays for incubation and hatching, backlit display with 3 functions: display of days before hatching, water refill, egg turning display.

Humidity: 2 Water pans supplied in the standard equipment.

Approximate capacity: See the table on page 9.

Egg turning device: 3 Manual tie rods supplied in the digital manual.

3 Automatic egg turning devices supplied for digital automatic.



Digital Manual



Digital Automatic

| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|------------------|-----|--------------|--------|---------------|------------------|-----|--------------|--------|---------------|
| 2066ADT00 | 1 ● | 60 x 50 x 67 | 17,338 | 8010213977640 | 2067ADT00 | 1 ● | 60 x 50 x 67 | 19,624 | 8010213977664 |

Automatic egg turning device

Activation: Geared motor 3w 230V.


Materials: Non-toxic plastic.

Features: Slow and continuous movement (1 full rotation every 2 hours).

Suitable for incubators that are equipped with manual egg turning device.

Compatible with **covatutto 24Eco-24-54**

Compatible with **covatutto 108-162**



| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|------------------|---|------------------|-------|---------------|------------------|---|------------------|-------|---------------|
| 1794A4000 | 1 | 14 x 10,5 x 24,5 | 0,753 | 8010213969812 | 1796A4000 | 1 | 14 x 10,5 x 24,5 | 0,762 | 8010213969829 |

Digital Thermometer

Material: Plastic.

Features: Display 27x16h mm, resolution 0.1 °C, tolerance +/- 0.2 °C in the range between 35 °C and 40°C, °F/°C selection, powered with alkaline batteries (not included) AAA LR03 1.5 Volt.

2 Settings:

- Covatutto mode (quick selection of the specific model of ORMITAL incubator, automatic setting of the reference parameters).
- Ambient mode (the ideal solution to measure the ambient temperature and any other type of incubator), auto-off after 5 min. from the activation.

Dimensions: 70x27x155h mm

Compatible with: Covatutto Analogue 24Eco-24-54-180-162, Covatutto 7 with three bulbs (latest version) and Covatutto 16L Analogue.



Thermometer with Hygrometer - Digital

Material: Plastic.

Features: Display 27x16h mm, resolution 0.1 °C, tolerance +/- 0.2°C in the range between 35 °C and 40°C, Relative Humidity +/- 2%, °F/°C selection, powered with alkaline batteries (not included) AAA LR03 1.5 Volt.

2 Settings:

- Covatutto mode (quick selection of the specific model of ORMITAL incubator, automatic setting of the reference parameters).
- Ambient mode (the ideal solution to measure the ambient temperature and humidity with any other type of incubator), auto-off after 5 min. from the activation.

Dimensions: 70 x 27x 160h mm

Compatible with: Digital and Analogic 24Eco-24-54-180-162, Covatutto 7 with 3 lights (last version) and Covatutto 16L Analogic and Covatutto 16L Digital PRO.



| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|------------------|---|-------------|------|---------------|------------------|---|-------------|------|---------------|
| 2206A0000 | 1 | 3 x 10 x 20 | 0,08 | 8010213000096 | 2207A0000 | 1 | 3 x 10 x 20 | 0,08 | 8010213000126 |

Egg candling lamp





Materials: Non-toxic plastic.

Features: Ergonomic handle, suitable for all egg types.

Power supply: Electrical 230v.

Light bulb: 230V-60W – E27 (not supplied in the standard equipment).




| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 0243A0000 | 6 | 33,5 x 26 x 15,5 | 0,433 | 8010213002434 |



EGG CANDLING FOR MONITORING THE EMBRYONIC DEVELOPMENT STAGES


The fertilized egg contains the developing embryo. Initially, a dense capillary network just below the shell can be observed. The embryo appears as a dark spot which becomes larger as incubation progresses. After a certain time only a dark mass that becomes larger and larger and the air chamber are visible.




The egg candeling is performed by illuminating the egg with an intense light from the bottom.



The egg candeling is performed by illuminating the egg from the bottom to the top, which should be facing downwards.



The egg candeling must be carried out in a dark place, where the flashlight is the only source of light.



From the 6th or 7th day on, you can check the embryo's status to eliminate unfertilized eggs. This operation is not essential.



You can repeat the operation between days 10 to 17 days of incubation (no later) to verify the correct development of the embryo.

Brooder CALDO CIP

Heating: Light bulb 75W E27 (supplied in the standard equipment).





Temperature: Manually adjustable.

Materials: Non-toxic plastic.

Features: Access door, rotating basket, transparent dome and removable dropping tray.

Ideal solution for the first days of life of chicks, birds, cats and dogs.



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 1980A0000 | 1 | 48,5 x 34,5 x 48,5 | 4,70 | 8010213970627 |

Infrared Lamp

Type: E27 240V

Power: 150W (0273A0000)

250W (0271A0000)







Infrared Lamp Par 38





Type: E 27 240V

Power: 175W Philips (2056A0000)

100W Eco (2195A0000)



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 0273A0000 | 10 | 60 x 24,5 x 18 | 0,2155 | 8010213971044 |
| 0271A0000 | 10 | 60 x 24,5 x 18 | 0,21 | 8010213976919 |

| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2056A0000 | 12 | 67 x 34,5 x 15 | 0,3961 | 8010213976995 |
| 2195A0000 | 12 | 37 x 47 x 17 | 0,4 | 4018653222461 |

Infrared Lamp Eco

Type: E27 240V

Power: 150W



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 0272A0000 | 10 | 63 x 27 x 21 | 0,233 | |

Reflector Aladino 250

Heating: Infrared lamp E27, max. 150W-250W (not supplied in the standard equipment).

Materials: Non-toxic plastic, medium thermal and mechanical resistance.

Features: Ideal solution for the first days of life of chicks, dogs, cats, pigs and sheep.

Cable length:

- m 2.5 (1982A0000)
- m 5 (1989A0000)



Reflector Aladino with regulator

Heating: Infrared lamp E27, max. 175W (not supplied in the standard equipment).









Materials: Non-toxic plastic, medium thermal and mechanical resistance.

Features: Equipped with power regulator, ideal solution for the first days of life of chicks, dogs, cats, pigs and sheep.

Cable length:

- m 2.5 (1990A0000)
- m 5 (1999A0000)



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|------------------|--|--|---|---|------------------|---|--|---|---|
| 1982A0000 | 2 | 40 x 27 x 26 | 1,71 | 8010213970641 | 1990A0000 | 2 | 40 x 27 x 26 | 1,72 | 8010213972027 |
| 1989A0000 | 2 | 40 x 27 x 26 | 1,84 | 8010213972010 | 1999A0000 | 2 | 40 x 27 x 26 | 1,85 | 8010213972041 |

Corral

Material: Plastic.

Features: Solid corral, formed by six panels equipped with built-in hinges, very easy installation, quick and safe fastening.


Ideal solution for small, newly born animals.

Individual panel available as a spare part.

Dimensions: Every panel 60 x 1 x 39 cm




Corral



Corral panel

Material: Plastic.

Dimensions: 60 x 1 x 39 cm



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|--------------|---|---|--|--|
| 2197A0000 | 1 | 8,5 x 40 x 61,5 | 2,9 | 8010213000133 | 4767P | | | | |

CHICKS WEANING KIT

INCLUDES EVERYTHING YOU NEED TO HELP
YOUR CHICKS GROW UP HEALTHY AND STRONG.

Includes:


- 1 Aladino heating lamp (1982A0000) including 1 infrared bulb E27 PAR 100W (2195A0000).
- 1 Trestle (2223A0000).
- 1 Fence including 6 panels (2197A0000).
- 1 Anti-failure trough 1,5Lt (0161A0000).
- 1 Bar feeder 30 cm (0442A0000).
- 24 Hooks for fence development (329G).



| Article |  |  l x p x h |  Kg |  Code |
|------------------|--|---|--|--|
| 2226A0000 | 1 | 61,5 x 26 x 39,5 | | |



2223A0000




2197A0000



1982A0000



0161A0000



0442A0000





329G
(x24 units)

2195A0000

Universal support

Material: Galvanised steel legs, polypropylene components.
Features: Ideal for hanging all types of feeders and troughs up to a maximum of 20Kg.
 Adjustable legs to adapt to all types of ground, ideal solution to avoid contamination in free range breeding.
 Very strong support, easy to assemble.



| Article |  |  l x p x h |  Kg |  Code |
|-----------|---|---|--|--|
| 2223A0000 | 1 | 17 x 7 x 68 | 3,120 | 8012013000386 |



UNIVERSAL SUPPORT + COVER





Material: Galvanised steel legs, polypropylene components.

Features: Ideal for hanging all types of feeders and troughs up to a maximum of 20Kg.

Adjustable legs to adapt to all types of ground, ideal solution to avoid contamination in free range breeding. The universal stand has a plastic cover with a front zip for easy access to the drinker/feeder.

Very strong support, easy to assemble.



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2224A0000 | 1 | 17 x 7 x 68 | 3,645 | 8012013000447 |





DRINKERS



ORMITAL





Drinker Dybird

Material: Food-grade plastic.



Features: Automatic drinker, universal coupling for aviaries and net cages, fixed pan, float unit that is completely removable for cleaning purposes (the water connection is maintained), three adjustable water levels.

To operate, the drinker must be connected to a central gravity water main.

Ideal solution for birds (canaries, budgies, lovebirds, exotic parrots...).

It assures that the water is always fresh and clean.

| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2191A0000 | 24 | 20x41,5x21 | 0,1148 | 8010213979439 |







Drinker Dyquail


Material: Food-grade plastic.

Features: Automatic drinker with universal coupling for aviaries and net cages, equipped with fixed pan and float unit that is completely removable for cleaning purposes (the water connection is maintained), the water supply can be adjusted in three different levels. To operate, the drinker must be connected to a central gravity water main.

Ideal solution for birds, quails, partridges...

It assures that the water is always fresh and clean.

| Article |  |  l x p x h |  Kg |  Code |
|-----------|---|---|--|--|
| 2192A0000 | 24 | 20 x 30,5 x 32 | 0,13 | 801023979446 |









Drinker BEVERCIP 14cm

Material: Food-grade plastic.

Features: It can be used with 0.5/0.75/1L plastic bottles.



** Colours upon demand in case of large quantities.*

| Article |  |  l x p x h |  Kg |  Code |
|---------------------|---|---|--|--|
| 1938F0000 ▲ | 48 | 15 x 29,5 x 59 | 0,053 | 8010213969614 |
| *1938A-W00 ■ | 48 | 15 x 29,5 x 59 | 0,053 | 8010213978951 |
| *1938A-X00 ■ | 48 | 15 x 29,5 x 59 | 0,053 | 8010213978944 |





Drinker BEVERCIP 23cm

Material: Food-grade plastic.

Features: It can be used with 1.5/2L plastic bottles.



** Colours upon demand in case of large quantities.*





| Article |  |  l x p x h |  Kg |  Code |
|---------------------|---|---|--|--|
| 1939F0000 ▲ | 48 | 70 x 24 x 55 | 0,161 | 8010213969621 |
| *1939A-W00 ■ | 48 | 70 x 24 x 55 | 0,161 | 8010213978968 |
| *1939A-X00 ■ | 48 | 70 x 24 x 55 | 0,161 | 8010213978975 |

Nipple Drinker Max PL

Material: Food-grade plastic.

Features: Ideal solution for birds and fowl.



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 2001A0000 | 120 | 25,5 x 16,5 x 4,5 | 0,0058 | 8010213972119 |
| 2001F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0138 | 8010213972126 |

DERBY Drinker (90°) with deposit 50 cl

Material: Food-grade plastic.

Features: Ideal solution for birds and fowl; suitable for all net types.

Capacity: 50cl

Water intake angle: 90°



DERBY Drinker (90°) with deposit 100 cl








Material: Food-grade plastic.

Features: Ideal solution for birds and fowl; suitable for all net types.

Capacity: 100cl

Water intake angle: 90°



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|-------------------|--|--|---|---|-------------------|---|--|---|---|
| 2017A0000 | 24 | 36 x 13 x 42 | 0,1069 | 8010213972355 | 2021A0000 | 24 | 45 x 35,5 x 41 | 0,1843 | 8010213972430 |
| 2017AF000▲ | 24 | 36 x 13 x 42 | 0,1079 | 8010213972362 | 2021AF000▲ | 24 | 45 x 35,5 x 41 | 0,1843 | 8010213972447 |

DERBY Drinker (45°) with deposit 50 cl

Material: Food-grade plastic.

Features: Ideal solution for birds and fowl; suitable for all net types.

Capacity: 50cl

Water intake angle: 45°



DERBY Drinker (45°) with deposit 100 cl









Material: Food-grade plastic.

Features: Ideal solution for birds and fowl; suitable for all net types.

Capacity: 100cl

Water intake angle: 45°



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|-------------------|--|---|--|--|
| 2018A0000 | 24 | 36 x 13 x 42 | 0,1071 | 8010213972379 | 2022A0000 | 24 | 45 x 35,5 x 41 | 0,1843 | 8010213972454 |
| 2018AF000▲ | 24 | 36 x 13 x 42 | 0,1081 | 8010213972386 | 2022AF000▲ | 24 | 45 x 35,5 x 41 | 0,1843 | 8010213972461 |







3 L Drinker - PIGEONS

Material: Food-grade plastic.

Capacity: 3L

Features: Equipped with hanging hook, the particular shape was conceived to prevent the animals from stopping in the drinker, ideal solution for pigeons and fowl.



| Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|
| 1984AC000 | 6 | 46,5 x 23,5 x 78 | 0,56 | 8010213971822 |
| 1984AF000▲ | 6 | 46,5 x 23,5 x 78 | 0,56 | 8010213971358 |





5 L Drinker - PIGEONS

Material: Food-grade plastic.

Capacity: 5L

Features: Equipped with hanging hook, the particular shape was conceived to prevent the animals from stopping in the drinker, ideal solution for pigeons and fowl.



| Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|
| 0790AC000 | 6 | 46,5 x 23,5 x 90 | 0,628 | 8010213967900 |
| 0790AF000▲ | 6 | 46,5 x 23,5 x 90 | 0,628 | 8010213971440 |





8 L Drinker - PIGEONS

Material: Food-grade plastic.

Capacity: 8L

Features: Equipped with hanging hook, the particular shape was conceived to prevent the animals from stopping in the drinker, ideal solution for pigeons and fowl.



| Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|
| 1985AC000 | 6 | 46,5 x 23,5 x 115 | 0,741 | 8010213971839 |
| 1985AF000▲ | 6 | 46,5 x 23,5 x 115 | 0,741 | 8010213971372 |

Siphon drinker

Material: Food-grade plastic.

Features: Ideal solution for small-size fowl and birds
To be used on the floor.



0,75 L







1,5 L



3,5 L



5 L

| Capacity | Article |  |  l x p x h |  Kg |  Code |
|----------|----------------------|---|---|--|--|
| 0,75 L | 1983AF000 ▲ | 24 | 29,5 x 15,5 x 41,5 | 0,1125 | 8010213971662 |
| 0,75 L | * 1983A-W00 ■ | 24 | 29,5 x 15,5 x 41,5 | 0,1125 | 8010213978302 |
| 0,75 L | * 1983A-X00 ■ | 24 | 29,5 x 15,5 x 41,5 | 0,1125 | 8010213978319 |
| 1,5 L | 0161A0000 | 24 | 35 x 22 x 53 | 0,175 | 8010213001611 |
| 1,5 L | 0161AF000 ▲ | 24 | 35 x 22 x 53 | 0,175 | 8010213971778 |
| 1,5 L | * 0161A-W00 ■ | 24 | 35 x 22 x 53 | 0,175 | 8010213978289 |
| 1,5 L | * 0161A-X00 ■ | 24 | 35 x 22 x 53 | 0,175 | 8010213978296 |
| 3,5 L | 0162A0000 | 24 | 48,5 x 27,5 x 52 | 0,321 | 8010213001628 |
| 3,5 L | 0162AF000 ▲ | 24 | 48,5 x 27,5 x 52 | 0,321 | 8010213971679 |
| 3,5 L | * 0162A-W00 ■ | 24 | 48,5 x 27,5 x 52 | 0,321 | 8010213978326 |
| 3,5 L | * 0162A-X00 ■ | 24 | 48,5 x 27,5 x 52 | 0,321 | 8010213978333 |
| 5 L | 0163A0000 | 24 | 48,5 x 27,5 x 69 | 0,3868 | 8010213001635 |
| 5 L | 0163AF000 ▲ | 24 | 48,5 x 27,5 x 69 | 0,3868 | 8010213971693 |
| 5 L | * 0163A-W00 ■ | 24 | 48,5 x 27,5 x 69 | 0,3868 | 8010213978531 |
| 5 L | * 0163A-X00 ■ | 24 | 48,5 x 27,5 x 69 | 0,3868 | 8010213978340 |

* Colours upon demand in case of large quantities







Siphon drinker 10L

Material: Food-grade plastic.

Capacity: 10L

Features: Ideal solution for chicks and fowl in general
To be used on the floor.

| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 0789A0000 | 12 | 35 x 35 x 24 | 0,7833 | 8010213007897 |
| 0789AF000 ▲ | 12 | 35 x 35 x 80 | 0,6966 | 8010213971396 |





Tank drinker RAPID CLEAN - CHICKS

Models 6, 9 L Equipped with a lid with six hooks to prevent accidental opening, equipped with a hook for hanging, the drum can be filled directly by opening the half moon on the lid. White tank to slow down the formation of algae, easy to clean.





Anti-fouling plate, specially designed for chicks and/or dwarf breeds.

Models 12-18-24 L With dirt-repellent lid, handle and easy-to-clean, algae-reducing white tank.

Anti-fouling tray, specially designed for chicks and/or dwarf breeds.

Use: Floor or hung.



| Capacity | Article |  |  l x p x h |  Kg |  Code |
|----------|--------------------|---|---|--|--|
| 6 L | 2075AF000 ▲ | 12 | 64 x 37 x 46 | 0,983 | 8010213977930 |
| 9 L | 2076AF000 ▲ | 9 | 64 x 37 x 46 | 1,044 | 8010213977916 |
| 12 L | 2077AF000 ▲ | 6 | 35,5 x 35,5 x 56 | 1,267 | 8010213977954 |
| 18 L | 2078AF000 ▲ | 6 | 35,5 x 35,5 x 69 | 1,530 | 8010213977978 |
| 24 L | 2106AF000 ▲ | 4 | 35,5 x 35,5 x 69 | 1,563 | 8010214001184 |







Tank drinker RAPID CLEAN - CHICKENS

Models 6, 9 L Equipped with a lid with six hooks to prevent accidental opening, equipped with a hook for hanging, the drum can be filled directly by opening the half moon on the lid. White tank to slow down the formation of algae, easy to clean.

Models 12-18-24 L Are equipped with a dirt-repellent lid, handle and easy-to-clean white tank to slow down algae growth.

Use: Floor or hung.



| Capacity | Article |  |  l x p x h |  Kg |  Code |
|----------|--------------------|---|---|--|--|
| 6 L | 2073AF000 ▲ | 12 | 35,5 x 35,5 x 18 | 1,4 | 8010214001030 |
| 9 L | 2074AF000 ▲ | 9 | 64 x 37 x 46 | 1,25 | 8010213977893 |
| 12 L | 2011AF000 ▲ | 6 | 35,5 x 35,5 x 69 | 1,4833 | 8010213972256 |
| 12 L | 2011F0000 ▲ | 1 | 35,5 x 35,5 x 32 | 1,80 | 8010213972263 |
| 18 L | 1979AF000 ▲ | 6 | 35,5 x 35,5 x 78 | 1,8166 | 8010213971501 |
| 18 L | 1979F0000 ▲ | 1 | 35,5 x 35,5 x 41 | 2,000 | 8010213971495 |
| 18 L | 1979AF300 ▲ | 3 | 35,5 x 35,5 x 56 | 1,866 | 8010213976902 |
| 24 L | 2107AF000 ▲ | 6 | 35,5 x 35,5 x 78 | 1,8145 | 8010214001191 |










Tank drinker RAPID CLEAN 6L + legs

Material: Food-grade plastic.

Capacity: 6L

Features: Equipped with hook, filling-up system from above, dirt-prevention cover, equipped with six hooking points and two snap-on closures; easy to clean, white coloured tank to slow down algae formation.



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|-------------------|--|---|--|--|
| 2079AF000▲ | 12 | 42 x 42 x 80 | 1,4 | 8010213977992 | 2080AF000▲ | 9 | 42 x 42 x 80 | 1,444 | 8010213978012 |

Tank drinker RAPID CLEAN 9L + legs

Material: Food-grade plastic.

Capacity: 9L

Features: Equipped with hook, filling-up system from above, dirt-prevention cover, equipped with six hooking points and two snap-on closures; easy to clean, white coloured tank to slow down algae formation.



Tank drinker RAPID CLEAN 12L + legs

Material: Food-grade plastic.

Capacity: 12L

Features: Equipped with handle, dirt-prevention cover which allows the filling-up from above, easy to clean, white coloured tank to slow down algae formation.










Tank drinker RAPID CLEAN 18L + legs

Material: Food-grade plastic.

Capacity: 18L

Features: Equipped with handle, dirt-prevention cover which allows the filling-up from above, easy to clean, white coloured tank to slow down algae formation.



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|-------------------|--|---|--|--|
| 2081AF000▲ | 6 | 42 x 42 x 30 | 2,20 | 8010213978104 | 2082AF000▲ | 6 | 42 x 42 x 80 | 1,933 | 8010213978050 |

Tank drinker RAPID CLEAN 24L + legs

Material: Food-grade plastic.

Capacity: 24L

Features: Equipped with handle, dirt-prevention cover which allows the filling-up from above, easy to clean, white coloured tank to slow down algae formation.



| Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|
| 2108AF000▲ | 4 | 42 x 38 x 46 | 2,56 | 8010214001207 |







Automatic Drinker Evolution - CHICKS

Material: Food-grade plastic.

Features: Equipped with hanging chain, dirt filter, cover with six hooking points and two snap-on closures; to operate, the drinker must be connected to a central gravity water main, easy to clean.

Use: On the floor, it can be ballasted.

| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2185A0000 | 1 | 20 x 31,5 x 31,5 | 1,4 | 8010213979255 |
| 2185A1000 | 10 | 42 x 42 x 48 | 1,15 | 8010213979286 |







Automatic Drinker Evolution - CHICKEN

Material: Food-grade plastic.

Features: Equipped with accessory chain to adjust it hanging from the floor, dirt filter, cover with six hooking points and two snap-on closures, automatic float; to operate, the drinker must be connected to a central water main, easy to clean.

Use: On the floor or hung (it can be ballasted).

| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2186A0000 | 1 | 20 x 30,5 x 35,5 | 1,7 | 8010213979262 |
| 2186A7000 | 7 | 42 x 42 x 48 | 1,38 | 8010213979293 |







Automatic Drinker Evolution+ legs - CHICKENS

Material: Food-grade plastic.

Features: Equipped with accessory chain to adjust it hanging from the floor, dirt filter, cover with six hooking points and two snap-on closures, automatic float; to operate, the drinker must be connected to a central water main, easy to clean.

Use: On the floor, it can be ballasted.

| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2187A0000 | 1 | 20 x 42 x 42 | 2,0 | 8010213979262 |
| 2187A5000 | 5 | 42 x 42 x 48 | 1,74 | 8010213979309 |



Tank drinker 20L

Material: Food-grade plastic.

Capacity: 20L

Features: Filling-up system from above with plug, white tank to slow down algae formation, removable tray.

To be used on the floor.

| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 1793A0000 | 1 | 35 x 35 x 54 | 1,90 | 8010213017933 |




Tank drinker 20L + legs

Material: Food-grade plastic.

Capacity: 20L

Features: Filling-up system from above with plug, white tank to slow down algae formation, removable tray, raised by means of legs to prevent the contact with the floor.

Ideal solution for medium- and large-size fowl.

| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2083A0000 | 1 | 42 x 32 x 50 | 2,16 | 8010213978067 |



30L Tank GOLD Drinker

Material: Food-grade plastic.

Capacity: 30L

Features: Filling-up system from above with plug, white tank to slow down algae formation, removable tray, raised by means of legs to prevent the contact with the floor.

Ideal solution for medium- and large-size fowl.

OPTIONALS:

- Top Clean cover
 - Spacers for trestle
- (See page 37)



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2062A0000 | 1 | 36 x 36 x 66,5 | 3,40 | 8010213977176 |





KUBIC GOLDPREMIUM 30L Drinker

Material: Food-grade plastic.

Features: Stackable, filling-up system from above, dirt-prevention cover, white tank to slow down algae formation, easy to clean.





Ideal solution for medium- and large-size fowl.

Capacity: 30L

OPTIONALS:

- Top Clean cover
 - Spacers for trestle
- (See page 37)



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2177A0000 | 1 | 41 x 42 x 45,5 | 3,5 | 8010213979118 |
| 2177A3000 | 3 | 41 x 42 x 82 | 3,06 | 8010213979125 |

KUBIC GOLDPREMIUM 40L Drinker

Material: Food-grade plastic.

Features: Stackable, filling-up system from above, dirt-prevention cover, white tank to slow down algae formation, easy to clean.





Ideal solution for medium- and large-size fowl.

Capacity: 40L

OPTIONALS:

- Top Clean cover
 - Spacers for trestle
- (See page 37)



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2178A0000 | 1 | 41 x 42 x 53 | 3,8 | 8010213979132 |
| 2178A3000 | 3 | 41 x 42 x 82 | 3,23 | 8010213979149 |

KUBIC GOLDPREMIUM 50L Drinker

Material: Food-grade plastic.

Features: Stackable, filling-up system from above, dirt-prevention cover, white tank to slow down algae formation, easy to clean.





Ideal solution for medium- and large-size fowl.

Capacity: 50L

OPTIONALS:

- Top Clean cover
 - Spacers for trestle
- (See page 37)



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2179A0000 | 1 | 41 x 42 x 61 | 4 | 8010213979156 |
| 2179A3000 | 3 | 41 x 42 x 82 | 3,43 | 8010213979163 |

Top Clean Cover





Material: Non-toxic plastic for food use.

Measures: Diameter 572mm and max. height 82mm.

Features: Ideal for troughs and feeders series kubic 30- 40-50L and trough 30L.

Protects feed and water from impurities caused by rain, faeces and/or soil shaken off by animals.



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2228A0000 | 6 | 58 x 11,5 x 58,5 | 0.6 | 8010213000485 |



FEEDERS/DRINKERS
30/40/50 Lt
KUBIC

EXAMPLES OF COVER
APPLICATION



DRINKERS
30 Lt
GOLD

Spacers







Material: Non-toxic plastic.

Features: Ideal support for raising the stand of troughs and feeders by one or two units as required.

Available colours: Red - Green.

Pack of 6 each...



| Article |  |  l x p x h |  Kg |  Code |
|--|---|---|--|--|
| 2232A0000  | 6 | 25 x 20 x 19 | 0.086 | 8010213000591 |
| 2233A0000  | 6 | 25 x 20 x 19 | 0.086 | 8010213000607 |


Valve + Rod + Plastic Float

Material: Non-toxic plastic.

Characteristics: Accessory for wall-mounted drinking troughs.

Direct connection to the water source.

Incorporated in all SYSTEM PLUS drinkers.



| Article | | l x p x h | Kg | Code |
|------------------|---|-----------|----|---------------|
| 1868A0000 | 1 | | | 8010213979378 |

SYSTEM PLUS Automatic Drinker

Material: Food-grade plastic.

Features:

- To operate, it must be connected to the water main.
- Valve + plastic float to adjust the water flow.
- Equipped with specific tank and drain valve to assure clean water.
- It can be fastened to the wall, corals and similar.
- Equipped with specific brackets to be fastened to poles.
- Ideal solution for sheep, cows, horses and farm animals in general.
- Resistant to collisions, high and low temperatures.

Capacity: 2L, 4L, 6L.

Ideal for chickens, dogs, goats...

2 L



| Article | | l x p x h | Kg | Code |
|------------------|---|----------------|-------|---------------|
| 2145A0000 | 4 | 28,5 x 27 x 49 | 0,086 | 8010213978609 |

4 L



6 L



| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|------------------|---|------------------|-------|---------------|------------------|---|------------------|------|---------------|
| 2146A0000 | 4 | 31,5 x 27 x 57,5 | 1,168 | 8010213978616 | 2147A0000 | 4 | 34,5 x 27 x 72,5 | 1,47 | 8010213978173 |

SYSTEM PLUS PREMIUM Automatic Drinker

Material: Food-grade plastic.

Features:

- To operate, it must be connected to the water main.
- Valve + plastic float to adjust the water flow.
- Equipped with specific tank and drain valve to assure clean water.
- It can be fastened to the wall, corrals and similar.
- Equipped with specific brackets to be fastened to poles.
- Ideal solution for sheep, cows, horses and farm animals in general.
- Made with highly resistant plastic material, it absorbs the violent shocks by the animals.
- Resistant to high and low temperatures.








Capacity: 2L, 4L, 6L.

2 L




4 L



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|------------------|--|---|--|--|
| 2157A0000 | 4 | 28,5 x 27 x 49 | 1,168 | 8010213254680 | 2158A0000 | 4 | 31,5 x 27 x 57,5 | 1,356 | 8010213478543 |

6 L





| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2159A0000 | 4 | 34,5 x 27 x 72,5 | 1,681 | 8010213754852 |



Rigid sprue support kit

Material: Stainless steel.

Characteristics: Accessory for attaching the drinking trough to the poles (30 mm to 75 mm diameter) of corrals and barns. Ideal solution for sheep, cows, horses and farm animals in general.




| Article |  |  l x p x h |  Kg |  Code |
|-----------|---|---|--|--|
| 2155A0000 | 4 | | 0,952 | 8010213458743 |



The innovative drainage system was designed to prevent stagnation and to speed up the cleaning operations without using any tools to remove the water sealing components, which can fall out, get dirty or even get lost.

With two simple operations: Lift the pin (detail in the picture) and turn to directly adjust the opening of the drain valve, which allows quick drainage of dirty water.



FEEDERS



ORMITAL



KUBICPREMIUM Feeder 30L/20kg


Material: Food-grade plastic.





Features: Equipped with no-waste rack, dirt-prevention cover, stackable, easy to clean.

Capacity: 30L = 20kg

OPTIONALS:

- Top Clean Cover
 - Spacers for trestle
- (See page 37)



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2180A0000 | 1 | 41 x 42 x 45,5 | 3,45 | 8010213979170 |
| 2180A3000 | 3 | 41 x 42 x 82 | 3,04 | 8010213979187 |

KUBICPREMIUM feeder 40L/27kg

Material: Food-grade plastic.





Features: Equipped with no-waste rack, dirt-prevention cover, stackable, easy to clean.

Capacity: 40L = 27 kg

OPTIONALS:

- Top Clean cover
 - Spacers for trestle
- (See page 37)



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2181A0000 | 1 | 41 x 42 x 53 | 3,75 | 8010213979194 |
| 2181A3000 | 3 | 41 x 42 x 82 | 3,2 | 8010213979200 |

KUBICPREMIUM Feeder 50L/34kg

Material: Food-grade plastic.





Features: Equipped with no-waste rack, dirt-prevention cover, stackable, easy to clean.

Capacity: 50L = 34kg

OPTIONALS:

- Top Clean Cover
 - Spacers for trestle
- (See page 37)



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2182A0000 | 1 | 41 x 42 x 61 | 3,98 | 8010213979217 |
| 2182A3000 | 3 | 41 x 42 x 82 | 3,4 | 8010213979224 |


Bar Drinker / Feeder - CHICKS








30 - 40 - 50cm

Material: Food-grade plastic.

Length: 30 - 40 - 50 cm

Features: Equipped with no-waste grid, easy to clean, ideal solution for chicks and birds.



| Length | Article |  |  l x p x h |  Kg |  Code |
|--------|---|---|---|--|--|
| 30 cm | 0442A0000 | 24 | 33,5 x 30 x 34 | 0,1406 | 8010213004421 |
| 30 cm | 0442AF000 ▲ | 24 | 33,5 x 30 x 34 | 0,1406 | 8010213971723 |
| 30 cm | *0442AMIXC  | 24 | 33,5 x 30 x 34 | 0,1406 | 80102139793928 |
| 40 cm | 0443A0000 | 24 | 43,5 x 30 x 34 | 0,1698 | 8010213004438 |
| 40 cm | 0443AF000 ▲ | 24 | 43,5 x 30 x 34 | 0,1698 | 8010213971730 |
| 40 cm | *0443AMIXC  | 24 | 43,5 x 30 x 34 | 0,1698 | |
| 50 cm | 0444A0000 | 24 | 53,5 x 30 x 34 | 0,2169 | 8010213004445 |
| 50 cm | 0444AF000 ▲ | 24 | 53,5 x 30 x 34 | 0,2169 | 8010213971747 |
| 50 cm | *0444AMIXC  | 24 | 53,5 x 30 x 34 | 0,2169 | 8010213979088 |

** MOQ upon request*




Bar Drinker / Feeder - CHICKENS

50 - 75cm









Material: Food-grade plastic.


Length: 50 - 75cm

Features: Equipped with no-waste grid, easy to clean, ideal for poultry.



** MOQ upon request*

| Length | Article |  |  l x p x h |  Kg |  Code |
|--------|---|---|---|--|--|
| 50 cm | 0446A0000 | 12 | 54 x 42,5 x 37,5 | 0,3609 | 8010213004469 |
| 50 cm | 0446AF000 ▲ | 12 | 54 x 42,5 x 37,5 | 0,3609 | 8010213971754 |
| 50 cm | *0446A-W00  | 12 | 54 x 42,5 x 37,5 | 0,3609 | 8010213978418 |
| 50 cm | *0446A-X00  | 12 | 54 x 42,5 x 37,5 | 0,3609 | 8010213978425 |
| 75 cm | 0447A0000 | 12 | 77,5 x 42,5 x 39 | 0,5509 | 8010213004476 |
| 75 cm | 0447AF000 ▲ | 12 | 77,5 x 42,5 x 39 | 0,5509 | 8010213971761 |
| 75 cm | *0447A-W00  | 12 | 77,5 x 42,5 x 39 | 0,5509 | 8010213978432 |
| 75 cm | *0447A-X00  | 12 | 77,5 x 42,5 x 39 | 0,5509 | 8010213978449 |







Hopper Feeder + Cover - CHICKS





2,5L - 5,25L

Material: Food-grade plastic.

Features: Equipped with no-waste grid, dirt-prevention cover, easy to clean, ideal solution for chicks and birds.

Capacity: 2,5L = 1,5kg
5,25L = 3,5kg



| Capacity | Article |  |  l x p x h |  Kg |  Code |
|----------|----------------------|---|---|--|--|
| 2,5 L | 2070AF000 ▲ | 20 | 42 x 21,5 x 65 | 0,2169 | 8010213977817 |
| 2,5 L | * 2070A-X00 ■ | 20 | 42 x 21,5 x 65 | 0,2169 | 8010213978463 |
| 5,25 L | 2071AF000 ▲ | 24 | 61 x 31 x 76 | 0,4916 | 8010213977831 |
| 5,25 L | * 2071A-X00 ■ | 24 | 61 x 31 x 76 | 0,4916 | 8010213978487 |



* Colours upon demand in case of large quantities.



Hopper Feeder + Cover - CHICKENS





10,5L - 20L

Material: Food-grade plastic.

Features: Hanging hook, equipped with no-waste grid, adjustable feed level, dirt-prevention cover, easy to clean.

Capacity: 10,5L = 7kg
20L = 15kg



| Capacity | Article |  |  l x p x h |  Kg |  Code |
|----------|----------------------|---|---|--|--|
| 10,5 L | 2005AF000 ▲ | 10 | 41 x 41 x 119 | 1,147 | 8010213972089 |
| 10,5 L | * 2005A-X00 ■ | 10 | 41 x 41 x 119 | 1,147 | 8010213978500 |
| 20 L | 1940AF000 ▲ | 10 | 48,5 x 48,5 x 129 | 1,4762 | 8010213971334 |
| 20 L | * 1940A-X00 ■ | 10 | 48,5 x 48,5 x 129 | 1,4762 | 8010213978524 |



* Colours upon demand in case of large quantities.





Hopper Feeder for poultry

Material: Food-grade plastic.

Features: Equipped with adjustable tapered no-waste bottom. It can be used both hung and on the floor, equipped with legs. Feed dropping can be adjusted, easy to clean and handy to use.

Capacity: 1,5kg = 2,5L
3,5kg = 5,25L
7kg = 10,5L
15kg = 20L



| Capacity | Article |  |  l x p x h |  Kg |  Code |
|------------------------|------------------|---|---|--|--|
| 1,5 kg - 2,5 L | 2202AF000 | 20 | 42 x 21,5 x 65 | 0.2169 | 8010213979552 |
| 3,5 kg - 5,25 L | 2203AF000 | 24 | 42 x 21,5 x 65 | 0.4916 | 8010213979569 |
| 7 kg - 10,5 L | 2198AF000 | 10 | 41 x 41 x 119 | 1.147 | 8010213979514 |
| 15 kg - 20 L | 2199AF000 | 10 | 48.5 x 48.5 x 129 | 1.4762 | 8010213979507 |



Hopper Feeder for poultry - 10kg - 18kg


Material: Food-grade plastic.

Features: Equipped with adjustable tapered no-waste bottom.

It can be used both hung and on the floor, equipped with legs.

Feed dropping can be adjusted, easy to clean and handy to use.

Capacity: 10kg = 15L
18kg = 27L



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|------------------|--|---|--|--|
| 2200AF000 | 5 | 41 x 41 x 50 | 1,4 | 8010213979491 | 2201AF000 | 5 | 41 x 41 x 81 | 2,052 | 8010213979484 |





Feeder 3L - PIGEONS

Material: Food-grade plastic.

Capacity: 3L

Features: Equipped with hanging hook, the particular shape was conceived to prevent the animals from stopping in the feeder. Ideal solution for pigeons and fowl.



| Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|
| 1986AC000 | 6 | 46,5 x 23,5 x 78 | 0,5208 | 8010213971846 |
| 1986AF000▲ | 6 | 46,5 x 23,5 x 78 | 0,5208 | 8010213971365 |







Feeder 5L - PIGEONS

Material: Food-grade plastic.

Capacity: 5L

Features: Equipped with hanging hook, the particular shape was conceived to prevent the animals from stopping in the feeder. Ideal solution for pigeons and fowl.



| Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|
| 0791AC000 | 6 | 46,5 x 23,5 x 90 | 0,633 | 8010213967917 |
| 0791AF000▲ | 6 | 46,5 x 23,5 x 90 | 0,633 | 8010213971457 |







Feeder 8L - PIGEONS

Material: Food-grade plastic.

Capacity: 8L

Features: Equipped with hanging hook, the particular shape was conceived to prevent the animals from stopping in the feeder. Ideal solution for pigeons and fowl.




| Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|
| 1987AC000 | 6 | 46,5 x 23,5 x 115 | 0,7083 | 8010213971853 |
| 1987AF000▲ | 6 | 46,5 x 23,5 x 115 | 0,7083 | 8010213971389 |



Farmyard feeder with two drinkers

Material: Galvanised plate.

Features: It is supplied disassembled, equipped with two bottle drinkers, to be used on the floor for fowl.



| Article | | l x p x h | Kg | Code |
|------------------|---|-----------------|------|---------------|
| 0199A0000 | 1 | 9,5 x 32 x 63,5 | 5,60 | 8010213001994 |

Universal feeder

Material: Food-grade plastic.

Capacity: 30cl

Features: Suitable for all net types.

Ideal solution for small-size fowl and birds.



| Article | | l x p x h | Kg | Code |
|------------------|----|--------------|-------|---------------|
| 2112A0000 | 48 | 25 x 35 x 25 | 0,048 | 8010213979101 |

Universal feeder + TIC&TAC holder

Material: Food-grade plastic.

Capacity: 30cl

Features: Can be fixed to walls.

Ideal solution for small-size fowl and birds.



| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|------------------|----|--------------|-------|---------------|-------------------|----|--------------|-------|---------------|
| 2112A0000 | 48 | 25 x 35 x 25 | 0,048 | 8010213979101 | 2137AF000▲ | 24 | 25 x 35 x 25 | 0,078 | 8010214002105 |

Feeder with Ciotola System holder

Material: Food-grade plastic.

Capacity: 45cl

Features: It can be fixed to walls.

Ideal solution for small-size fowl and birds.



| Article | | l x p x h | Kg | Code |
|------------------|----|------------------|------|---------------|
| 2136A0000 | 24 | 17,5 x 34,5 x 51 | 0,17 | 8010214001993 |

Circular Ø 30cm feeder

Material: Food-grade plastic.

Features: Easy to clean, ideal solution for chicks and birds.



| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|------------------|----|------------------|------|---------------|-------------------|----|----------------|------|---------------|
| 2136A0000 | 24 | 17,5 x 34,5 x 51 | 0,17 | 8010214001993 | 0536A0000 | 24 | 31 x 31 x 27,5 | 0,20 | 8010213005367 |
| | | | | | 0536AF000▲ | 24 | 31 x 31 x 27,5 | 0,20 | 8010213971709 |



Glasses for pheasants and fowl









Excellent tool to prevent cannibalism and oophagy in fowl.



Glasses for pheasants and fowl

Tool that is used to fasten the glasses to the animal.



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|--------------------|---|---|--|--|
| 0245A0000 | 500 | | 0,0023 | 8010213002458 | 0246A0000 | 510 | | 0,0002 | 8010213002465 |
| 0245F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0287 | 8010213971082 | 0246F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0158 | 8010213971099 |

RIVERA Linear feeder

Material: Available in two finishes, one made of galvanized sheet metal and the other in stainless steel* (MOQ upon request).


Measurements: 60 cm and 120 cm.











Characteristics: It has an upper bar of 20 mm in diameter that turns on its own axis so that the birds cannot perch, at the same time it serves as a handle for transport. It includes plastic heel pads to prevent the metal from coming into contact with the ground, thus preventing it from rusting (conventional model).

The feeder channel has no corners so it is very easy to clean.

It also has two rods on the sides to prevent the animals from taking out the feed from the side. It is delivered disassembled and in a cardboard box.

Conceived and designed to take advantage of the organic leftovers of the food at home for your hens, promoting the circular economy.













| Article |  |  l x p x h |  Kg |  |  Code | Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|-----------------|---|---|--|---|--|
| F0200026 | 1 | 60x 20 x 8 | 1,85 | 216 | 8436597091084 | F0200027 | 1 | 120x 20 x 8 | 3,15 | 108 | 8436597091091 |

Stainless steel 304 quality

* MOQ upon request



| Article |  |  l x p x h |  Kg |  |  Code | Article |  |  l x p x h |  Kg |  |  Code |
|------------------|---|---|--|---|--|------------------|---|---|--|---|--|
| *F0200006 | 1 | 60 x 20 x 8 | 1,769 | 216 | 8436597091053 | *F0200007 | 1 | 120 x 20 x 8 | 3,074 | 108 | 8436597091060 |

Hopper feeder PREMIER


Material: 100% galvanized structure.

Characteristics: The PREMIER hopper is a feeder designed to be installed in any type of poultry house, both indoors and outdoors thanks to its reversible hooks, and thanks to its two rear holes it can be fixed to a wall or wooden panel.



This hopper has a feed regulator inside the pan.

It can be served with a visor to protect when installed outdoors.

* Pieces in American pallets 100x120 cm



| Article | | l x p x h | Kg | | Code |
|----------|---|----------------|------|----------|---------------|
| F0200078 | 1 | 33 x 30 x 17,8 | 2,85 | 102(US)* | 8436597092449 |




| Article | | l x p x h | Kg | | Code |
|----------|---|----------------|------|----------|---------------|
| F0200079 | 1 | 33 x 30 x 17,8 | 2,60 | 102(US)* | 8436597092456 |

Linear Grandpa's feeder

Material: Galvanized sheet metal structure.

Characteristics: It is a linear hopper with 3 weight regulations: 550 g, 750 g and 1300 g, which will activate the opening of the lid in order to allow the hen access to the feed. It prevents rodents and birds from accessing the feed, eating it and contaminating it with their feces. It also incorporates a removable visor to prevent rain from soaking the feed. This fits over the top of the hopper and the side flaps, thus side flaps, making it 100% waterproof.




Capacity: 20 L



This hopper also incorporates an anti-waste system and a feed level regulator, so that the user can increase or decrease the quantity and type of feed pellet according to the species.




It also incorporates a noise cancellation system, when opening or closing the hatch, this prevents the hens from being frightened and not eating in the feeder. It is undoubtedly a system that improves animal welfare.




| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200077 | 1 | 59 x 33 x 32,7 | 5,5 | 24 | 8436597092425 |


Linear Grandpa's feeder Instructions




Foot pedal adjustment and insertion



Manual adjustment for weight regulation




Three weight support settings



JERRY mechanical opening hopper

- ① The pedal, suitable for all kinds of poultry such as hens, pheasants and ducks, has just the right size for the animals to climb up without soiling it.



- ② The top lid can be opened from the front or the back to fill the feed.

The hopper includes two holes for hanging it to the wall.




- ③ The dock has three adjustments in the 18 and 29 L models and nine in the 64 L model. The lowest setting is activated from approx. 650 g, considering that a rat can weigh between 80 and 250 grams, there is enough margin to withstand the weight of several rats at the lowest setting.




- ④ The rivets that we use for their manufacture are made of aeronautical steel and are set by an automatic machine that rivets at exactly the same pressure, guaranteeing the highest quality at the joints.


- ⑤ All models of the JERRY mechanical opening hoppers are equipped with a mechanical feed drop regulation system which makes it very versatile when introducing any type of grain or feed, perfectly controlling the height of the feed in the feeder.



- ⑥ The 64L hopper has two feeders, one on each side, so that a larger number of birds can fit in.



- ⑦ The 64 L hopper is specially designed for outdoor use, which is why it has two visors, one on each side to prevent water from disturbing the hens during feeding. These visors are easily removable and screws are not required.



- ⑧ It has two springs to regulate the weight of the mechanism, with nine types of possible settings.

JERRY mechanical opening hopper

18 L




| Article |  |  l x p x h |  Kg |  |  Code | Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|-----------------|--|---|--|---|--|
| F0200067 | 1 | 42 x 39 x 31 | 5,8 | 40 | 8436597091251 | F0200028 | 1 | 42 x 39 x 31 | 5,6 | 40 | 8436597091107 |






29 L



| Article |  |  l x p x h |  Kg |  |  Code | Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|-----------------|--|---|--|---|--|
| F0200068 | 1 | 52 x 39 x 30 | 6,3 | 32 | 8436597091268 | F0200029 | 1 | 52 x 39 x 30 | 6,15 | 32 | 8436597091114 |

64 L



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200030 | 1 | 52 x 61 x 41 | 14 | 16 | 8436597091121 |



Large capacity outdoor hopper

1

We have two versions, one of 250L and the other of 500L. Both hoppers have a hinged lid and entrances to the feeder on both sides, including the visor, to prevent water from entering



2

As an option, we offer the possibility of adding skids, thus facilitating mobility with the tractor.

3

The lid is hinged and gives the possibility to open to both sides, according to the needs.

4

It has a side window that indicates the level of the hopper at 30% of its capacity.



5

It has gates to close the access of birds to the hopper.

Large capacity outdoor hopper

Material: Made of galvanized sheet metal.

Capacity: 250 and 500 L









* Pieces in American pallets 100x120 cm

250 L



500 L











| Article |  l x p x h |  Kg |  |  Code | Article |  l x p x h |  Kg |  |  Code |
|-----------------|---|--|---|--|-----------------|--|--|---|--|
| F0200001 | 100x 92 x 75 | 62,5 | 8 (US)* | 8436597090650 | F0200002 | 200 x 92 x 99,2 | 116,7 | 6 (US)* | 8436597090667 |

250 L on skids



500 L on skids



| Article |  l x p x h |  Kg |  |  Code | Article |  l x p x h |  Kg |  |  Code |
|-----------------|---|--|---|--|-----------------|--|--|---|--|
| F0200003 | 100x 92 x 83 | 66,5 | 8 (US)* | 8436597090674 | F0200004 | 200 x 92 x 107 | 120,7 | 6 (US)* | 8436597090681 |

CHICKEN COOPS



ORMITAL







HOBBIT Chicken Coop

Material: Made of 6mm HPL and Z270 galvanized sheet.

Features: Removable tray for easy cleaning. Laying nest with outside tray including Astroturf mat. Possibility of creating a small garden in the arch of the chicken coop.

Dimensions: 134 x 82,6 x 133,6 cm.




| Article |  (x2) |  l x p x h |  Kg |  |  Code | Article |  (x2) |  l x p x h |  Kg |  |  Code |
|-----------------|--|---|--|---|--|-----------------|---|---|--|---|--|
| F0200072 | 1 | | 51 | 14 | 8436597091473 | F0200074 | 1 | | 51 | 14 | 8436597091497 |

SUPER KUB Chicken coop

Material: Manufactured in HPL and Z270 galvanized sheet.

Features: Rear door with full opening and two removable nests for easy cleaning. It has legs to raise the coop and two steps for the hen to climb easily. Includes a swing for the hen to swing on it.




| Article |  (x2) |  l x p x h |  Kg |  |  Code |
|-----------------|--|---|--|---|--|
| F0200073 | 1 | 120 x 80 x 15 | 40 | 14 | 8436597091480 |

PLAYHOME Chicken Coop

Material: Made of Coretech, HPL and galvanized metal.

Features: It has a removable tray for easy cleaning. It integrates wheels on the legs for easy mobility. In the upper part it has a planter. On the side it incorporates an opening to facilitate the collection of eggs. It has a swing so that the hen can swing on it.




| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200085 | | | | 14 | 8436597092517 |

Chicken coop door

Material: Z270 galvanized sheet metal door.

Characteristics: It is a reinforced door, since it goes inside the frame, which is made in one piece. Once closed, the predator cannot open it with its snout.



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0299076 | | | | | 8436597092432 |


CORETECH

Coretech is a high-performance technical board with which we manufacture our chicken coops due to its high quality standards, with an outstanding performance against humidity and excellent acoustic absorption/insulation characteristics, compared to other materials.

1

Board composition:

- Semi-rigid polyurethane foam.
- Long fiberglass.
- Paper or cellulosic fabric.
- Fabric.
- Thermosetting resins



Coretech does not swell or deform.



2

Dimensional stability; water resistance in EXTREME ENVIRONMENT (AUTOCLAVE)

Test: 16 hours at 134°C and 100% humidity. Comparison of Coretech vs. chipboard. Equal initial thicknesses.

Result: In an environment of extreme humidity and temperature, Coretech does not swell or deform, while normal chipboard swells to the point of almost total loss of cohesion.


3

Dimensional stability; water resistance in EXTREME ENVIRONMENT (AUTOCLAVE)

Test: 3 hours at 134°C and 100% humidity.

Panel performance comparison: Coretech - Multilayer - Werzalit - Canexel - DM.

Result (% swelling): Coretech 1,94 - multilayer 8,52 - Werzalit 21,05 - Canexel 35,5 - DM 103,17



Wood core decking Hydrophobic MDF core decking Coretech

4

Dimensional stability; water resistance in EXTREME ENVIRONMENT (AUTOCLAVE)

Test: 16 hours at 134°C and 100% humidity.

Performance comparison Coretech decking vs. water-repellent MDF core decking vs. solid wood core decking. Equal initial thicknesses.

Result: Due to the aggressiveness of the test, the wood sheathing deforms in all cases. On the other hand, the wood and Coretech cores remain intact, but not the water-repellent MDF core, which loses cohesion.


5

Dimensional stability; Outdoor behavior

Test: Six months outdoors.

Comparison between Coretech board and Chipboard of equal initial thickness.

Result: After six months outdoors, while coretech does not swell, the regular chipboard deforms significantly, especially at its base.




6

Acoustic insulation in "Petit Cabine".

Test: Comparison of acoustic insulation between Coretech and wooden chipboard of equal thickness and density (human ear frequency range).

Result: Coretech insulates 3.3 dB more than a chipboard with the same characteristics.





7

Impact noise level absorption

Test: Throwing of impactor (plastic and metallic) in anechoic chamber.

Comparative impact noise level absorption at different frequencies. Boards tested: Coretech - chipboard - DM.

Result: Coretech absorbs more noise than the other materials tested, especially at high frequencies.



8

Impact noise level absorption

Same test as the previous one at $t = 4$ milliseconds after impact.

The graphic clearly shows that Coretech absorbs more impact noise level than DM.

9

Thermal insulation

Test: Thermal resistance (insulation) carried out at Aitex according to, ISO 11092:1993/UNE-EN 31092:1996 standards.

Comparison Coretech board vs. wooden chipboard.

Result: Coretech thermally insulates 1,71 times more than chipboard with similar characteristics.

| Material | Width (mm.) | Thermal resistance Rct ($m^2 \cdot K/W$) | Thermal conductance (W/mK) |
|----------------|-------------|--|----------------------------|
| Coretech | 11 | 0,1122 | 0,0980 |
| Wood chipboard | 10 | 0,0655 | 0,1545 |

| Material | Stiffness | Strength |
|----------------|-----------|----------|
| Wood chipboard | 168.15 | 298.63 |
| Coretech | 127.59 | 669 |

10

Stiffness

Test: Stiffness (according to SAE J 949 mod. GM automobile standard). Comparison Coretech board vs. wooden chipboard.

Result: Wooden chipboard 168,15(Stiffness) 298,63 (Strength)
Coretech 127,59(Stiffness) 669(Strength).

11

Affinity (adhesives and finishes)

Coretech shows great affinity to all types of glues, especially polyurethane.

It also accepts multiple finishes for both interior and exterior (smooth paint, artex, stucco...).



FINAL EVALUATION

Outstanding features of the Coretech technical board:

1. Excellent water resistance, dimensional stability.
2. Very good acoustic performance (absorption and insulation of noise level).
3. Good fire properties (level C).
4. Excellent thermal insulation.
5. Passes the screw start test.
6. Suitable for all kinds of glues, especially PU glues.
7. It admits multiple finishes.
8. It is not attacked by insects.
9. Actively contributes to sustainable development.

LAYING NESTS



ORMITAL





FENIX LAYING NEST

DESIGNED BY FARMERS, MANUFACTURED BY ENGINEERS.

01.

It can be placed on the floor or hung on the wall. The sides act as legs, which are fixed to the tray, forming a single block.

02.

The tray is one-piece made, which makes it one of the strongest laying nest on the market.

The tray and the base of the tank have perforations sift out dust and dirt. The tank's base is also removable for even easier cleaning.

03.

It has ventilation on all sides and separators to avoid condensation inside, preventing problems for the hens and rust.

04.

Hinged opening towards the outside, making egg collection much easier and cleaner because any dirt on top of the lid does not fall down into the tank, as is the case with most systems on the market.

05.

This perch can be folded down, making it a barrier to prevent hens from coming in to roost at night.

06.

The hooks of the laying nest, perch and tube are 1.2 - 1.5 mm thick to further ensure the strength and durability of the nest

01



02



03



04



05



06



07



07.

It has a 35mm diameter perch, perfect for the hens' feet. The tube is 1,5mm thick, giving it incredible strength.

08



08.

Possibility to place the egg deposit outside or inside the chicken coop. So we provide an incredible added value.

09



09.

The separators do not go all the way down, so the egg will never get stuck on the walls.

10



10.

The Fénix laying nest includes Astroturf mats to keep the nest box cleaner and improves the welfare of the hens.

11



11.

It also keeps the egg cleaner as it rolls into the deposit.

12



12.

We have a digital packaging to make full color designs that will not go unnoticed.





LAYING NEST FENIX


Material: 100% galvanized sheet metal.






Features: Exclusive design that allows the tank to be placed outside or inside the coop, which provides incredible versatility without spending more on accessories or additional pieces.

Capacity: 2, 3, 4 Departments.


The Astroturf mat is included.






2 Departments




| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200008 | 1 | 57 x 35 x 10 | 7,0 | 82 | 8436597090704 |






3 Departments



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200009 | 1 | 81,5 x 35,5 x 10,5 | 9,6 | 59 | 8436597090711 |

4 Departments



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200010 | 1 | 107 x 34 x 10 | 12,3 | 43 | 8436597090728 |

LAYING NEST BENNU


Material: 100% galvanized sheet metal.






Features: It has the same technical characteristics and measurements as its brother Fenix, but with an open interior space (without separations), which allows greater comfort for the collective laying.

Capacity: 2, 3, 4 Departments.


The Astroturf mat is included.






50 cm




| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200016 | 1 | 57 x 35 x 10 | 6,72 | 82 | 8436597091145 |






75 cm



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200017 | 1 | 81,5 x 35,5 x 10,5 | 8,95 | 59 | 8436597091152 |

100 cm



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200018 | 1 | 107 x 34 x 10 | 11,17 | 43 | 8436597091169 |



FENIX AND BENNU LAYING NESTS WITH LEGS

Material: 100% galvanized sheet metal.

Characteristics: Its design allows coupling the structures forming a single piece that helps to gain space and versatility.

Capacity: 2, 3, 4 Departments of one or two floors.

The Astroturf mat is included.

LAYING NEST FENIX

one storey - two departments



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200090 | 1 | | | 60 | 8436597092562 |

LAYING NEST FENIX

two storey - two departments



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200091 | 1 | | | 30 | 8436597092579 |

LAYING NEST FENIX

one storey - three departments








| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200092 | 1 | | | 46 | 8436597092586 |

LAYING NEST FENIX

two storey - three departments



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200093 | 1 | | | 23 | 8436597092845 |

LAYING NEST FENIX

one storey - four departments



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200094 | 1 | | | 40 | 8436597092852 |

LAYING NEST FENIX

two storey - four departments



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200095 | 1 | | | 20 | 8436597092869 |

LAYING NEST BENNU

one storey - two departments



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200096 | 1 | | | 60 | 8436597092876 |

LAYING NEST BENNU

two storey - two departments








| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|--|---|--|---|--|
| F0200097 | 1 | | | 30 | 8436597092883 |

LAYING NEST BENNU

one storey - three departments



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200098 | 1 | | | 46 | 8436597092890 |

LAYING NEST BENNU

two storey - three departments



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|--|---|--|---|--|
| F0200099 | 1 | | | 23 | 8436597092906 |

LAYING NEST BENNU

one storey - four departments



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200100 | 1 | | | 40 | 8436597092913 |

LAYING NEST BENNU

two storey - four departments




| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|--|---|--|---|--|
| F0200101 | 1 | | | 20 | 8436597092920 |








MAT ASTROTURF

With the FENIX and BENNU nappy lines, we include the Astroturf mat as a gift.

The Astroturf mat keeps the nappy cleaner and improves the well-being of the hens' feet. Thanks to this mat, the egg is automatically cleaned when it rolls into the tank.



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200025 | | 25 x 45 x 2 | | | 8436597091077 |



FENIX NEST






Material: 100% galvanized sheet metal.

Features: Each department has the right size for the hen to incubate the eggs and feel protected. It includes a 35 mm diameter perch, perfect for the hens' feet. The one-piece tray, with perforations for easy cleaning, makes this nest the most resistant on the market. It has ventilation on the sides to avoid condensation. It can be hung or placed on the floor.


Capacity: 2, 3, 4 Departments.






2 Departments




| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200013 | 1 | 57 x 35 x 10 | 4,7 | 82 | 8436597090735 |






3 Departments



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200014 | 1 | 81,5 x 35,5 x 10,5 | 6,5 | 59 | 8436597090742 |

4 Departments



| Article |  |  l x p x h |  Kg |  |  Code |
|-----------------|---|---|--|---|--|
| F0200015 | 1 | 107 x 34 x 10 | 8,2 | 43 | 8436597090759 |




Pigeon house with a nest

Material: Plastic.

Characteristics: Dual function door: Shelter at the top and support at the bottom. Removable lower part. Very easy to clean. Shipped disassembled in a box.

Dimensions: 47x44x30 cm




| Article | | l x p x h | Kg | Code |
|------------------|---|---------------|------|---------------|
| 2220A0000 | 1 | 31x 48,5 x 37 | 4,15 | 8010213000140 |

Pigeon house with two nests

Material: Galvanized sheet metal + removable plastic bottom.

Characteristics: Supplied disassembled in a box. Equipped with fixing brackets.



| Article | | l x p x h | Kg | Code |
|------------------|---|-------------------|------|---------------|
| 2117A0000 | 1 | 42,5 x 8,5 x 63,5 | 6,07 | 8010214001399 |

Laying nest

Material: Galvanised plate + adjustable and removable bottom.

Features: It is supplied disassembled in a box.

Equipped with fixing brackets, modular.




| Article | | l x p x h | Kg | Code |
|------------------|---|------------------|------|---------------|
| 0274A0000 | 1 | 11,5 x 32 x 46,5 | 3,70 | 8010213002748 |

Plastic laying nest

Material: Polypropylene + bottom made of plastic.

Characteristics: It is supplied disassembled in a box, both the entrance and the tank can be adjusted from the front or from the back, the bottom is completely removable and it is possible to choose the inclination, it is modular, it can be used on the floor with legs or hung by means of fixing brackets.







| Article |  |  l x p x h |  Kg |  Code |
|------------------|--|--|---|---|
| 2235A0000 | 1 | 33,5 x 18,5 x 64,5 | 2,65 | 8010213000669 |

Plastic pigeon house

Material: Polypropylene.

Characteristics: Modular dovecote, equipped with fixing brackets, removable concave bottom for complete cleaning. Supplied disassembled for easy transport.



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2234A0000 | 1 | 33 x 17 x 51,5 | 2,29 | 8010213000621 |

MOBILE FARMYARD



ORMITAL





Mobile Farmyard

Material: 100% hot dip galvanized structure covered with 35 mm thick sandwich panel.

Measurements: 6x6 m (2000 kg assembled structure weight)
12x6 m (3195 kg assembled structure weight)
18x6 m (4552 kg assembled structure weight)

Characteristics: The internal structure is reinforced with all the suspenders welded to give greater robustness to the product. Available in three standardized sizes adapting to the customer's needs and requirements. Delivered semi disassembled and is finished assembled by screwing, so its durability is much higher than normal.

Maximum speed of armed displacement: 4 Km/h.

Our displacement KIT is universal for all the farmyards, so that with only one KIT you can move any of our mobile farmyards.



Sándwich Panel



European Conformity Certificate



Maximum travel speed



Wheel detail






Mobile Farmyard

6 x 6 m

*With sandwich panel

**Without sandwich panel



| Article |  Kg |  Code |
|------------|--|--|
| *F0200087 | 2000 | 8436597092531 |
| **F0200102 | 2000 | 8436597092937 |




12 x 6 m

*With sandwich panel

**Without sandwich panel



| Article |  Kg |  Code |
|------------|--|--|
| *F0200088 | 3195 | 8436597092548 |
| **F0200103 | 3195 | 8436597092944 |




18 x 6 m

*With sandwich panel

**Without sandwich panel

| Article |  Kg |  Code |
|------------|--|--|
| *F0200089 | 4552 | 8436597092555 |
| **F0200104 | 4552 | 8436597092951 |



MILLS



The logo features a stylized white bird silhouette within a circular frame, which is part of the letter 'O' in the word 'ORNITHO'.

ORNITHO



THOR grain shredder

Material: Painted galvanized steel.

Induction motor: 1,5 Hp.

Hourly production: Min 50 Kg - Max 80 Kg.

May vary according to the nature and moisture content of the product.

Motor safety: Thermal device with manual reset.

Roller access safety: Patented safety device.

Cereal flow regulation: Manual regulation gate. Grinds all cereals (oats, barley, wheat, corn, beans, etc.) keeping their nutritional value intact.


This machine can break the membrane of the seed so that the animal can digest and assimilate the nutrients better, it is also silent and does not make dust...



GEARED MOTOR







The adjustment system allows to obtain an excellent quality shredded product from very fine to traditional sizes.



A powerful GEARED MOTOR drives the steel rollers, suitably machined and heat-treated, mounted on bearings.



The steel rollers are protected by a magnet that retains any metallic objects that may be in the product to be shredded.

| Article |  |  l x p x h |  Kg |  Code |
|-----------|---|---|--|--|
| 1694A0000 | 1 | 57 x 57 x 50 | 51,9 | 8010213016943 |



Dust-free container for Mills 4V

Material: Food-grade plastic.

Features: Transport handle.

Capacity: 18L



| Article | | l x p x h | Kg | Code |
|------------------|---|------------------|-----|---------------|
| 00000224G | 1 | 35,5 x 35,5 x 41 | 2,2 | 8010213971471 |

Mill DAVIDE 4V

550W

Material: Food-grade plastic + galvanised steel.

Brush motor: 550W - 0.75 Hp - 230V (13000-15000 rpm).

Hourly milling e.g. corn: Min. 80Kg - Max. 250Kg

Motor safety: Thermal device with automatic resetting system.

Blade access safety: Forced device with triple safety.

Adjustment of cereal flow: With direct and self-adjustable flow.

Sieves in the standard equipment :

| | |
|----------|--|
| 2,5 mm Ø | |
| 4 mm Ø | |
| 6 mm Ø | |
| 8 mm Ø | |

Flour sieves:

1mm and 1.5mm holes



Mill GOLIA 4V

750W

Material: Food-grade plastic + galvanised steel.

Brush motor: 750W - 1 Hp - 230V (13000-15000 rpm).

Hourly milling e.g. corn: Min. 130Kg - Max. 260Kg

Motor safety: Thermal device with automatic resetting system.

Blade access safety: Forced device with triple safety.

Adjustment of cereal flow: With direct and self-adjustable flow.

Sieves in the standard equipment:

| | |
|----------|--|
| 2,5 mm Ø | |
| 4 mm Ø | |
| 6 mm Ø | |
| 8 mm Ø | |

Flour sieves:

1mm and 1.5mm holes.




| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|------------------|---|--------------|-------|---------------|------------------|---|--------------|-------|---------------|
| 1971A0000 | 1 | 48 x 41 x 72 | 11,80 | 8010213970535 | 1970A0000 | 1 | 52 x 44 x 72 | 12,40 | 8010213970528 |



Mill BRAVÓ 4V

900W


Material: Food-grade plastic + galvanised steel.
Induction motor: 900W - 1.22 Hp - 230V (2800-3000 rpm).
Hourly milling e.g. corn: Min. 50Kg - Max. 230Kg
Motor safety: Thermal device with manual resetting system.
Blade access safety: Forced device with triple safety.
Adjustment of cereal flow: Manoeuvrable adjustment gate valve.
Sieves in the standard equipment:



Mill MAGNUM 4V

750W

Material: Food-grade and non-toxic plastic + galvanised steel.
Brush motor: 750W - 1 Hp - 230V (13000-15000 rpm).
Hourly milling e.g. corn: Min. 90Kg - Max. 250Kg.
Motor safety: Thermal device with automatic resetting system.
Blade access safety: Forced device with triple safety.
Adjustment of cereal flow: Manoeuvrable adjustment gate valve.
Sieves in the standard equipment:



Flour sieves:
1mm and 1.5mm holes



| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|-----------|---|--------------|-------|---------------|-----------|---|--------------|-------|---------------|
| 1972A0000 | 1 | 52 x 44 x 72 | 17,00 | 8010213970542 | 1974A0000 | 1 | 52 x 44 x 72 | 13,20 | 8010213970566 |

RAMBO shelling machine 180W


Material: Galvanised and coated steel.
Brush motor: 180W - 0,25 Hp with 1:25 reduction gear (350-400 rpm).
Production: Min. 120Kg - Max. 160Kg
Motor safety: Thermal device with automatic resetting system.
Disc access safety: Patented safety device.
Capacity of the container: 30 L
Ideal for separating maize from the cob



Mill ERCOLINO

1500W

Material: Galvanised and coated steel.
Induction motor: 1500W - 2 Hp (2800-3000 rpm)
Hourly milling e.g. corn: Min. 60Kg - Max. 360Kg
Motor safety: Thermal device with manual resetting system.
Blade access safety: Patented safety device.
Adjustment of cereal flow: Manoeuvrable adjustment gate valve.
Standard equipment:




| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|-----------|---|------------------|-------|---------------|-----------|---|----------------|-------|---------------|
| 0990A---- | 1 | 47 x 43,5 x 62,5 | 14,30 | 8010213009907 | 0518A---- | 1 | 54,5 x 60 x 60 | 30,80 | 8010213005183 |

Manual sheller GRISU'

Material: Structure and disc made with technopolymer having high mechanical and wear resistance.

Features: Equipped with support to be hooked to a table or similar, and with compression spring that can be adjusted according to the corn-cobs to be shelled.

Ideal solution to separate the corn from the cob.




Manual sheller RITMOPREMIUM

Material: Structure with technopolymer aluminium disc having high mechanical and wear resistance.

Features: Equipped with support to be hooked to a table or similar, and with compression spring that can be adjusted according to the corn-cobs to be shelled.

Ideal solution to separate the corn from the cob.



| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|-------------------|---|------------------|------|---------------|-------------------|---|------------------|-------|---------------|
| 2168F0000▲ | 5 | 58 x 23,5 x 29,5 | 1,65 | 8010213978197 | 2172F0000▲ | 6 | 29,5 x 38 x 30,5 | 1,867 | 8010213979095 |

Manual Mill GRILLO

Material: Food-grade plastic + cast-iron grinders.

Features: Equipped with support to be hooked to a table and with a swivelling conveyor for flour output.

Ideal solution for cereal flours (corn, rye, oat, etc.), herbs, medicinal products, baits, animal feeds.



Copper pot

Material: Copper pot with brass handles. Food-grade plastic mixer with chromium-plated steel bracket. Stainless steel mixing blade.

Mixer: Self-clutched electrical geared motor 4W 230V.

Features: Ideal solution to cook polenta and jams.

Diameter: 26 cm, capacity 4,7 litres.

30 cm, capacity 7,3 litres.



* Diameter: 26 cm Approximate capacity: 4,7 litres

** Diameter: 30 cm Approximate capacity: 7,3 litres

| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|------------------|---|----------------|-----|---------------|--------------------|---|----------------|------|---------------|
| 2167A0000 | 1 | 19 x 19 x 31,5 | 2,8 | 8010213978180 | 1807A0000* | 6 | 57 x 33 x 66,5 | 3,00 | 8010213018077 |
| | | | | | 1808A0000** | 6 | 57 x 33 x 66,5 | 3,70 | 8010213018084 |

PLUCKERS



ORMITAL





Plucker Esterina 36 fingers

Materials: Stainless steel.

Features:


- 36 fingers made with thermoplastic rubber.
- 9 pairs of discs.
- Feather cover.
- Safety grid made with stainless steel that can be adjusted according to the animal to be plucked.
- adjustable roll-over control bar.
- trolley to collect the feathers (optional), equipped with rotating wheels.
- Anti-vibration feet.
- Asynchronous single-phase motor 230 V - 900 W - 50Hz.
- Motor equipped with thermal switch having a manual resetting system.
- Safety push-button.

Approximate hourly production: 80/120 chickens.

Ideal solution for medium and large size poultry and the like (e.g. chickens, ducks, turkeys...)



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2196A0000 | 1 | 50 x 56 x 33 | 25,2 | 8010213979545 |



Plucker Esterina 36-finger with feather collection trolley

Materials: Stainless steel.





Features:

- 36 fingers made with thermoplastic rubber.
- 9 pairs of discs.
- Feather cover.
- Safety grid made with stainless steel that can be adjusted according to the animal to be plucked.
- Adjustable roll-over control bar.
- Trolley to collect the feathers, equipped with rotating wheels and supplied in the standard equipment.
- Anti-vibration feet.
- Asynchronous single-phase motor 230 V - 900 W - 50Hz
- Motor equipped with thermal switch having a manual resetting system.
- Safety push-button.

Approximate hourly production: 80/120 chickens.

Ideal solution for medium and large size poultry and the like (e.g. chickens, ducks, turkeys...)



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2211A0000 | 1 | 50 x 56 x 33 | 34,3 | 8010213000188 |
| 2204A0000 | 1 | 42,5 x 8,5 x 63,5 | | |



Poultry plucker Esterina 24 fingers with adjustable stainless steel grid

Materials: Made with ABS.




Features:

- 24 fingers made with thermoplastic rubber.
- 6 pairs of discs.
- Safety grid made with stainless steel that can be adjusted according to the animal to be plucked.
- Equipped with hook to support the feather bag (not supplied in the standard equipment).
- Anti-vibration feet.
- Safety push-button.
- Asynchronous single-phase motor 230 V - 50 Hz - 300W.
- 6-pole, 900 rpm.

Approximate hourly production: 60/80 chickens.

Ideal solution for poultry, guinea-hens and pheasants.



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2205A0000 | 1 | 39 x 65,5 x 50 | 22 | 8010213000058 |

Quail Plucker Esterina 24 fingers with adjustable stainless steel grid

Materials: Made with ABS.

Features:

- 24 fingers made with thermoplastic rubber.
- 6 pairs of discs.
- Safety grid made with stainless steel that can be adjusted according to the animal to be plucked.
- Equipped with hook to support the feather bag (not supplied in the standard equipment).
- Anti-vibration feet.
- Safety push-button.
- Asynchronous single-phase motor 230 V - 50 Hz - 300W.
- 6-pole, 900 rpm.

Ideal solution for partridge and quails.




| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2209A0000 | 1 | 39 x 65,5 x 50 | 21,6 | 8010213000164 |











Stainless steel trolley to collect the feathers

Material: Stainless steel.

Features: Container suitable for collecting feathers when plucking. Practical swivel castors, easy to clean.



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|------------------|--|--|---|---|--|--|--|---|---|
| 2204A0000 | 1 | 42,5 x 8,5 x 63,5 | 9 | 8010213979495 |  4727P | 1 | 2,8 x 0,026 | 0,026 | 8010213979460 |
| | | | | |  4728P | — | 2,4 x 2,4 x 8,8 | 0,0180 | 8010213979477 |

Fingers made with thermoplastic rubber

Material: Food-grade rubber.

Features: Good resistance to wear, excellent sealing during plucking operations.



Technopolymer disc for poultry

It is formed by two parts, snap-fit assembly without using any tool.











Ø 12cm x 1,8cm


Technopolymer disc for quails

It is formed by two parts, snap-fit assembly without using any tool.



Ø 12cm x 1,8cm

| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|--------------|---|---|--|--|--------------|---|---|--|--|
| 4732P | 1 | | 0,92 | 8010213000683 | 4733P | 1 | | 0,92 | 8010213000768 |



SMALL MAMMALS



ORMITAL





Breeder with external nest

Material: Electro-galvanised metal net (cages) + plastic (nests, feeders, perch, dropping trays) + steel (drinkers).

Features: Sturdy cage made with electro-galvanised 2.5mm net, equipped with two external plastic nests, two feeders, two drip drinkers (to be connected to a gravity water system), a removable plastic perch, three removable trays to collect the droppings.

The pens are internally divided, the central part includes the space that is dedicated to the hay supply, while on the sides the access to the nests can be managed by means of a foldable door.

In the upper part of the cage there is a spring hook to open and close the door of every pen.

The cages can be placed on top of each other and are raised from the floor.

Ideal solution to breed rabbits.

It is supplied disassembled in a box.

Cage dimensions: 178 x 51,5 (60) x 87,5 cm



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2214ASMON | 1 | 20 x 61 x 134 | 25 | 80102130003000 |

Breeder with internal nest

Material: Electro-galvanised metal net (cages) + plastic (nests, feeders, perch, dropping trays) + steel (drinkers).

Features: Sturdy cages made with electro-galvanised 2.5mm net, raised from the floor. The cage that is dedicated to the breeders is equipped with two pens and two internal plastic nests (removable), two feeders, two drip drinkers (to be connected to a gravity water system), a removable perch, and three trays to collect the droppings. The pens are internally divided, the central part includes the space that is dedicated to the hay supply.

Ideal solution to breed rabbits.

It is supplied disassembled in a box.

Cage dimensions: 122,5 x 51,5 (60) x 87,5 cm



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2213ASMON | 1 | 20 x 61 x 134 | 17,38 | 8010213000294 |

Fattening cage

Material: Electro-galvanised metal net (cages) + plastic (feeders, perch, dropping trays) + steel (drinkers).

Features: Sturdy cages made with electro-galvanised 2.5mm net, raised from the floor.

The cage that is dedicated to fattening is equipped with 3 pens, 3 feeders, 3 drip drinkers

(to be connected to the gravity water main), a removable plastic perch, and 3 trays to collect the droppings.

The space of every pen (fattening) has an extra-large size compared to the standard model, allowing hosting 2 or 3 rabbits per pen during the first 2 or 3 months of life, thus streamlining the relevant space.

The space of every pen is internally delimited and can be adjusted according to the specific needs; the cage is fully accessible from the top and individually from the front by means of the dedicated doors in every pen.

Ideal solution to breed rabbits.

It is supplied disassembled in a box.

Cage dimensions: 122,5 x 51,5 (60) x 87,5 cm



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2212ASMON | 1 | 20 x 61 x 134 | 18,29 | 8010213000287 |

Breeder with internal nest + fattening cage “composition example”

Material: Electro-galvanised metal net (cages) + plastic (nests, feeders, perches and dropping trays) + steel (drinkers)
Features: sturdy cages made with electro-galvanised 2.5mm net, raised from the floor, formed by two levels, the breeder is on the first level, while the fattening cages are on the second level.

The lower part is dedicated to the breeders, equipped with two pens and two external plastic nests, while the upper part includes the fattening cage with three available pens with single and/or total access; overall, it is formed by five feeders, five drip drinkers (to be connected to a gravity water system), two removable perches, six trays to collect the droppings.

The pens (breeder) are internally divided, the central part is dedicated to the hay supply; the space of every pen (fattening) has an extra-large size compared to the standard model, allowing hosting 2 or 3 rabbits per pen during the first 2 or 3 months of life; in addition, it is internally delimited and can be adjusted according to the specific needs.

The cage is fully accessible from the top and individually from the front through individual doors. Ideal solution to breed rabbits.

It is supplied disassembled in a box.

Cage dimensions/each: 122,5 x 51,5 (60) x 172 cm



Double fattening cage “composition example”

Material: Electro-galvanised metal net (cages) + plastic (feeders, perches, dropping trays) + steel (drinkers).

Features: Sturdy cages made with electro-galvanised 2.5mm net, raised from the floor, formed by two levels. The fattening cage is equipped with three pens in the upper part and three in the lower part, six feeders, six drip drinkers (to be connected to a gravity water system), two removable plastic perches, six plastic trays to collect the droppings which assure maximum hygiene and cleaning.

The space of every pen (fattening) has an extra-large size compared to the standard model, allowing hosting 2 or 3 rabbits per pen during the first 2 or 3 months of life, thus streamlining the relevant space.

The space of every pen is internally delimited and can be adjusted according to the specific needs, the door can be fully opened from the top and individually from the front.

Ideal solution to breed rabbits.

It is supplied disassembled in a box.

Cage dimensions/each: 122,5 x 51,5 (60) x 172 cm





Double fattening cage "composition example"

Material: Electro-galvanised metal net (cages) + plastic (feeders, perches, dropping trays) + steel (drinkers).

Features: Sturdy cages made with electro-galvanised 2.5mm net, raised from the floor, formed by two levels. The fattening cage is equipped with three pens in the upper part and three in the lower part, six feeders, six drip drinkers (to be connected to a gravity water system), two removable plastic perches, six plastic trays to collect the droppings which assure maximum hygiene and cleaning.

The space of every pen (fattening) has an extra-large size compared to the standard model, allowing hosting 2 or 3 rabbits per pen during the first 2 or 3 months of life, thus streamlining the relevant space.

The space of every pen is internally delimited and can be adjusted according to the specific needs, the door can be fully opened from the top and individually from the front. Ideal solution to breed rabbits.

It is supplied disassembled in a box.

Cage dimensions/each: 122,5 x 51,5 (60) x 172 cm




Internal nest

Material: Plastic.

Characteristics: It can be used in all breeder cages, made with plastic material and perforated bottom, easy to clean, equipped with fastening screws.

Dimensions: 39,5x24,5x13,5 cm



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 1727A0000 | | 39,5 x 24,5 x 13,5 | 0,306 | 8010213017278 |

External nest

Material: Plastic.

Features: It can be applied to all cages with max. 165mm hole, removable net bottom, hygienic, inspection door on the top, simple to install, ready to use.

Dimensions: 47x30x33 cm



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2215A0000 | 1 | 31 x 48,5 x 37 | 3,75 | 80102139179576 |

Jolly hook

Material: Plastic.

Features: It can be applied to all cages with max. 3mm wire to join the net meshes of the cages.

Dimensions: 13x18x7 mm







| Article |  |  l x p x h |  Kg |  Code |
|--------------|---|---|--|--|
| 3947P | | | | |

Drinker / Feeder MEZZALUNA

Material: Galvanised plate.

Features: Suitable for all net types, ideal solution for rabbits, small size fowl and birds.




| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 1716A0000 | 60 | 31,5 x 36 x 20 | 0,124 | 8010213972195 |
| 1716AF000 ▲ | 24 | 32 x 29 x 18,5 | 0,1354 | 8010213971716 |

Hopper feeder with 1 compartment and cover

Material: Food-grade plastic.

Features: Equipped with one compartment, ideal solution to supply the feed to rabbits, hooks for fastening to all net types, double control label holder.








| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 2072AF000 ▲ | 24 | 53,5 x 34,5 x 85,5 | 0,571 | 8010213977855 |

Cover for hopper feeder with 2 compartments

Material: Non-toxic plastic.

Features: Ideal solution for hopper feeder with 2 compartments, dirt-prevention cover.








| Article |  |  l x p x h |  Kg |  Code |
|------------------|--|---|--|--|
| 1851A0000 | 24 | 24 x 15 x 14,5 | 0,0479 | 8010213018510 |

Hopper feeder with 2 compartments

Material: Food-grade plastic.

Features: Equipped with two compartments, ideal solution to supply the feed to rabbits, hooks for fastening to all net types, protection made with galvanised plate and control label holder, the cover can be added. Equipped with double control label holder.







| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 0034A0000 | 18 | 56,5 x 47,5 x 66 | 0,571 | 8010213000348 |

Hopper feeder with 2 compartments + Cover

Material: Food-grade plastic.

Features: Equipped with two compartments, ideal solution to supply the feed to rabbits, hooks for fastening to all net types, protection made with galvanised plate, control label holder + dirt-prevention cover.



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|--|---|--|--|
| 0034AF000 ▲ | 18 | 56,5 x 47,5 x 66 | 0,75 | 8010213971655 |



Bottle holder drinker with rodent-resistant pan

Material: Rodent-resistant non-toxic plastic.

Features: Ideal solution for rabbit cages, suitable to support a normal bottle of water.



| Article | | l x p x h | Kg | Code |
|------------------|----|------------------|-------|---------------|
| 0036A0000 | 60 | 37,5 x 48,5 x 41 | 0,128 | 8010213000362 |

AQUAVIVA Drinker

Material: Galvanised iron plate.

Features: Supplied disassembled, ideal solution for rabbit cages, suitable to support a normal bottle 2L of water.

Package: 2 pieces.



| Article | | l x p x h | Kg | Code |
|-------------------|----|------------------|------|---------------|
| 2188F0000▲ | 24 | 39 x 25,5 x 31,5 | 0,12 | 8010213979316 |

AQUADRINK Drinker

Material: Rodent-resistant non-toxic plastic + galvanised iron plate.

Features: Supplied disassembled, ideal solution for rabbit cages, suitable to support a normal bottle 1,5L of water.

Package: 2 pieces.



| Article | | l x p x h | Kg | Code |
|-------------------|----|------------------|--------|---------------|
| 0497F0000▲ | 24 | 39 x 25,5 x 31,5 | 0,2754 | 8010213970436 |

AQUAFLOW Drinker

Material: Non-toxic plastic + galvanised iron plate.

Features: Supplied disassembled, ideal solution for rabbit cages, suitable to support a normal bottle 1,5L of water.

Package: 2 pieces.



| Article | | l x p x h | Kg | Code |
|-------------------|----|------------------|------|---------------|
| 0297F0000▲ | 24 | 39 x 25,5 x 31,5 | 0,24 | 8010213502972 |

TOCE Drinker

Material: Food-grade plastic.

Features: Practical bottle container, removable pan that simplifies cleaning operations, suitable for all net types.



| Article | | l x p x h | Kg | Code |
|-------------------|----|----------------|--------|---------------|
| 1944A0000 | 48 | 56,5 x 32 x 58 | 0,1771 | 8010213970115 |
| 1944AF000▲ | 48 | 56,5 x 32 x 58 | 0,1771 | 8010213971594 |

NIAGARA Drinker with edge protection

Material: Food-grade plastic.

Features: Practical bottle container, removable pan that simplifies cleaning operations, suitable for all net types.







| Article | | l x p x h | Kg | Code |
|-------------------|----|----------------|--------|---------------|
| 1945A0000 | 48 | 56,5 x 32 x 58 | 0,2219 | 8010213970122 |
| 1945AF000▲ | 48 | 56,5 x 32 x 58 | 0,2219 | 8010213971648 |

TOP Drip drinker, rodent-resistant

Material: Non-toxic plastic + rodent-resistant stainless steel protection.

Features: Ideal solution to be fastened to the net of rabbit, fowl and bird cages.







| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 2000A0000 | 120 | 16,5x25,5x4,5 | 0,0039 | 8010213972096 |
| 2000F0000 ▲ | 16 | 13,5x22x14,5 | 0,0145 | 8010213972102 |

TOP Drinker, rodent-resistant, with TEE-free spring

Material: Non-toxic plastic + rodent-resistant stainless steel protection.

Features: T-free coupling for connection of the water system. Ideal solution to be fastened to the net of rabbit and fowl cages.







| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 2003A0000 | 100 | 23,5 x 20 x 21 | 0,015 | 8010213972157 |
| 2003A1000 | 10 | 16,5 x 25,5 x 6 | 0,051 | 8010213977015 |
| 2003F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,028 | 8010213972164 |

TOP Drinker, rodent-resistant, with spring and Ø 10/7 TEE-connection

Material: Non-toxic plastic + rodent-resistant stainless steel protection.

Features: With spring and "T" coupling. Ideal solution to be fastened to the net of rabbit and fowl cages.



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 2002A0000 | 100 | 23,5 x 20 x 21 | 0,020 | 8010213972133 |
| 2002A1000 | 10 | 16,5 x 25,5 x 6 | 0,0542 | 8010213977039 |
| 2002F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0184 | 8010213972140 |





TOP Drinker, rodent-resistant, with screws and Ø 10/7 TEE-connection

Material: Non-toxic plastic + rodent-resistant stainless steel protection.

Features: Screw connection and "T" coupling.

Ideal solution to be fastened to the net of rabbit and fowl cages.



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 2004A0000 | 100 | 23,5 x 20 x 21 | 0,018 | 8010213972171 |
| 2004A1000 | 10 | 16,5 x 25,5 x 6 | 0,0812 | 8010213977022 |
| 2004F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0523 | 8010213972188 |



Derbi drinker (TOP 90°) with 50 cl tank





Material: Food-grade plastic.

Features: Equipped with rodent-resistant stainless-steel clamp, ideal solution for rabbits, birds and fowl; suitable for all net types.

Capacity: 50 cl

Water intake angle: 90°



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 2014A0000 | 24 | 36 x 13 x 42 | 0,1069 | 8010213972317 |
| 2014AF000 ▲ | 24 | 36 x 13 x 42 | 0,1079 | 8010213972324 |

Derbi drinker (TOP 90°) with 100 cl tank





Material: Food-grade plastic.

Features: Equipped with rodent-resistant stainless-steel clamp, ideal solution for rabbits, birds and fowl; suitable for all net types.

Capacity: 100 cl

Water intake angle: 90°



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|--|--|---|---|
| 2019A0000 | 24 | 45 x 35,5 x 41 | 0,1843 | 8010213972393 |
| 2019AF000 ▲ | 24 | 45 x 35,5 x 41 | 0,1843 | 8010213972409 |

Derbi drinker (TOP 45°) with 50 cl tank





Material: Food-grade plastic.

Features: Equipped with rodent-resistant stainless-steel clamp, ideal solution for rabbits, birds and fowl; suitable for all net types.

Capacity: 50 cl

Water intake angle: 45°



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 2015A0000 | 24 | 36 x 13 x 42 | 0,1071 | 8010213972331 |
| 2015AF000 ▲ | 24 | 36 x 13 x 42 | 0,1081 | 8010213972348 |

Derbi drinker (TOP 45°) with 100 cl tank





Material: Food-grade plastic.

Features: Equipped with rodent-resistant stainless-steel clamp, ideal solution for rabbits, birds and fowl; suitable for all net types.

Capacity: 100 cl

Water intake angle: 45°




| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 2020A0000 | 24 | 45 x 35,5 x 41 | 0,1843 | 8010213972416 |
| 2020AF000 ▲ | 24 | 45 x 35,5 x 41 | 0,1843 | 8010213972423 |

Automatic drinker with 6cm fixed pan, rodent-resistant

Material: Rodent-resistant non-toxic plastic.

Features: Automatic type with 6cm fixed pan, the float is removable for cleaning purposes (the water connection is maintained).

Ideal solution for the connection of the gravity water main.




| Article | | l x p x h | Kg | Code |
|--------------------|----|----------------|--------|---------------|
| 0517A0000 | 48 | 25 x 37 x 48 | 0,1625 | 8010213005176 |
| 0517F0000 ▲ | 16 | 35 x 15,5 x 35 | 0,1815 | 8010213505171 |

Automatic drinker with 12 cm fixed pan, rodent-resistant

Material: Rodent-resistant non-toxic plastic.

Features: Automatic type with 12cm fixed pan, the float unit is removable for cleaning purposes (the water connection is maintained).

Ideal solution for the connection to a gravity water main




| Article | | l x p x h | Kg | Code |
|--------------------|----|----------------|--------|---------------|
| 0515A0000 | 48 | 37 x 38 x 48 | 0,1916 | 8010213005152 |
| 0515F0000 ▲ | 16 | 35 x 15,5 x 35 | 0,2047 | 8010213505157 |

TOCE EVOLUTION Drinker

Material: Food-grade plastic.

Features: Automatic drinker, universal coupling for net cages, fixed pan, float unit that can be removed for cleaning purposes (the water connection is maintained), three adjustable water levels.



| Article | | l x p x h | Kg | Code |
|------------------|----|------------------|------|---------------|
| 2183A0000 | 24 | 21 x 32,5 x 41,5 | 0,21 | 8010213979231 |

NIAGARA EVOLUTION Drinker, rodent-resistant

Material: Food-grade plastic.

Features: Automatic drinker, universal coupling for net cages, fixed pan, float unit that can be removed for cleaning purposes (the water connection is maintained), three adjustable water levels, and rodent-resistant metal protection.



| Article | | l x p x h | Kg | Code |
|------------------|----|------------------|------|---------------|
| 2184A0000 | 24 | 21 x 32,5 x 41,5 | 0,26 | 8010213979248 |

Rubber sealing plug for automatic drinker

Material: Non-toxic plastic.

Accessory for automatic drinker with fixed pan.



| Article | | l x p x h | Kg | Code |
|--------------------|-----|------------------|--------|---------------|
| 0108A0000 | 100 | | 0,0005 | 8010213001086 |
| 0108F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0168 | 8010213971310 |

Domestic Filter Ø 10mm

Material: Non-toxic plastic.

Features: It can be easily disassembled for cleaning and hygienic purposes, the outputs are suitable for a 10mm-diameter connection pipe.

Ideal solution for the connection to a gravity water main.



| Article | | l x p x h | Kg | Code |
|--------------------|----|----------------|--------|---------------|
| 0255A0000 | 24 | 19 x 19 x 16 | 0,05 | 8010213002557 |
| 0255F0000 ▲ | 16 | 15 x 34,5 x 21 | 0,0657 | 8010213502552 |



12L tank with hose connection





Material: Food-grade plastic.

Capacity: 12L

Features:

- 10mm-diameter hose connection.
- Dirt-prevention lid.
- Handle.
- Ideal solution for rabbit, fowl and bird cages.



| Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|
| 2013A0000 | 12 | 37 x 37 x 83 | 0,9208 | 8010213972294 |
| 2013AF000▲ | 12 | 37 x 37 x 83 | 0,9208 | 8010213972300 |

18L tank with hose connection





Material: Food-grade plastic.

Capacity: 18L

Features:

- 10mm-diameter hose connection.
- Dirt-prevention lid.
- Handle.
- Ideal solution for rabbit, fowl and bird cages.



| Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|
| 1978A0000 | 12 | 36,5 x 36,5 x 94 | 1,1833 | 8010213971105 |
| 1978AF000▲ | 12 | 36,5 x 36,5 x 94 | 1,1833 | 8010213971532 |

24L tank with hose connection





Material: Food-grade plastic.

Capacity: 24L

Features:

- 10mm-diameter hose connection.
- Dirt-prevention lid.
- Handle.
- Ideal solution for rabbit, fowl and bird cages.



| Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|
| 2116A0000 | 10 | 36,5 x 36,5 x 94 | 1,1853 | 8010213979040 |
| 2116AF000▲ | 10 | 36,5 x 36,5 x 94 | 1,1853 | 8010213979057 |





Valve + Rod + Float made with plastic materials for 8L tank

Material: Non-toxic plastic.

Features: Accessory for 8L pan.

Direct connection to the water supply.



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 1868A0000 | 1 | | 0,125 | 8010213979378 |




8L Plastic Tank + Lid

Material: Non-toxic plastic.

Capacity: 8 L

Characteristics: Tank suitable for connection to water supply systems. Equipped with cover for dirt prevention.



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 0135A0000 | 24 | 67 x 37 x 44 | 0,5729 | 8010213001352 |

8L Plastic Tank + Float + 1 Ø 10mm output + Cover

Material: Non-toxic plastic.

Capacity: 8 L

Features: Tank suitable for connection to water supply systems. Equipped with floater, cover and 1 outlet suitable for a 10 mm diameter hose.



| Article |  |  l x p x h |  Kg |  Code |
|------------------|--|---|--|--|
| 0137A0000 | 1 | | 0,805 | 8010213001376 |

8L Plastic Tank + Float + 2 Ø 10mm outputs + Cover

Material: Non-toxic plastic.

Capacity: 8 L

Features: Tank suitable for connection to water supply systems. Equipped with floater, cover and 2 outlets suitable for 10 mm diameter hoses.





| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 0138A0000 | 1 | | 0,81 | 8010213001383 |

8L Plastic Tank + Float + 1 Ø 22 mm angular output + Cover

Capacity: 8 L

Features: Tank suitable for connection to water supply systems. Equipped with floater, cover and 1 outlet suitable for 20 mm diameter hoses.



| Article |  |  l x p x h |  Kg |  Code |
|------------------|--|---|--|--|
| 0139A0000 | 1 | | 0,825 | 8010213001390 |

8L Plastic Tank + Float + 2 Ø 22 mm angular outputs + Cover

Material: Non-toxic plastic.

Capacity: 8 L

Characteristics: Tank suitable for connection to water supply systems. Equipped with float, lid and 2 outlets suitable for 20 mm diameter.



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 0140A0000 | 1 | | 0,84 | 8010213001406 |



Black hose, 20 mm Ø - 50 m

Material: Soft PVC roll of 50 m.

Characteristics: Used for the water connection of the troughs.



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 0103A0000 | 50 m | | 0,204 | 8010213001031 |





Black hose, 10 mm Ø - 100 m

Material: Soft PVC 100 m roll.

Characteristics: Used for water connection water connection of drinking troughs.



* Kg/m





| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 0101A0000* | 100 m | | 0,07 | 8010213001017 |
| 0101A1000* | 10 m | | 0,07 | 8010213968785 |
| 0101A5000* | 50 m | | 0,07 | 8010213968792 |
| 0101AF010*▲ | 12x10 m | 40 x 37 x 35 | 0,73 | 8010213971815 |

Fixed hook for square tube

Material: Steel.

Features: Hooks to quickly attach or detach the square tube with cage drinkers.







| Article |  |  l x p x h |  Kg |  Code |
|--------------------|--|--|---|---|
| 0452A0000 | 500 | | 0,0026 | 8010213004520 |
| 0452F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0343 | 8010213970733 |

Spring with hook

Material: Steel.

Characteristics: Coil=26,5. Useful spring for assembling and disassembling doors, feeders and various accessories for rabbit and poultry cages.



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|--|--|---|---|
| 0401A0000 | 200 | | 0,0143 | 8010213004018 |
| 0401F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0425 | 8010213971068 |





Ø10 mm head

Material: Plastic.

Characteristics: Installed with PVC glue on the ends of the square tube to facilitate the connection of flexible hoses.

Diameter: 10 mm



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 0041A0000 | 100 | | 0,0048 | 8010213000416 |
| 0041F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0213 | 8010213970658 |





Ø 22 mm head

Material: Plastic.

Characteristics: Installed with PVC glue on the ends of the square tube to facilitate the connection of flexible hoses.

Diameter: 22 mm



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 0042A0000 | 100 | | 0,0072 | 8010213000423 |
| 0042F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,026 | 8010213970665 |





Rigid square tube

Material: Plastic.

Features: Rigid square tube of 2mm used to create watering lines in cages for rabbits and birds.



* Pieces of 2m ** Kg/m





| Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|
| 0160A2000* | 50 mt | | 0,266** | 8010213001604 |
| 0160AR000 | on demand | | 0,266** | 8010213968563 |

Hook for blister packs

Material: Plastic.

Features: Hook ideal for holding all blister packs with Euro hole in the displays.



| Article |  |  l x p x h |  Kg |  Code |
|--------------|---|---|--|--|
| 3760P | 50 | 5 x 20 x 20 | 0,0082 | |





Plug Ø10mm

Material: Plastic.

Characteristics: Allows to close the ends of fittings used in water systems.

Diameter: 10 mm



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 0105A0000 | 100 | | 0,0019 | 8010213001055 |
| 0105F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0218 | 8010213501050 |





Plug Ø22mm

Material: Plastic.

Characteristics: Allows to close the ends of fittings used in water systems.

Diameter: 22 mm



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|--|---|--|--|
| 0106A0000 | 100 | | 0,0032 | 8010213001062 |
| 0106F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0283 | 8010213970672 |

Hexagonal plug 1/8" threaded

Material: Plastic.

Characteristics: Threaded hexagonal type.

Diameter:



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 0107A0000 | 100 | | 0,0015 | 8010213001079 |
| 0107F0000 ▲ | 16 | 13,5x22x14,5 | 0,0193 | 8010213970689 |





3/4" square threaded plug

Material: Plastic.

Characteristics: Ideal for closing the 8 L tank.

Package of 2 pieces.



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|--|---|--|--|
| 0000417PF ▲ | 16 | 13,5x22x14,5 | 0,0194 | 8010213970696 |





Angle connection for Ø 22mm hose

Material: Non-toxic plastic.

Characteristics: Allows the connection of a flexible hose of 22mm diameter with the tank.

Diameter: Ø 22mm



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|--|--|---|---|
| 0123A0000 | 50 | | 0,022 | 8010213001239 |
| 0123F0000 ▲ | 16 | 15 x 34 x 21 | 0,0583 | 8010213971051 |





Hose connection Ø 10mm

Material: Non-toxic plastic.

Characteristics: Allows the connection of a flexible hose of 10mm diameter with the tank.

Diameter: Ø 10 mm



| Article |  |  l x p x h |  Kg |  Code |
|------------------|--|---|--|--|
| 00000405P | 100 | | 0,0014 | 8010213104053 |





Ø10mm hose connection with brass nut 22mm and 10mm hose adapters

Material: Non-toxic plastic.

Features: Brass nut. It is applied to the water tank to allow its connection to the 10 mm diameter flexible hose.

Diameter: Ø 10 mm







| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 0097A0000 | 100 | | 0,0028 | 8010213000973 |
| 0097F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0176 | 8010213500978 |

Material: Non-toxic plastic.

Features: Adapter for connecting flexible hoses of 20 mm and 10 mm together.

Diameter: 22 mm - 10 mm



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|--|---|--|--|
| 0499A0000 | 50 | | 0,0099 | 8010213004995 |
| 0499F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0219 | 8010213971037 |





T-connection Ø 10/7

Material: Non-toxic plastic.

Characteristics: Used for the connection of hoses for drinking troughs.

Diameter: 10/7



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 00000402P | 100 | | 0,0021 | 8010213104022 |





Linear connection Ø 10mm

Material: Non-toxic plastic.

Characteristics: Used for the connection of hoses for troughs.

Diameter: 10 mm



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|--|---|--|--|
| 0118A0000 | 100 | | 0,0019 | 8010213001185 |
| 0118F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0157 | 8010213501180 |





Angle connection Ø 10mm

Material: Non-toxic plastic.

Characteristics: Used for the connection of hoses for troughs.

Diameter: 10 mm



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 0546A0000 | 100 | | 0,0021 | 8010213005466 |
| 0546F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0155 | 8010213505461 |





Ø 10 mm T-connection

Material: Non-toxic plastic.

Characteristics: Used for the connection of hoses for troughs.

Diameter: 10 mm



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|--|---|--|--|
| 0109A0000 | 100 | | 0,0027 | 8010213001093 |
| 0109F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0163 | 8010213501098 |







Ø 10mm cross connection

Material: Non-toxic plastic.

Characteristics: Used for the connection of hoses for troughs.

Diameter: 10 mm







| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 0516A0000 | 100 | | 0,00355 | 8010213005169 |
| 0516F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0183 | 8010213505164 |

Long pipette with 1/8" thread

Material: Non-toxic plastic.

Characteristics: Used for the connection of hoses for troughs.



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 0003290P | 50 | 14 x 21 x 3 | 0,006 | 8010213971273 |
| 0003290PF ▲ | 16 | 13,5 x 22 x 14,5 | | 8010213971488 |





6 cm extension

Material: Non-toxic plastic.

Features: Used to bring the drinkers closer to small animals so they can drink.

No direct water connection.



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 0486A0000 | 50 | | 0,006 | 8010213004865 |
| 0486F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0302 | 8010213970757 |





9 cm extension

Material: Non-toxic plastic.

Features: Used to bring the drinkers closer to small animals so they can drink.

No direct water connection.



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 0487A0000 | 50 | | 0,0082 | 8010213004872 |
| 0487F0000 ▲ | 16 | 15 x 34 x 21 | 0,0464 | 8010213970764 |





12 cm extension

Material: Non-toxic plastic.

Features: Used to bring the drinkers closer to small animals so they can drink.

No direct water connection.



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|--|--|---|---|
| 0488A0000 | 50 | | 0,0104 | 8010213004889 |
| 0488F0000 ▲ | 16 | 15 x 34 x 21 | 0,0522 | 8010213970771 |

Hose connection Ø 21mm, with 1/2" thread

Material: Non-toxic plastic.

Features: Applicable to water tank to connect the flexible hose.

Diameter: 21 mm



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 00004381P | 50 | | 0,0132 | 8010214002488 |

Hose connection Ø 15mm with 1/2" thread

Material: Non-toxic plastic.

Features: Applied to the water tank to connect the flexible hose.

Diameter: 15 mm



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 00004382P | 50 | | 0,01 | 8010214002495 |

Nut 1/8" for D10 PL hose connection D10 PL

Material: Non-toxic plastic.



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 00004372P | 50 | | 0,0008 | 8010214002518 |

Nut 1/2" for straight D22 outlet

Material: Non-toxic plastic.



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 00000499P | 50 | | 0,0054 | 8010214002525 |

3/4" PL nut

Material: Non-toxic plastic.



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 00002717P | 50 | | 0,0042 | 8010214002501 |





Hose connection Ø 15mm with 1/2" thread + gasket + nut

Material: Non-toxic plastic.

Features: Applicable to water tank to connect the flexible hose.

Diameter: 15 mm



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 2105A0000 | 50 | | 0,016 | 8010214001320 |
| 2105F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0425 | 8010214002549 |





Hose connection Ø21mm with thread 1/2" + gasket + nut

Material: Non-toxic plastic.

Features: Applied to the water tank to connect the flexible hose.

Diameter: 21 mm



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 2104A0000 | 50 | | 0,0192 | 8010214001313 |
| 2104F0000 ▲ | 16 | 13,5 x 22 x 14,5 | 0,0492 | 8010214002532 |

Perch stapling - 72 cm

Material: Non-toxic plastic.

Characteristics: Ideal solution to join the perch and create the bottom of the cages.

Length: 72 cm



Plastic rabbit perch









Material: Non-toxic plastic.

Features: To create the cage floor and prevent the formation of sores on the animals' feet.

Pieces of 2m/3m/4m




* kg/m

| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|-------------------|--|---|--|--|
| 0134A0000 | 100 | 75,5 x 16 x 11,5 | 0,067 | 8010213001345 | 0457A2000* | 100 m | | 0,128 | 8010213004575 |
| | | | | | 0457A3000* | 150 m | | 0,128 | 8010213968570 |
| | | | | | 0457A4000* | 200 m | | 0,128 | 8010213968587 |
| | | | | | 0457AR000 | on demand | | 0,128 | 8010213968600 |

Rabbit accessory blisters

| | | | | | | |
|--|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| Art. 0041F0000 | Art. 0042F0000 | Art. 0105F0000 | Art. 0106F0000 | Art. 0108F0000 | Art. 0000417PF | Art. 0118F0000 |
|  |  |  |  |  |  |  |
| Art. 0109F0000 | Art. 0546F0000 | Art. 0516F0000 | Art. 0003290PF | Art. 0499F0000 | Art. 0401F0000 | Art. 0452F0000 |
|  |  |  |  |  |  |  |
| Art. 0486F0000 | Art. 0123F0000 | Art. 0487F0000 | Art. 0488F0000 | Art. 2000F0000 | Art. 2002F0000 | Art. 2003F0000 |
|  |  |  |  |  | | |
| Art. 2004F0000 | Art. 0255F0000 | Art. 0515F0000 | Art. 2104A0000 | Art. 2105A0000 | | |

TRAPS AND EXTERMINATORS



ORMITAL



UFOTRAP Multi-purpose trap

Multipurpose and ecological chromotropic trap to protect orchards, olive groves, apiaries, and gardens. Ideal solution for trap flies, wasps, hornets, fruit flies, mosquitoes, It is ecological and effective, very easy to assemble and can be used with any plastic bottle. Can be use with food baits* (e.g. beer, fruit flies + vinegar/ammonia, wine, sardines, ripe fruit...), and hang it directly on trees and plants at a height of about 150 cm.

Very easy to clean and reusable.

Use: Outdoors.



UFOFLY Multi-purpose trap

Universal and ecological chromotropic trap for the protection of orchards, olive groves, apiaries, and gardens. Ideal for trapping flies, wasps, hornets, fruit flies, mosquitoes, insects, etc... Ecological and effective. Very easy to assemble, it adapts depending on the model to any glass jar (e.g. canning jars) or a plastic bottle; can be used with food baits* (e.g. beer, water + vinegar/ammonia, wine, sardines, ripe fruit), and hang directly on trees and plants at a height of about 150cm.

Very easy to clean, reusable and economical.

Use: Outdoors.



| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|------------------|----|----------------|------|---------------|------------------|----|----------------|------|---------------|
| 2221A0000 | 22 | 41,5 x 50 x 21 | 0,12 | 8010213000331 | 2222A0000 | 22 | 41,5 x 50 x 21 | 0,09 | 8010213000335 |

INSTRUCTIONS FOR USE UFOTRAP & UFOFLY

Use: Outdoors.

Period of use: Early spring to late fall.

Positioning: Place 1 trap for each fruit tree (modest foliage cover), at a height of about 150 cm from the ground.

Exposure: South facing, if possible.

Baits: Use food baits (see recipe booklet* with recommended baits according to the insect to be treated). Fill approximately 2/3 of the container.

Monitoring: Control every 15 days; replenish and/or refill contents, if necessary.

⚠ ATTENTION:

It is advisable to mix the food baits in proportions of 2/3 of the capacity of the container and change them in case of particularly harsh weather conditions (e.g. heavy rains, high temperatures...). The ingredients must be dissolved in 500 ml of liquids and the quantities are merely indicative, as they are subject to conditions. The specified dosages are expressed in ml for liquids and in gr for solid foods.

* Recipe book

| | Water | Sugar | Raw fish/ Spoiled meat | Ripe fruit | Beer | Vinegar | Ammonia | Dried yeast | Flour / Biscuits |
|----------------|-------|--------|---------------------------|------------|------|---------|---------|-------------|------------------|
| Wasps | 500 | 30-50 | | 30-60 | | | | | |
| Hornets | 250 | | | | 250 | | | | |
| | 300 | 30-50 | | | | 200 | | | |
| Flies | 350 | | 30-50 | | | 150 | | | |
| | 250 | | | 60-120 | | | 250 | | |
| Fruit Flies | 350 | | | 30-60 | | | | | |
| | 250 | 30-50 | | | | 250 | | | |
| Butterflies | 150 | | | | 350 | | | | |
| | 500 | | | | | | | 30 | |
| | 500 | | | | | | | | 120-200 |
| Mosquitoes | 250 | 35-60 | | | 250 | | | | |
| | 500 | 70-120 | | | | | | 20 | |

TRAPPER, insect trap

Material: Non-toxic plastic.

Features: By introducing a baiting liquid inside the trap, insects such as wasps, flies, ants... end up inside the trap and cannot exit.

Use: Hung on the floor.

Where: Orchards, hen houses, stables/barns...



Mole trap

Material: Non-toxic plastic.

Features:









- Equipped with inspection door.
- Equipped with jaws at both ends.
- Environmentally friendly.
- No poison is used.

Use: Underground.

Measures: 24 x 7 x 15 max



* Unassembled bulk product

| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|-------------------|--|--|---|---|-------------------|---|--|---|---|
| 0069A0000 | 24 | 57 x 38,5 x 63 | 0,366 | 8010213000690 | 2054AF000▲ | 6 | 28,5 x 20 x 33 | 0,291 | 8010213976896 |
| 1778A0000* | 96 | 57 x 38,5 x 63 | 0,177 | 8010213017780 | | | | | |

Mouse trap with 1 inlet

Material: Non-toxic plastic.

Features:

- Equipped with inspection door.
- Equipped with 1 jaw-inlet.
- Eco-friendly.
- Reusable.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors.

Size: 17 x 7 x 8



Mouse trap with 2 inlets

Material: Non-toxic plastic.









Features:

- Equipped with inspection door.
- Equipped with 1 jaw-inlet.
- Eco-friendly.
- Reusable.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors.

Size: 27 x 8



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|-------------------|--|---|--|--|
| 2051AF000▲ | 12 | 21,5 x 30,5 x 25 | 0,1593 | 8010213976872 | 2048AF000▲ | 19 | 21,5 x 30,5 x 25 | 0,2325 | 8010213976827 |

Disposable mouse trap

Material: Non-toxic plastic.

Features:

- Equipped with 1 jaw-inlet.
- Eco-friendly.
- Reusable.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors

Size: Max. 13 x 6,8 x 10,5



Dome-shaped mouse trap with 1 inlet

Material: Non-toxic plastic.



Features:

- Equipped with 1 jaw-inlet.
- Eco-friendly.
- Reusable.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors

Size: 16,5 x 8,5



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|-------------------|---|---|--|--|
| 2046AF000▲ | 48 | 29 x 20,5 x 42 | 0,0512 | 8010213976803 | 2047AF000▲ | 12 | 17,5 x 34,5 x 51 | 0,1433 | 8010213976810 |

Dome-shaped mouse trap with 2 inlets

Material: Non-toxic plastic.

Features:

- Equipped with 2 jaw-inlets.
- Eco-friendly.
- Reusable.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors.

Size: 16,5 x 8,5



Dome-shaped mouse trap with 3 inlets

Material: Non-toxic plastic.









Features:

- Equipped with 3 jaw-inlets.
- Eco-friendly.
- Reusable.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors.

Size: 16,5 x 8,5



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|-------------------|---|---|--|--|
| 2095AF000▲ | 12 | 17,5 x 34,5 x 51 | 0,1626 | 8010214001078 | 2096AF000▲ | 12 | 17,5 x 34,5 x 51 | 0,168 | 8010214001085 |

Small cylinder-shaped rat trap

Material: Technopolymer.

Characteristics:

- Equipped with 1 inlet with jaw.
- Equipped with safety key.
- Can be fixed to beams, nets and walls.
- Environmentally friendly.
- Hygienic/reusable.
- Safe for children and pets.
- No poison used.

Use: Ideal indoor and outdoor solution.

Measures: 30,5 x 15 x 18 cm.



Big cylinder-shaped rat trap

Material: Technopolymer.









Characteristics:

- Equipped with 1 inlet with jaw.
- Equipped with safety key.
- Can be fixed to beams, nets and walls.
- Environmentally friendly.
- Hygienic/reusable.
- Safe for children and pets.
- No poison used.

Use: Ideal indoor and outdoor solution.

Measures: 41 x 15 x 18 cm.



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|-------------------|--|---|--|--|
| 2052AF000▲ | 5 | 29 x 45 x 31 | 0,5196 | 8010213976858 | 2053AF000▲ | 4 | 29 x 45 x 31 | 0,6153 | 8010213976889 |

Small cylinder-shaped mouse trap.

Material: Technopolymer.

Characteristics:

- Equipped with 1 inlet with jaw.
- Equipped with safety key.
- Can be fixed to beams, nets and walls.
- Environmentally friendly.
- Hygienic/reusable.
- Safe for children and pets.
- No poison used.

Use: Ideal indoor and outdoor solution.

Measures: 30,5 x 15 x 18 cm.



Big cylinder-shaped mouse trap.

Material: Technopolymer.



Characteristics:

- Equipped with 1 inlet with jaw.
- Equipped with safety key.
- Can be fixed to beams, nets and walls.
- Environmentally friendly.
- Hygienic/reusable.
- Safe for children and pets.
- No poison used.

Use: Ideal indoor and outdoor solution.

Measures: 41 x 15 x 18 cm.



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|-------------------|--|---|--|--|
| 2049AF000▲ | 5 | 29 x 45 x 31 | 0,4739 | 8010214001108 | 2050AF000▲ | 4 | 29 x 45 x 31 | 0,5671 | 8010214001115 |

Mouse trap, repeated capture, 31 cm

Material: Galvanised plate.

Features:

- Equipped with 2 inlets.
- Repeated capture, the mechanism will restore in an automatic way.
- Equipped with swivelling door.
- Eco-friendly.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors.

Size: 31 x 16 x 7 cm



Mouse trap, repeated capture, 46cm

Material: Galvanised plate.






Features:

- Equipped with 2 inlets.
- Repeated capture, the mechanism will restore in an automatic way.
- Equipped with swivelling door.
- Eco-friendly.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors.

Size: 46 x 22 x 12 cm



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|------------------|---|---|--|--|
| 1691A0000 | 6 | 32 x 17 x 40,5 | 1,475 | 8010213016912 | 1692A0000 | 6 | 48 x 24 x 69,5 | 3,5138 | 8010213016929 |

Mouse trap, repeated capture, 40cm

Material: Galvanised plate.

Features:

- Equipped with 2 jaw-inlets.
- Repeated capture, the mechanism will restore in an automatic way.
- Eco-friendly.
- Safe for children and pets.
- No poison is used.

Use: Ideal solution indoors and outdoors.

Size: 40 x 20 x 12 cm



Rat-killing bait distributor

Material: Galvanised plate.









Features:

- Equipped with safety key.
- Compatible with different bait types.
- Ideal solution for professional uses.
- Safe for children and pets.
- Can be fixed to the wall or on the floor.

Use: Ideal solution indoors and outdoors.

Size: 45 x 8 cm



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|------------------|---|---|--|--|
| 2098A0000 | 6 | 48 x 24 x 69,5 | 2,20 | 8010214001122 | 1690A0000 | 6 | 46,5 x 17 x 27 | 1,20 | 8010213016905 |

Cage mouse trap, 20cm - SMALL

Material: Galvanised iron.

Features:

- The closing door is directly connected with the bait system.

Size: Max. 20x9x27



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 0043A0000 | 12 | 30 x 23 x 39 | 0,283 | 8010213000430 |

Cage mouse trap, 30cm - MEDIUM





Material: Galvanised iron.

Features:

- The closing door is directly connected with the bait system.

Size: Max. 30x15x36



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 0031A0000 | 12 | 48 x 34,5 x 54 | 0,5833 | 8010213000317 |


Cage mouse trap, 40cm - LARGE





Material: Galvanised iron.

Features:

- The closing door is directly connected with the bait system.

Size: Max. 40x19x50



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 0050A0000 | 12 | 59 x 43 x 71,5 | 0,9896 | 8010213000508 |

Trap for small predators with 1 entrance

Material: Galvanised iron.

Features:

- Made with sturdy galvanised metal net.
- Equipped with tilting transport handle.
- Easy and intuitive assembly.
- It is supplied disassembled and packaged in a handy space-saving box.
- Resistant during transport operations.

Dimensions: 62,5 x 24 x 26 (38,5 max) cm

- Mesh 19x19 mm - Wire Ø 1,6 mm



Trap for small predators with 1 entrance

Material: Galvanised iron.









Features:

- Made with sturdy galvanised metal net.
- Equipped with tilting transport handle.
- Easy and intuitive assembly.
- It is supplied disassembled and packaged in a handy space-saving box.
- Resistant during transport operations.

Dimensions: 82,5 x 32 x 34 (50 max) cm

- Mesh 25x25 mm - Wire Ø 2,2 mm



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|------------------|---|---|--|--|
| 2099ASMON | 1 | 49,5 x 6,5 x 64 h | 3,3 | 8010213978623 | 2100ASMON | 1 | 65,5 x 8 x 84,5 h | 6 | 8010213978647 |

Trap for small predators with 2 entrances

Material: Galvanized steel.

Characteristics:

- Made of sturdy galvanized metal mesh.
- Equipped with tilting carrying handle.
- Easy and intuitive assembly.
- Supplied disassembled and packed in a practical, space-saving box.
- Sturdy during transport operations.

Dimensions: 82 x 24 x 26 (38,5 max) cm

- Mesh 19x19 mm - Wire Ø 1,6 mm



Trap for small predators with 2 entrances

Material: Galvanized steel.








Characteristics:

- Made of sturdy galvanized metal mesh.
- Equipped with tilting carrying handle.
- Easy and intuitive assembly.
- Supplied disassembled and packed in a practical, space-saving box.
- Sturdy during transport operations.

Dimensions: 101 x 32 x 34 (50 max) cm

- Mesh 25x25 mm - Wire Ø 2,2 mm



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|------------------|---|---|--|--|
| 2101ASMON | 1 | 49,5 x 6,5 x 86,5 h | 4,6 | 8010213978630 | 2102ASMON | 1 | 65,5 x 8 x 104 h | 7,9 | 8010213978654 |

Electronic rat exterminator




Material: Galvanised and coated steel

Features: Ultrasound type, equipped with 250 automatic frequency variations included between 20 and 50 KHz, 106 dB efficiency at 1m distance (it cannot be perceived by the human ear).

Ideal solution to exterminate mice, rats and cockroaches in particular environments, such as warehouses, cellars, shops...

Power supply: 12V with transformer.



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2027A0000 | 6 | 26 x 21 x 45 | 1,325 | 8010213972522 |

Round mosquito exterminator, 11W actinic lamp

Material: Plastic.

Features: 11W actinic lamp, max. 2000h yield, charging voltage 2000V, consumption 12W, range of action 4-6m

Power supply: 230V

Ideal solution to fight mosquitoes, flies and insects of various types.



Mosquito exterminator BOXER, 15W lamp

Ideal solution to fight mosquitoes, flies and insects of various types.

Material: Coated steel.

Features: Actinic lamp for insects, sucking fan, removable tray.

Use: Households, warehouses, shops...

Lamp: Actinic, 15W









Consumption: 60W

Range of action: 8 - 10m

Voltage supply: 230V



*Product available
until out of stock*

| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|------------------|--|---|--|--|
| 1121A0000 | 6 | 40 x 38 x 56 | 2,425 | 8010213011214 | 1734A0000 | 1 | 60 x 20 x 32.5 | 9,50 | 8010213017346 |

Exterminator STICKFLY equipped with 2 actinic shatter-proof 15W lamps

Material: Galvanised iron.

Features: Exterminator with adhesive paper for flying insects. Silent and odourless, it is an indispensable device at home, in public premises, laboratories, shops and food factories.

It is effective to capture insects, and allows maximum hygiene.

It is extremely easy to replace the sheet of adhesive paper.

It is equipped with 2 actinic 15W lamps.







| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 1928A0000 | 1 | 37,5 x 17,5 x 51 | 3,60 | 8010213969287 |

Sheets of adhesive paper for exterminator STICKFLY

Package with 6 sheets of adhesive paper for exterminator STICKFLY.



| Article |  |  l x p x h |  Kg |  Code |
|-------------------|---|---|--|--|
| 0003165PF▲ | 6 | 34,7 x 44,6 x 1,5 | 1,55 | 8010213969454 |

GARDEN



ORMITAL






MODULAR SYSTEM FOR URBAN GARDEN

Orto&Orto

ALLOWS YOU TO CREATE INFINITE
COMBINATIONS PERFECTLY
ADAPTABLE TO THE AVAILABLE
AREA



CLEVER
VEGETABLE
GARDEN!



ORTO&ORTO
WHEREVER YOU ARE,
GIVE FREE REIN TO
YOUR DESIRE FOR
GREENERY. SAVE
MONEY, HAVE FUN,
EAT HEALTHY AND



VEGETABLES



HERBS



WILD BERRIES




FRUIT TREES (DWARF TYPE)




MUSHROOMS



PREPARATION OF THE SOIL



SIMPLE!
HOW TO
CREATE THE
PERFECT LAND



EXAMPLE OF COMBINATIONS







Sanremo Set

Material: Food grade plastic.

Characteristics:

- Modular. Assembly without tools.
- Equipped with 4 culture containers.
- Can be installed horizontally (containers placed side by side) or vertically.
- During colder seasons, it can be used as a greenhouse, by covering it with the transparent polyethylene cover with double zipper (supplied with the standard equipment).
- Ideal solution for the cultivation of fruits and vegetables, herbs, tubers...
- Equipped with 4 swivel wheels.

Color: Green/Terracotta

| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| ■ 2143A0000 | 1 | 54 x 46 x 72 | 8,67 | 8010214002174 |
| ■ 2148A0000 | 1 | 54 x 46 x 72 | 8,67 | 8010214002242 |







Ortolina Set

Material: Food grade plastic.

Characteristics:

- Modular. Assembly without tools.
- Equipped with 3 culture containers.
- Can be installed horizontally (containers placed side by side) or vertically.
- During the coldest seasons, it can be used as a greenhouse, by covering it with the transparent polyethylene cover and double zipper (supplied with the standard equipment).
- Ideal solution for the cultivation of fruits and vegetables, herbs, tubers...
- Equipped with 4 swivel wheels.

Color: Green/Terracotta

| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| ■ 2144A0000 | 1 | 54 x 46 x 72 | 6,54 | 8010214002181 |
| ■ 2149A0000 | 1 | 54 x 46 x 72 | 6,54 | 8010214002259 |





Kit Orto&Orto

Material: Food grade plastic.

Characteristics:





- Resistant to freezing and UV rays.
- Modular in height and width.
- Stackable.
- Modular.
- Ideal solution for the cultivation of fruits and vegetables, herbs, ...
- Indoor and outdoor use (balcony, terrace, inside the house, school...).
- Assembly without tools
- Available accessories: Greenhouse cover, wheels, extension for root system crops, legs, spacers.
- The kit includes a structure for vines.
- Max. container capacity = 32 L

Color: Green/Terracotta

Dimensions: Each container 52,7 x 45,4 x 19 cm

Orto&Orto



| Article |  |  l x p x h |  Kg |  Code |
|-------------|---|---|--|--|
| ■ 00000311G | 1 | 46,5 x 54,5 x 55 | 6 | 8010213979071 |
| ■ 00000320G | 1 | 46,5 x 54,5 x 55 | 6 | 8010213979415 |

Azalea Kit





Material: Food grade plastic.

Characteristics:

- Modular. Assembly without tools.
- Equipped with 1 culture container + 1 extension (bottomless container).
- The bottomless container is used as an extension in case of a crop that needs a deeper space for the roots.
- Ideal solution for the cultivation of fruits and vegetables, herbs, tubers, miniature fruit trees...
- Equipped with 4 swivel wheels.

Color: Green/Terracotta



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| ■ 2153A0000 | 1 | 54 x 46 x 38,5 | 3,88 | 8010214002297 |
| ■ 2154A0000 | 1 | 54 x 46 x 38,5 | 3,88 | 8010214002303 |

Oleandro Kit





Material: Food grade plastic.

Characteristics:

- Modular. Assembly without tools.
- Equipped with 1 culture container + 2 extensions (bottomless containers).
- The bottomless container is used as an extension in case of a crop that needs a deeper space for the roots.
- Ideal solution for the cultivation of fruits and vegetables, herbs, tubers, miniature fruit trees...
- Equipped with 4 swivel wheels.

Color: Green/Terracotta



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| ■ 2151A0000 | 1 | 54 x 46 x 55 | 5,32 | 8010214002273 |
| ■ 2152A0000 | 1 | 54 x 46 x 55 | 5,32 | 8010214002280 |

Container with bottom

Orto&Orto

Material: Food grade plastic.

Characteristics:

- Resistant to freezing and UV rays.
- Modular in height and width.
- Stackable.
- Modular. Assembly without tools
- Ideal solution for growing fruits, vegetables and herbs.
- Indoor and outdoor use (balcony, terrace, office, school...).

Color: Green/Terracotta



Container with bottom

Orto&Orto









Material: Food grade plastic.

Characteristics:

- Resistant to freezing and UV rays.
- Modular in height and width.
- Stackable.
- Modular. Assembly without tools
- Ideal solution for growing fruits, vegetables and herbs.
- Indoor and outdoor use (balcony, terrace, office, school...).

Color: Green/Terracotta



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|------------------|--|--|---|---|------------------|--|--|---|---|
| 2113A0000 | 24 | 93 x 120 x 120 | 1,882 | 8010214001269 | 2122A0000 | 24 | 93 x 120 x 120 | 1,882 | 8010214001474 |
| 2113A4000 | 4 | 54 x 46 x 72 | 1,754 | 8010214002563 | 2122A4000 | 4 | 54 x 46 x 72 | 1,754 | 8010214002570 |

Bottomless container (extension)

Orto&Orto

Material: Food grade plastic.

Characteristics:

- Resistant to freezing and UV rays.
- Modular in height and width.
- Stackable.
- Modular. Assembly without tools
- Accessory used to increase soil depth for crops with developed root system.
- Ideal solution for growing fruits, vegetables and herbs.
- Indoor and outdoor use (balcony, terrace, office, school...).

Color: Green/Terracotta



Bottomless container (extension)

Orto&Orto









Material: Food grade plastic.

Characteristics:

- Resistant to freezing and UV rays.
- Modular in height and width.
- Stackable.
- Modular. Assembly without tools
- Accessory used to increase soil depth for crops with developed root system.
- Ideal solution for growing fruits, vegetables and herbs.
- Indoor and outdoor use (balcony, terrace, office, school...).

Color: Green/Terracotta



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|------------------|---|---|--|--|
| 2114A0000 | 4 | 54 x 46 x 72 | 1,528 | 8010214001276 | 2123A0000 | 4 | 54 x 46 x 72 | 1,528 | 8010214001481 |

Leg

Material: Non-toxic plastic.

Features:

- Accessory to regulate the height and width of the modular system.
- It is used to lift the sets from the floor

Package of 8 pieces.



| Article | | l x p x h | Kg | Code |
|------------------|----|------------------|-------|---------------|
| 2115A0000 | 21 | 42,5 x 50 x 18 | 0,054 | 8010214001283 |
| 2115A6000 | 6 | 31,5 x 20 x 22,5 | 0,056 | 8010214002587 |

Leg

Material: Non-toxic plastic.

Features:

- Accessory to regulate the height and width of the modular system.
- It is used to lift the sets from the floor

Package of 8 pieces.



| Article | | l x p x h | Kg | Code |
|------------------|----|------------------|-------|---------------|
| 2125A0000 | 21 | 42,5 x 50 x 18 | 0,054 | 8010214001498 |
| 2125A6000 | 6 | 31,5 x 20 x 22,5 | 0,056 | 8010214002594 |

Spacer

Material: Non-toxic plastic.

Characteristics:

- Accessory to regulate the height of the modular system.
- It is used to raise the sets from the floor.

Package of 4 pieces.



| Article | | l x p x h | Kg | Code |
|------------------|----|----------------|--------|---------------|
| 2128A0000 | 22 | 14,5 x 15 x 34 | 0,0235 | 8010214002006 |
| 2129A0000 | 22 | 14,5 x 15 x 34 | 0,0235 | 8010214002013 |

Wheel

Material: Non-toxic plastic.

Characteristics: Robust. Silent sliding. Swivel.

Push in mounting.

Color: Black.

Package of 4 pieces.



| Article | | l x p x h | Kg | Code |
|------------------|---|----------------|--------|---------------|
| 2131A0000 | 4 | 14,5 x 15 x 34 | 0,1334 | 8010214002020 |

Greenhouse connection

Material: Non-toxic plastic.

Features: Accessory for closing the container ends with and without bottom, as well as connection for the greenhouse.

Package of 4 pieces



| Article | | l x p x h | Kg | Code |
|------------------|----|-----------|-------|---------------|
| 2130A0000 | 16 | | 0,005 | 8010214002167 |
| 2150A0000 | 16 | | 0,005 | 8010214002266 |

greenhouse covering sheet

For ORTOLINA and SANREMO greenhouses.

Material: Polyethylene.

Color: Transparent.

Characteristics: Covering fabric with double zipper.



art. 2132A0000 150 cm

art. 2133A0000 100 cm

| Article | | l x p x h | Kg | Code |
|------------------|----|-----------|------|---------------|
| 2132A0000 | 12 | | 0,46 | 8010214002228 |
| 2133A0000 | 12 | | 0,46 | 8010214002235 |

Multicolor 12L bucket


Material: Food-grade plastic.

Features: Equipped with carrying handle, ideal solution to collect vegetables, fruit and for all activities that require a versatile and resistant container.

Colours: Blue/Red/Green

Capacity: 12L



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 2190A0000 | 12 | 37 x 37 x 83 | 0,66 | 8010213979385 |





12L Bucket + Lid

Material: Food grade plastic.

Characteristics: Equipped with carrying handle and lid. Ideal solution for harvesting vegetables and fruits, for storing cereals and for all activities that require a versatile and resistant container.

Capacity: 12 L



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|--|--|---|---|
| 2012A0000 | 12 | 37 x 37 x 83 | 0,908 | 8010213972270 |
| 2012AF000 ▲ | 12 | 37 x 37 x 83 | 0,908 | 8010213972287 |





18L Bucket + Lid

Material: Food grade plastic.

Characteristics: Equipped with carrying handle and lid. Ideal solution for harvesting vegetables and fruits, for storing cereals and for all activities that require a versatile and resistant container.

Capacity: 18 L



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 1977A0000 | 12 | 36,5 x 36,5 x 94 | 1,1875 | 8010213970597 |
| 1977AF000 ▲ | 12 | 36,5 x 36,5 x 94 | 1,1875 | 8010213971525 |





Bucket 24 L + Lid

Material: Food grade plastic.

Characteristics: Equipped with carrying handle and lid. Ideal solution for harvesting vegetables and fruits, for storing cereals and for all activities that require a versatile and resistant container.

Capacity: 24 L



| Article |  |  l x p x h |  Kg |  Code |
|--------------------|---|---|--|--|
| 2166A0000 | 10 | 36,5 x 36,5 x 94 | 1,19 | 8010213978234 |
| 2166AF000 ▲ | 10 | 36,5 x 36,5 x 94 | 1,19 | 8010213978241 |

GHIBLI Dryer

The dryer par excellence! It replaces the sun to dry mushrooms, fruits, vegetables, pasta and any other food without being conditioned by the weather.

The heating system (two resistors of 500W each) and the air circulation (an efficient fan allows a perfect circulation of the hot air in all the trays) eliminates the water of the food, drying it in an optimal and long-lasting way, keeping all their properties intact. The five large trays allow large quantities of product to be dried, making this machine an indispensable appliance for those who want healthy food.

Healthy food the traditional way!





Voltage supply: 220/230V

Consumption: 550/1100W

Capacity: kg 1,7/2,5/3,75

Approximate capacity of each tray: 750 gr of fruit, 350/500 gr of vegetables.



| Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|
| 1146A0000 | 1 | 41 x 40 x 42 | 9,70 | 8010213011467 |
| 1146ACCP0 | 1 | 47 x 47 x 49 | 11,00 | 8010213972249 |


Push-fit shovel BIOCCOLO

Material: Shockproof plastic.

Characteristics:

- Low temperature resistant.
- Compatible with any handle.
- Handle not supplied.
- Ideal solution for snow, removing manure, liquids, and any other element that can be found in stables/barns...

Measures: 43x40 cm



BIOCCOLO shovel with handle







Material: Shockproof plastic.

Characteristics:

- Supplied disassembled in a handy "space-saving" package.
- Equipped with a plastic handle
- ideal for snow, removing manure, liquids and any other elements that may be found in stables/barns...

Dimensions: 43x149 cm



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|--------------------|---|---|--|--|
| 1697A0000 | 12 | 45 x 42 x 48 | 0,8458 | 8010213016974 | 2039F0000 ▲ | 1 | 31,5 x 10,2 x 41,9 | 2,0086 | 8010213976681 |

JOY push-fit shovel

Material: Shockproof plastic.

Characteristics:

- Low temperature resistant.
- Compatible with any handle.
- Handle not supplied.
- Ideal solution for snow, removing manure, liquids, and any other element that can be found in stables/barns...

Measures: 29x35 cm



JOY shovel with handle








Material: Shockproof plastic.

Characteristics:

- Supplied disassembled in a practical «space-saving» package.
- Equipped with a plastic handle.
- ideal for snow, removing manure, liquids and any other items that may be found in stables/barns...

Measures: 29x142 cm



| Article |  |  l x p x h |  Kg |  Code | Article |  |  l x p x h |  Kg |  Code |
|------------------|---|---|--|--|--------------------|---|---|--|--|
| 2006A0000 | 12 | 40 x 30 x 51 | 0,5083 | 8010213972201 | 2040F0000 ▲ | 1 | 41,7 x 8,7 x 43,4 | 1,73 | 8010213976704 |


Push-fit shovel MAGIC with blade

Material: Shockproof plastic + integrated shockproof plastic + integrated metal blade.

Features:

- Low temperature resistant.
- Compatible with any handle.
- Handle not supplied.
- Perfect for breaking ice, removing snow or any hard material and dirt in stables/barns...

Measures: 29x38 cm



Shovel with handle MAGIC

Material: Shockproof plastic + integrated integrated metal blade.

Features:

- Supplied disassembled and packed in a practical "space-saving" box.
- Equipped with a practical plastic handle
- Perfect for breaking ice, removing snow or any hard material and dirt in stables/barns...

Measures: 29x144 cm



| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|------------------|----|--------------|--------|---------------|-------------------|---|--------------------|------|---------------|
| 2008A0000 | 12 | 40 x 30 x 51 | 0,6166 | 8010213972225 | 2042F0000▲ | 1 | 41,7 x 87,7 x 43,4 | 1,37 | 8010213976759 |

GARDEN serrated blade shovel

Material: Shockproof plastic + integrated serrated metal blade.

Features:

- Low temperature resistant.
- Compatible with any handle.
- Handle not supplied.
- Ideal solution for gardens, to remove weeds...

Measures: 29x38 cm



GARDEN serrated blade shovel

Material: Shockproof plastic + integrated serrated metal blade.

Features:

- Supplied disassembled and packaged in a handy practical "space-saving" box.
- Low temperature resistant.
- Compatible with any handle.
- Plastic handle with grip.
- Ideal solution for gardens, to eliminate weeds...

Measures: 29x144 cm




| Article | | l x p x h | Kg | Code | Article | | l x p x h | Kg | Code |
|------------------|----|--------------|--------|---------------|-------------------|---|--------------------|------|---------------|
| 2025A0000 | 12 | 40 x 30 x 51 | 0,6166 | 8010213972485 | 2044F0000▲ | 1 | 41,7 x 87,7 x 43,4 | 1,37 | 8010213976780 |

3-piece plastic handle + handgrip

Easy to assemble, robust and resistant.

Valid for all blades.

Dimensions: Length 123 cm - Diameter 4cm



| Article | | l x p x h | Kg | Code |
|------------------|----|--------------|------|---------------|
| 2193A0000 | 10 | 32 x 49 x 24 | 1,44 | 8010213979538 |

Grid to protect the lawn

Material: Non-toxic and recyclable technopolymer.



Characteristics:





- Honeycomb structure.
- Modular units
- Compressive strength equal to 580 KN.

Usage:

- Parking lots, lawns, golf courses....

Dimensions: 50 x 50 cm



| Article |  |  l x p x h |  Kg |  Code |
|--------------|---|---|--|--|
| GR10 | GREEN | | 1,10 | 8010213975042 |
| GR10N | BLACK | | 1,10 | 8910214000668 |


Place holder

Material: Non-toxic plastic.

Characteristics: Position marker for parking lots, paths, cultivated areas. Attachment to the lawn protection grid by means of a stainless steel screw.

Dimensions: Diameter 50 x 22 mm

| Article |  |  l x p x h |  Kg |  Code |
|--------------|---|---|--|--|
| GR11G | 12 | | 0,0013 | 8010213975059 |



Lawn protection grid - Uses



Paved accesses and parking lots.



Roads within the golf courses.



Embankment stabilization.

Advantages

- PROTECTS THE ENVIRONMENT by ensuring a 90% coverage of the lawn surfaces.
- MAINTAINS MOISTURE in the soil and allows excellent drainage.
- EASY AND QUICK INSTALLATION thanks to the pressure joining system (40/45 m2/hour).

The thickness of the load-bearing layer varies according to the different load stresses and soil conditions, as shown in the table.

The load-bearing layer must be pre-installed as a base for the GRASS PROTECTION GRILL to allow the distribution and transfer of moving loads to the underlying soil. In general, the bearing layer is composed of a mixture of gravel with a grain size of 0/32 mm, on top of which is a layer of crushed stone or, of recycled material at 0/45 mm. In a load-bearing base with anti-icing function, the first layer is usually at least 20 cm thick and the second at least 15 cm. Depending on availability, a single material with a different granulometry can be used, fertilized with long-acting fertilizer.

Installation bed

The installation bed consists of a mixture of sand and gravel (0/5 - 0/11 mm), permeable to water and stable to favor rooting.

We recommend that you use:

- In case of sub-zero temperatures, a crushed stone mixture.
- In case of dry or sandy soils, lava alone, which has the ability to retain water.


After rolling, the extended and leveled layer should have a thickness of approximately 4 cm; to facilitate rooting, it can be fertilized with organic products.

Fill the combs with mulch, sand, humus, gravel, compost,

Fixing of the grid to preserve the lawn.



























Substrate bedding: gravel, fine sand or permeable crushed sand.

Gravel bearing layer with grain sizes from 0/32 to 0/45, non-connected and water permeable.





SPARE PARTS FOR INCUBATORS

| | | |  |  |
|-----------|---|---|---|---|
| | | | 1962A4 | 2118A |
| 00000278G | POWER UNIT FOR COVATUTTO 162 ORANGE |  | | |
| 00000273G | POWER UNIT FOR COVATUTTO 108 ORANGE |  | | |
| 0206G5000 | POWER UNIT 54 DIGITAL |  | | |
| 0053G5000 | POWER UNIT FOR COVATUTTO 24 DIGITAL |  | | |
| 00000295G | POWER UNIT 16L DIGITAL |  | | |
| 00000258G | POWER UNIT FOR 108/162 YELLOW ANALOGUE |  | | |
| 0206G4000 | POWER UNIT 54 |  | | |
| 0053G4000 | POWER UNIT 24/24ECO |  | | |
| 00000294G | POWER UNIT 16L ANALOGUE |  | | ● |
| 0214G4000 | POWER UNIT 16 |  | | |
| 0215G4000 | POWER UNIT 7 |  | ● | |
| 00000277G | BOARD FOR COVATUTTO 162 DIGITAL |  | | |
| 00000274G | BOARD FOR COVATUTTO 108 DIGITAL |  | | |
| 00000276G | BOARD FOR COVATUTTO 54 DIGITAL |  | | |
| 00000275G | BOARD UNIT FOR COVATUTTO 24 DIGITAL |  | | |
| 00000297G | CIRCUIT COVA 16L DIGITAL + PROBE |  | | |
| 00000209G | BOARD + BLACK PROBE + BOX FOR 40/120/108/162 |  | | |
| 00000226G | BOARD + BLACK PROBE + BOX FOR 24ECO/24/54 |  | | |
| 00000229G | BOARD + yellow PROBE + SC (12E/16) 4F4.8-230V:2 |  | | ● |
| 00000227G | BOARD + YELLOW PROBE + BOX FOR COVATUTTO 7 |  | ● | |
| 00004701P | PROBE FOR DIGITAL CIRCUIT COVA 16L |  | | |
| 00004702P | SMD Y SONDA DIGITAL 7-16-16L -24-54-108-162 |  | ● | ● |
| 00000930P | TEMPERATURE PROBE (15K-5%) |  | ● | ● |
| 00000057G | MOTOR + FAN COVATUTTO 120/108/162 |  | | |

SPARE PARTS FOR INCUBATORS

[illegible]

SPARE PARTS FOR INCUBATORS

| | | |  |  |
|-----------|--|---|---|---|
| | | | 1962A4 | 2118A |
| 00003975P | MOTOR FAN (80x80x25 230V 4.6W) |  | | |
| 00000219G | MOTOR + 2 FANS FOR COVATUTTO 24ECO/24/54 |  | | |
| 00002716P | GEARED MOTOR FOR EGG TURNING DEVICE (230V) |  | | |
| 00004294P | GEARED MOTOR 6W - 2g EGG TURNING DEVICE x COVATUTTO 16L 230V |  | | |
| 00000259G | LOWER GUARD + RESISTOR (140W) + FAN FOR 162 |  | | |
| 0012G4000 | LOWER GUARD + RESISTOR (90W) 120/108 |  | | |
| 00003204P | RESISTOR-HOLDER FOR 24/24ECO/54 (40-120-4V) 108/162 |  | | |
| 00003227P | RESISTOR 90W 4100-54 DIGITAL - LOWER 108 |  | | |
| 00003446P | RESISTOR 140W 4100 FOR 24ECO/24/54/162 |  | | |
| 00003205P | RESISTOR 60W 3450 FOR 120-4V/108/162 - 24dgt |  | | |
| 00000054P | LAMP 15W MINI LIGHT E14 FOR 40/120/108/162 |  | | |
| 00004130P | LAMP 25 W - MINI light E14 x COVATUTTO 16L +16LDGT |  | | ● |
| 00003320P | BULB 60W OPALINE E14 FOR 12ECO/16 (13) |  | | |
| 00003300P | BULB 40W OPALINE E14 FOR 7/12ECO |  | ● | |
| 2206A0000 | DIGITAL THERMOMETER |  | ● | ● |
| 2207A0000 | DIGITAL THERMOMETER WITH HYGROMETER |  | ● | ● |
| 00000207G | THERMOMETER + CASE FOR 16/24ECO/24/54/40/120/108/162 |  | | ● |
| 00000212G | THERMOMETER + CASE COVATUTTO 7 |  | ● | |
| 00003961P | FRAME FOR EGG-HOLDING TRAY COVATUTTO 108/162 |  | | |
| 00000061P | BOTTOM FOR EGG-HOLDING TRAY FOR 40/54/120/108/162 |  | | |
| 00000062P | EGG SEPARATOR |  | | |
| 00000833P | SLIDING BOTTOM FOR 20/24/24ECO |  | | |
| 00000066P | EGG-TURNING TIE ROD 40/120/108/162 |  | | |
| 00000067P | KNOB FOR EGG-TURNING TIE ROD FOR 40/108/120/162 |  | | |




SPARE PARTS FOR INCUBATORS

[illegible]














SPARE PARTS FOR INCUBATORS

| | | |  |  |
|-----------|---|---|---|---|
| | | | 1962A4 | 2118A |
| 00003222P | EGG-TURNING TIE ROD FOR 24/24 ECO/54 |  | | |
| 00000298G | KIT VOLTEADOR AUTOMÁTICO DE HUEVOS PARA COVATUTTO 16L |  | | |
| 00000291G | KIT VOLTEADOR DE HUEVOS MANUAL PARA COVATUTTO 16L |  | |  |
| 00000337G | KIT VOLTEADOR DE HUEVOS MANUAL PARA COVATUTTO 16L |  | | |
| 00000064P | BANDEJA PARA LA HUMEDAD |  | | |
| 00000289G | DEPÓSITO DE HUMEDAD COVATUTTO 24ECO |  | | |
| 00000290G | DEPÓSITO DE HUMEDAD COVATUTTO 24/54 |  | | |






ALADINO SPARE PARTS - REFLECT CIP

| | | |
|-----------|--|---|
| 00003663P | LOWER GUARD (WHITE) FOR REFLECTOR (150W/250W) |  |
| 00003605P | LOWER GUARD (YELLOW) FOR REFLECTOR (75W/100W) |  |
| 00003638P | LAMP HOLDER MADE WITH CERAMIC, THREAD (E27 RUST-PROOF) |  |

SPARE PARTS FOR INCUBATORS

|  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|---|---|---|---|---|---|---|--|---|---|---|---|
| 2229A | 2119A | 504A4 1801A4 | 1958A4 1959A4 | 1958A5 1959A5 | 1960A4 1961A4 | 1960A5 1961A5 | 2068A 2069A | 2068AD 2069AD | 2066AT 2067AT | 2066ADT 2067ADT | 1794A4 | 1796A4 |
| | | ● | ● | ● | ● | ● | | | | | | |
| | ● | | | | | | | | | | | |
| | | | | | | | | | | | | |
| ● | | | | | | | | | | | | |
| | | | | | | | ● | ● | ● | ● | | |
| | | ● | | | | | | | | | | |
| | | | ● | ● | ● | ● | | | | | | |







ALADINO SPARE PARTS - REFLECT CIP

|  |  |  |  |  |
|---|---|---|---|---|
| 1981A | 1982A 1989A | 2163A 2164A | 1990A 1999A | 1980A |
| | ● | ● | ● | |
| ● | | | | ● |
| ● | ● | ● | ● | ● |

SPARE PARTS FOR PLUCKERS

| | | |
|------------------|---|---|
| 00000037G | FLYWHEEL (D 40) + SCREW (6X42 MM) |  |
| 00000039P | BIPOLAR SWITCH (16 A) |  |
| 00004732P | 1/2 CHICKEN FINGER DISC (SOLD IN PAIRS) |  |
| 00004733P | 1/2 DISC OF QUAIL FINGERS (SOLD IN PAIRS) |  |
| 00004727P | CHICKEN FINGERS |  |
| 00004728P | QUAIL FINGERS |  |
| 00004817P | SINGLE PHASE MOTOR 300W 6POLE 230V |  |
| 00003495P | SINGLE PHASE MOTOR 900W 230V |  |
| 00004753P | BELT |  |
| 00003651P | MOTOR PROTECTOR T11-T12 |  |
| 00004754P | EMERGENCY SWITCH |  |
| 00004755P | BUSHING WITH BEARING Ø 20MM |  |
| 00004820P | STAINLESS STEEL GRID FOR 24" FEATHER PLUCKING MACHINE |  |
| 00004746P | STAINLESS STEEL GRID FOR 36" FEATHER PLUCKING MACHINE |  |











SPARE PARTS FOR PLUCKERS

| | | | | | |
|--|---|---|---|---|---|
|  |  |  |  |  |  |
| 0011A | 1853A | 2196A | 2211A | 2205A | 2209A |
| ● | ● | | | | |
| ● | ● | | | | |
| | | ● | ● | ● | |
| | | | | | ● |
| ● | | ● | ● | ● | |
| | ● | | | | ● |
| | | | | ● | ● |
| | | ● | ● | | |
| | | ● | ● | | |
| | | ● | ● | | |
| | | ● | ● | ● | ● |
| | | ● | ● | | |
| | | | | ● | ● |
| | | ● | ● | | |

























SPARE PARTS FOR MILLS AND SHELLERS

| | | |
|------------------|---|---|
| 00000712P | SINGLE-SHAFT MOTOR HOLE Ø 24mm (1500W/n3000) TWO-SHAFT MOTOR HOLE Ø 16mm (1500W/n3000) |  |
| 00000782P | TWO-SHAFT MOTOR (1500W/n3000) |  |
| 00003495P | MOTOR Ø 12MM 900W/230V FOR BRAVO MOTOR Ø 9 MM 900W/230V FOR BRAVO |  |
| 00000060G | MOTOR H55 (WITHOUT HALF MOTOR CASING + THERMAL SWITCH - 1 HP - 230V) |  |
| 00000083G | MOTOR H40 (WITHOUT HALF MOTOR CASING + THERMAL SWITCH 0.75 HP - 230V) |  |
| 00000071G | MOTOR FOR SHELLER RAMBO (flange + terminal block 0.25 Hp 230V) |  |
| 00000072G | MOTOR FOR REDUCTION GEAR, SHELLER RAMBO (casing + safety device) |  |
| 00000033G | SAFETY DEVICE FOR MILLS (UNIBLOC-ERCOLINO-RAMBO) |  |
| 00000221G | INTERNAL SAFETY DEVICE WITH FILTER FOR MILLS 4V |  |
| 00000238G | INTERNAL SAFETY DEVICE WITHOUT FILTER FOR BRAVO 4V |  |
| 00000950P | PUSHBUTTON FOR MOTOR CIRCUIT BREAKER (T11-211-8A I/G) |  |
| 00003651P | PUSHBUTTON FOR MOTOR CIRCUIT BREAKER (T11-211-5A I/G) |  |
| 00000022G | BLADE HUB HOLE Ø 24mm + 20 HAMMERS FOR ERCOLINO BLADE HUB HOLE Ø 16mm + 20 HAMMERS FOR ERCOLINO |  |
| 00000272G | BLADE HUB HOLE Ø 9MM + 12 HAMMERS + SPACER FOR BRAVO BLADE HUB HOLE Ø 12MM + 12 HAMMERS + SPACER FOR BRAVO |  |
| 00000054G | BLADE HUB + 12 HAMMERS FOR UNIBLOC |  |
| 00000204G | BLADE LOCK FOR GOLIA |  |
| 00000205G | BLADE LOCK FOR DAVIDE |  |
| 00000127P | HAMMER FOR ERCOLINO (3x25x82.5 L mm) |  |
| 00000860P | HAMMER FOR UNIBLOC/BRAVO (3x25x49.5 L mm) |  |
| 00003185P | BLADE (G. shaped - 30x2x120.5 L) |  |
| 00000129P | GRINDER DISC + BLADE FOR ERCOLINO (d205) |  |
| 00000241G | BLADE DISC FOR MAGNUM 4V |  |











SPARE PARTS FOR MILLS AND SHELLERS

|  1971A |  1970A |  1972A |  1974A |  2168F |  2172F |  2167A |  0990A |  0518A |  0496A |
|---|--|--|--|--|--|--|--|---|--|
| | | | | | | | | ● | |
| | | | | | | | | | ● |
| | | ● | | | | | | | |
| | ● | | ● | | | | | | |
| ● | | | | | | | | | |
| | | | | | | | ● | | |
| | | | | | | | ● | | |
| | | | | | | | ● | ● | ● |
| ● | ● | | ● | | | | | | |
| | | ● | | | | | | | |
| | | | | | | | | ● | ● |
| | | ● | | | | | | | |
| | | | | | | | | ● | |
| | | ● | | | | | | | |
| | | | | | | | | | ● |
| | ● | | | | | | | | |
| ● | | | | | | | | | |
| | | | | | | | | ● | |
| | | ● | | | | | | | ● |
| | | | ● | | | | | | |
| | | | | | | | | ● | |
| | | | ● | | | | | | |











SPARE PARTS FOR MILLS AND SHELLERS

| | | |
|------------------|--|---|
| 00002754P | FIXED DISC + HOLES FOR MANUAL MILL GRILLO |  |
| 00004523P | CRUSHER DISC FOR MANUAL MILL GRILLO |  |
| 00004541P | ALUMINIUM THREADED DISC FOR SELLER PREMIUM |  |
| 00000790P | TOOTHED DISC FOR SELLER UNIBLOC/RAMBO |  |
| 00000125P | TOOTHED DISC FOR SELLER GRISÙ/RITMO (made with plastic material) |  |
| 00000791P | SPRING FOR SELLER RAMBO/UNIBLOC (d 20.5 X L42) |  |
| 00000105P | SPRING FOR MANUAL SELLER (d 17-d 2-L70 SP=10 SX) |  |
| 00000783P | BELT FOR UNIBLOC (Z36-LP=940) |  |
| 00001309P | TOOTHED BELT (160XLx0.57) |  |
| 00000857P | SIEVE (hole 8 - half-round) |  |
| 00000856P | SIEVE (hole 6 - half-round) |  |
| 00000855P | SIEVE (hole 4 - half-round) |  |
| 00000854P | SIEVE (hole 2.5 - half-round) |  |
| 00003466P | SIEVE (hole 2.5 - separated) |  |
| 00003467P | SIEVE (hole 4 - separated) |  |
| 00003468P | SIEVE (hole 6 - separated)) |  |
| 00003469P | SIEVE (hole 8 - separated) |  |
| 00003670P | SIEVE (hole 10 - separated) |  |
| 00003509P | SIEVE (hole 1.5 - separated) |  |
| 00003504P | SIEVE (hole 1 - separated) |  |
| 00000247G | GREEN DOOR (grinding chamber) FOR BRAVÒ 4V |  |
| 00000242G | ORANGE DOOR (grinding chamber) FOR MAGNUM 4V |  |
| 00000239G | YELLOW DOOR (grinding chamber) FOR GOLIA 4V |  |
| 00000240G | ORANGE DOOR (grinding chamber) FOR DAVIDE 4V |  |

SPARE PARTS FOR MILLS AND SHELLERS

|  1971A |  1970A |  1972A |  1974A |  2168F |  2172F |  2167A |  0990A |  0518A |  0496A |
|---|--|--|--|--|--|--|--|---|--|
| | | | | | | ● | | | |
| | | | | | | ● | | | |
| | | | | | ● | | | | |
| | | | | | | | ● | | ● |
| | | | | ● | | | | | |
| | | | | | | | ● | | ● |
| | | | | ● | ● | | | | |
| | | | | | | | | | ● |
| | | | | | | | ● | | |
| | | | | | | | | ● | |
| | | | | | | | | ● | |
| | | | | | | | | ● | |
| ● | ● | | ● | | | | | | |
| ● | ● | ● | ● | | | | | | |
| ● | ● | ● | ● | | | | | | |
| ● | ● | ● | ● | | | | | | |
| ● | ● | ● | ● | | | | | | |
| ● | ● | | ● | | | | | | |
| ● | ● | | ● | | | | | | |
| | | ● | | | | | | | |
| | | | ● | | | | | | |
| | ● | | | | | | | | |
| ● | | | | | | | | | |











SPARE PARTS FOR MILLS AND SHELLERS

| | | |
|------------------|---|---|
| 00000223G | HANDWHEEL (d40) + SCREW (8x120 mm) |  |
| 00000222G | HANDWHEEL (d40) + SCREW (8x90 mm) |  |
| 00000037G | HANDWHEEL (d40) + SCREW (6x42 mm) |  |
| 00000225G | HANDWHEEL (d40) + SCREW (6x20 mm) |  |
| 00000038G | HANDWHEEL (d40) + SCREW (8x16 mm) |  |
| 00003452P | OPENING (grinding chamber) FOR MILLS 4V |  |
| 00001596P | FABRIC CONNECTION |  |
| 00000721P | ANTI-VIBRATION FOOT (d25) |  |
| 00003590P | DRIP PLUG DIAM. 32mm |  |
| 00000205P | PLUG FOR INTERNAL HOLE DIAM. 25mm |  |




SPARE PARTS FOR HOUSEHOLD APPLIANCES

| | | |
|------------------|---|---|
| 00002239P | MOTOR + RESISTORS GHIBLI (500W/1000W) |  |
| 00002243P | TRAY GHIBLI |  |
| 00000078G | HANDWHEEL FOR MIXER (d38x8mm) |  |
| 00001780P | CHROMIUM-PLATED PLUG (d14) FOR IMPELLER |  |
| 00001893P | CHROMIUM-PLATED SPRING FOR IMPELLER |  |
| 00002007P | IMPELLER FOR POT (d 240/260) |  |
| 00001901P | IMPELLER FOR POT ø 30 cm |  |

















SPARE PARTS FOR MILLS AND SHELLERS

|  |  |  |  |  |  |  |  |  |  |
|--|---|---|---|---|---|---|---|--|---|
| 1971A | 1970A | 1972A | 1974A | 2168F | 2172F | 2167A | 0990A | 0518A | 0496A |
| ● | ● | ● | ● | | | | | | |
| ● | ● | ● | ● | | | | | | |
| | | | | | | | | ● | ● |
| | | ● | ● | | | | | | |
| | | | | | | | ● | ● | ● |
| ● | ● | ● | ● | | | | | | |
| | | | | | | | ● | | |
| | | | | | | | | ● | |
| ● | ● | ● | ● | | | | | | |
| | | | | | | | ● | ● | ● |





SPARE PARTS FOR HOUSEHOLD APPLIANCES

|  |  |  |
|--|---|---|
| 1146A | 1807A | 1808A |
| ● | | |
| ● | | |
| | ● | ● |
| | ● | ● |
| | ● | ● |
| | ● | |
| | | ● |

SPARE PARTS FOR TRAPS AND EXTERMINATORS

| | | |
|------------------|---|---|
| 00000621P | INSULATOR FOR VOLTAGE GRID |  |
| 00000657P | COUNTER-INSULATOR FOR VOLTAGE GRID |  |
| 00002494P | MOTOR FOR BOXER (18W/n1000) |  |
| 00002495P | FAN FOR BOXER (d180 PL) |  |
| 00000625P | TRANSFORMER FOR MOSQUITO EXTERMINATORS (Ic 230V-Iu 5000V) |  |
| 00000080G | TRANSFORMER + DUPLICATOR (6W/8W/11W) |  |
| 00000632P | SINGLE-POLE DOUBLE SWITCH (3A/6A/16A) |  |
| 00002212P | SAFETY PUSH-BUTTON FOR MOSQUITO EXTERMINATORS (1A-250V) |  |
| 00000623P | ACTINIC LAMP (20W white) |  |
| 00000624P | LAMP FOR WOOD (20W blue) |  |
| 00000659P | ACTINIC LAMP (40W white) |  |
| 00001062P | ACTINIC LAMP (15W white) |  |
| 00001151P | LAMP FOR WOOD (15W blue) |  |
| 00002127P | ACTINIC LAMP (12W/14W white) |  |
| 00001701P | ACTINIC LAMP (11W white) |  |
| 00004370P | SHATTER-PROOF LAMP 15W |  |

SPARE PARTS FOR TRAPS AND EXTERMINATORS

|  1121A |  1734A |  0982A |  3165PF | MODELS OUT OF PRODUCTION |
|--|--|--|---|--------------------------------|
| | | ● | | |
| | | | | ● |
| | ● | | | |
| | ● | | | |
| | | ● | | |
| ● | | | | |
| | | ● | | |
| | | ● | | |
| | | | | ● |
| | | | | ● |
| | | | | ● |
| | ● | ● | ● | |
| | | ● | | |
| | | | | ● |
| ● | | | | |
| | | | ● | |



Tel. 910228745 - 608872330

Follow us on:



EXCLUSION OF LIABILITY

Due to updates and/or technical innovations, some of the instructions, specifications and images included in this documentation may differ.

The items described here in are for illustrative purposes only and may not be applicable to the specific case.
No legal rights or claims can be derived from the description provided in this manual.

VISIT OUR WEBSITE



ORMITAL



Ormi Group
www.ormigroup.com

info@ormigroup.com - www.ormigroup.com

Tel. 910228745 - 608872330